

SBI INFRA MANAGEMENT SOLUTIONS PVT. LTD.

<u>CIRCLE OFFICE, AHMEDABAD</u> <u>STATE BANK OF INDIA, 3RD FLOOR, LOCAL HEAD OFFICE, BHADRA,</u> <u>LALDARWAJA, AHMEDABAD- 380001</u>

SBIIMS INVITE TENDERS ON BEHALF OF SBI FOR PROPOSED FURNITURE AND FURNISHING WORKS FOR SBI, J-9, CANAL ROAD BRANCH AT SURAT Tender ID : AHM201903019

FROM

THE SBI APPROVED EMPANELLED FURNITURE CONTRACTORS UNDER CATEGORY F2 & ABOVE (RS. 20 LAKHS & ABOVE)

:

2

2

PART – A: TECHNICAL BID

TENDER SUBMITTED BY:

NAME

ADDRESS

DATE

ARCHITECT:

SOPAN 202, RIVER PALACE WING-B NANPURA SURAT-395001



INDEX

Tender documents are in two parts (Volumes) i.e. Part – A and Part – B PART – A (TECHNICAL BID)

Sr. No.	Description	Page No.
1	Cover page	1
2	Index	2
3	Notice Inviting Tender	3
4	Form of Tender	6
5	Articles of Agreement	14
6	Instructions to the Tenderers	19
7	General Conditions of Contract	23
8	Appendix Herein Before Referred To	49
9	Letter Of Declaration	51
10	Pro-forma For Running A/C Bill	53
11	Technical Specifications	57
12	Important points to be noted	69
13	Approved make List	72
14	Bill of Quantities (Not to be filled)	78
15	Tender drawings & Details (16 nos. Drawings)	92



Tender ID : AHM201903019

NOTICE INVITING TENDERS

SBIIMS on behalf of SBI through its Architect <u>M/s SOPAN, SURAT</u> invites "online item rate E-tender" from the SBI Empanelled contractors under appropriate category for the captioned work.

The details of tender are as under:

S.No.	Description	
1.	Name of work	PROPOSED FURNITURE WORK FOR STATE BANK OF INDIA, J-9 CANAL ROAD BRANCH, SURAT
2.	Nature of Work	Loose and Fixed Furniture works
3.	Time allowed for completion	(45 days) 1 Month and 15 days from date of acceptance of work order or handing over of site whichever later
4.	Application/ Tender fees	Rs 2000 /- (Rupees. Two Thousand Only) Non-refundable AMOUNT TO BE PAID ONLY THROUGH SB COLLECT PAYMENT PORTAL AVAILABLE IN SBI site https://www.onlinesbi.com) GUIDELINES TO MAKE ONLINE TENDER FEES go to SBI Internet Banking website- https://www.onlinesbi.com/ ↓ Select SBI Collect from Top Menu ↓ Click Check box to Proceed ↓ Select "All India " in state Corporate/Institution and "Commercial Services" in type of Corporate / Institution after that click go



		\downarrow
		Select " SBI INFRA MANAGEMENT SOLUTIONS PVT. LTD." IN Commercial Services Name and Submit
		\downarrow
		Select "Tender Application Fee" in Payment category and Enter "Tender ID " and Submit.
		\downarrow
		The Vendor will have to fill up the fields properly and submit. Upon making the payment a receipt will be generated with a reference no. on it. The Contractor has to submit soft copy of Application Fee deposited challan copy in online Business Rule Document & in hard copy along with EMD to office as mentioned at Sr No 11.
5.	Period of deposit of tender	<mark>14.03</mark> .2019 to 25 <mark>.03</mark> .2019 upto 12.30 pm
	Fees (online) in SB collect*	
6.	Earnest Money Deposit	Rs15,100/- (Fifteen Thousand One Hundred only)by means of Demand Draft / Pay Order (Valid for a period of 180 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of State Bank of India and payable at SURAT.
7.	Initial Security Deposit	2% of contract amount including EMD
8.	Total Security deposit	5% of the final bill amount including ISD.
9.	Start and end date for downloading of tender documents from Bank's website	14.03.2019 to 25.03.2019 at <u>www.sbi.co.in</u> under <link/> procurement news.
10.	Last date & time for submission of EMD and receipt of deposit of tender fees.	25 <mark>.03.2019</mark> by 12.30 PM
11.	Address at which EMD &	The Circle Head & VP (Civil),

11.	Address at which EMD &	The Circle Head & VP (Civil),
	Receipt of Tender Fee	SBI Infra Management Solutions Pvt Ltd,
	deposited has to be submitted	State Bank of India, LHO, Third Floor, Lal Darwaja,
	(No hard copy of Technical Bic	Ahmedabad
	to be submitted)	



12.	Online submission of Technical bid on the web site https://etender.sbi	<mark>14</mark> .03.2019 to 2 <mark>5</mark> .03.2019 by 12.30 PM
13	Date and time of opening of online Technical bid	<mark>25</mark> .03.2019 at 01.30 pm onwards
14	Date & time for submission of online indicative price bid.	Date and time for submission of indicative price bid will be informed to the qualified contractor separately after scrutiny of their Technical bid.
15	Date & time for opening of online indicative price bid.	Date and time will be informed to the qualified contractor separately.
16	Date & time for e-reverse auction	Date and time for e-reverse auction will be informed to the qualified contractor separately.
17	Liquidated Damages	0.50% of contract amount per weeks subject to max. 5% of contract value or final bill value.
18	Defects liability period	12 Months from the date of Virtual Completion
19	Validity of offer	180 days from the date of opening of Price-bid
20	Value of Interim Certificate	Only full & final payment will be paid. No advance on materials / plant / machinery or mobilization advance shall be paid under any circumstances
21	Agency for arranging online bidding (Technical bid indicative price bid and e re- verse auction).	M/s. e-Procurement Technology, B-705, Wall Street - II, Opp. Orient Club, Ellis Bridge, Ahmedabad – 380006, State Gujarat, India Contact No40270506-90, 79-6813 6853 /843 /6835 / 6840 / 6857 /63 / 20 / 52
22	Contract no of Bank's Engineer for any technica clarification.	7600035167 I

• Fee paid beyond the permitted period will be rejected.

23. Tenders can be downloaded from the bank's website <u>www.sbi.co.in(link)</u> <Procurement News>. It shall be responsibility of the L-1 contractor to arrange and ensure that all pages of technical and financial bid are properly bound, duly signed and submitted to respective office of SBI with contract document.

24. No conditions other than mentioned in the tender will be considered, and if given they will have to be withdrawn before opening of the price-bid.

25. The SBIIMS reserve their rights to accept or reject any or all the tenders, either in whole or in part without assigning any reason(s) for doing so and no claim / correspondence shall be entertained in this regard.



26. Tenders received without EMD and Application Fees shall be summarily rejected and such tenders shall not be allowed to participate in the online price bidding process.

27. In case the date of opening of tenders is declared as a holiday, the tenders will be opened on the next working day at the same time.

28. SBIIMS has the right to accept / reject any / all tenders without assigning any reasons and no correspondence shall be entertained in this regard.

Yours Faithfully,

For: SOPAN Ar. Ajay Chowdhury Address: 202,RIVER PALACE WING-B NANPURA, SURAT-395001



FORM TENDER

To, The Circle Head & VP (Civil), Circle Office, SBI Infra Management Solutions Pvt. Ltd., Ahmedabad- 380001.

Dear Sir,

Having examined the drawings, specification, design and schedule of quantities relating to the works specified in the memorandum hereinafter set out and having visited and examined the site of the works specified in the said memorandum and having acquired the requisite information relating thereto as affecting the tender, I/We hereby offer to execute the works specified in the said memorandum at the rates mentioned in the attached Schedule of Quantities and in accordance in all respects with the specifications, design, drawings and instructions in writing referred to in conditions of tender, the Articles of Agreement, Special Conditions, Schedule of Quantities and Conditions of Contract and with such materials as are provided for by,and in all other respects in accordance with such conditions so far as they may be applicable.

Description of work	Proposed Furniture works for J-9 Canal Road
	branch, Surat.
	Rs 15,100/- (Fifteen Thousand One Hundred only) by means of Demand Draft / Pay Order (Valid for a period of 180 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of State Bank of India and payableat Surat.
	10 % from Running Bills, subject to maximum
deducted from Bills and total amount	Total 5% of contract amount or actual Final Bill
to be retained	value including EMD & Initial Security Deposit.
Time allowed for completion of the Works from fourteenth day after the	•
date of written order or date of	
handing over of the site (whichever is	
later)to commence the work	

MEMORANDUM

I/We have deposited a sum of **Rs 15,100/- (Fifteen Thousand One Hundred only)** of the total tender amount as Earnest Money with the State Bank of India which is not to bear any interest. Should I / We fail to execute the Contract when called upon to do sol/ We do hereby agree that this sum shall be forfeited by me/us to SBI Infra Management Solutions.



1) Our Bankers are: i)

ii)

The names of partners of our firm are: i)

ii)

Name of the partner of the firm Authorized to sign

Or

(Name of person having Power of Attorney to sign the Contract.)

(Certified true copy of the Power of Attorney should be attached)

Yours faithfully,

Signature of Contractors.

Signature and addresses of Witnesses

i)

ii)



SAMPLE BUISNESS RULE DOCUMENT

ONLINE E-TENDERING FOR PROPOSEDFURNITURE WORKS FOR SBI CANAL ROAD (NEW PREMISE), SURAT.

(A) Business rules forE-tendering:

- 1. Only empanelled contractors with SBI under appropriate category who are invited by the project Architect/SBIIMS shall only be eligible to participate.
- 2. SBIIMS will engage the services of an E-tendering service provider who will provide necessary training and assistance before commencement of online bidding on Internet.
- 3. In case of e-tendering, SBIIMS will inform the vendor in writing, the details of service provider to enable them to contact and get trained.
- 4. Business rules like event date, closing and opening time etc. also will be communicated through service provider for compliance.
- 5. Contractors have to send by email, the compliance form in the prescribed format (provided by service provider), before start of E-tendering. Without this the vendor will not be eligible to participate in the event.
- 6. The Contractors will be required to submit the various documents in sealed Envelope to the office of SBI Infra Solutions Pvt Ltd.at the address mentioned hereinbefore by the stipulated date i.e. (1) Hard Copy of Technical Bid duly signed and stamped on each page (2) Demand Draft of specified amount of EMD (3) Demand Draft / Cheque of Application Fees (4) Certified copy of Work Licenses). Contractors not submitting any one or more documents shall not be eligible to participate in the on-line price bidding.
- 7. E-tendering will be conducted on schedule date & time.

8. <u>The e-tendering will be treated as closed only when the bidding process</u> <u>gets closed in all respects for the item listed in thetender.</u>

(B) Terms & conditions ofE-tendering:

SBIIMS shall finalize the Tender through e-tendering mode for which **M/s. e**-**Procurement Technology, Ahmedabad** has been engaged by SBIIMS as an authorized service provider. Please go through the guidelines given below and submit your acceptance to the same along with your Commercial Bid.

1. E-tendering shall be conducted by SBIIMS through **M/s.e-Procurement Technology, Ahmedabad**,on pre-specified date. While the Contractors shall be quoting from their own offices/ place of their choice,Internet connectivity and other paraphernalia requirements shall have to be ensured by Contractors themselves. In the event of failure of their Internet connectivity,(due to any reason whatsoever it may be)it is the bidders' responsibility.

In order to ward-off such contingent situation bidders are requested to make all the necessary arrangements/ alternatives such as back-up power supply whatever required so that they are able to circumvent such situation and still be able to participate in theE-tendering successfully. Failure of power at the premises of Contractors during the E-



tendering cannot be the cause for not participating in the E-tendering. On account of this the time for the E-tendering cannot be extended and SBIIMS is not responsible for such eventualities.

- 2. M/s.**e-Procurement Technology, Ahmedabad**., shall arrange to train your nominated person(s), without any cost to you. They shall also explain you all the Rules related to the E-tendering. You are required to give your compliance on it before start of bid process.
- 3. **Bidding currency and unit of measurement:** Bidding will be conducted in Indian currency & Unit of Measurement will be displayed in Online E-tendering.
- 4. **Bid Price**: The Bidder has to quote the rate as per the Tender Document provided by SBIIMS their appointed Architects.
- 5. **Validity of Bids**: The Bid price shall be firm for a period specified in the tender document and shall not be subjected to any change whatsoever.
- 6. **Procedure ofE-tendering**:

i. <u>OnlineE-tendering:</u>

- (a) The hard copy of the Technical as well as Price Bid is available on the Bank's website during the period specified in the NIT.
- (b) On line e-tendering is open to the empanelled bidders who receive NIT from the Architect and qualified for participating in the price bidding as provisions mentioned here in above through SBIIMS approved Service Provider.
- (c) The Price-Bid shall be made available online by the Service Provider wherein the contractors will be required to fill-in their Item-wise rates for each item.
- (d) The Contractors are advised not to wait till the last minute to submit their online item-wise quote in the price bid to avoid complications related with internet connectivity, network problems, system crash down, power failure,etc.
- (e) It is mandatory to all the bidders participating in the price bid to quote their rates for each and every item.
- (f) In case, contractor fails to quote their rates for any one or more tender items, their tender shall be treated as *"Incomplete Tender*" and shall be liable for rejection.
- 7. Log in Name and Password: Each Bidder is assigned a Unique User Name & Password by M/s. e-Procurement Technology, Ahmedabad. The Bidders are requested to change the Password after the receipt of initial Password from M/s. e-Procurement Technology, Ahmedabad. All bids made from the Login ID given to the bidder will be deemed to have been made by the bidder.



- 8. **Bids placed by bidder**: Bids will be taken as an offer to execute the work as specified. Bids once made, cannot be cancelled / withdrawn and the Bidder shall be bound to execute the work at the quoted bid price. In case the L-1 Bidder backs out or fail to complete the work as per the rates quoted, SBIIMS shall at liberty to take action as deemed necessary including de-paneling such contractors and forfeiting their EMD
- 9. at the end of the E-tendering, SBIIMS will decide upon the winner. SBIIMS decision on award of Contract shall be final and binding on all the Bidders.
- 10. SBIIMS shall be at liberty to cancel the E-tendering process/tender at anytime, before ordering, without assigning any reason.
- 11. SBIIMS shall not have any liability to bidders for any interruption or delay in access to the site irrespective of the cause.
- 12. Other terms and conditions shall be as per your techno-commercial offers and other correspondences till date.
- 13. OTHER TERMS & CONDITIONS:
- The Bidder shall not involve himself or any of his representatives in Price manipulation of any kind directly or indirectly by communicating with other suppliers/ bidders.
- The Bidder shall not divulge either his Bids or any other exclusive details of SBIIMS to any other party.
- SBIIMS decision on award of Contract shall be final and binding on all the Bidders.
- SBIIMS reserve their rights to extend, reschedule or cancel any E-tendering within its sole discretion.
- SBIIMS or its authorized service provider M/s. **e-Procurement Technology, Ahmedabad** shall not have any liability to Bidders for any interruption or delay in access to the site irrespective of the cause.
- SBIIMS or its authorized service provider M/s. **e-Procurement Technology, Ahmedabad** is not responsible for any damages, including damages that result from, but are not limited to negligence.
- SBIIMS or its authorized service M/s. **e-Procurement Technology, Ahmedabad** will not be held responsible for consequential damages, including but not limited to systems problems, inability to use the system, loss of electronic information etc.



<u>N.B.</u>

-

-

All the Bidders are required to submit the Process Compliance Statement (Annexure-II) duly signed to M/s. **e-Procurement Technology, Ahmedabad**.

All the bidders are requested to ensure that they have a valid digital signature certificate well in advance to participate in the on line event.



PROCESS COMPLIANCE STATEMENT (ANNEXURE II)

(The bidders are required to print this on their company's letter head and sign, stamp beforeemailing)

To. M/s. e-Procurement Technology, B-705, Wall Street - II, Opp. Orient Club, Ellisbridge, Ahmedabad - 380006, State Gujarat, India

E:yashrajsinh@auctiontiger.net, sujith@eptl.in Web: - https://etender.sbi

D: +91 79 40270579/580/567/596, 079-40016815, 9374197554, 9879996111

Email:

AGREEMENT TO THE PROCESS RELATED TERMS AND CONDITIONS FOR THE **ONLINEE-TENDERINGFORPROPOSED FURNITURE WORKS FOR SBI J-9 CANAL ROAD BRANCH, SURAT.**

Dear Sir.

This has reference to the Terms & Conditions for the E-tendering mentioned in the tender document

This letter is to confirm that:

- The undersigned is authorized representative of the company. 1)
- 2) We have studied the Commercial Terms and the Business rules governing the Etendering as mentioned in RFP of SBIIMS as well as this document and confirm our agreement to them.
- We also confirm that we have taken the training on the E-tendering tool and have 3) understood the functionality of the same thoroughly.
- We confirm that SBIIMS and M/s. e-Procurement Technology, Ahmedabad shall 4) not be liable & responsible in any manner whatsoever for my/our failure to access & bid on the e-E-tendering platform due to loss of internet connectivity, electricity failure, virus attack, problems with the PC, any other unforeseen circumstances etc. before or during the E- tendering event.
- 5) We confirm that we have a valid digital signature certificate issued by a valid Certifying Authority.



6) We,hereby confirm that we will honor the Bids placed by us during the E-tendering process.

With regards, Date:

Signature with company seal Name:

Company / Organization:

Designation within Company / Organization: Address of Company / Organization:

Scan it and send to this Document on -----



ARTICLES OF AGREEMENT

(On non-judicial Stamp Paper of Rs. 500/- or as per latest Govt. Rules)

ARTICLES OF AGREEMENT made the _____day of between State Bank Of India, a body, corporate constituted under the State Bank Of India Act and having its Asst. General Manager, State Bank Of India, Regional Administrative Office, RBO-2, SURAT hereinafter called the Bank which expressions shall include its successors and assigns of the One part and(name & address of contractor)hereinafter call the "Contractor" which expressions shall include the successors and assigns of the other part.

ANDWHEREAS for the said INTERIOR FURNISHING WORK for STATE BANK OF INDIA J-9 CANAL ROAD BRANCH, SURAT Terms &Conditions, Specifications and the Schedule of items quantities etc, have been signed by and on behalf of the parties hereto.

AND WHEREAS the Contractor has agreed to execute upon and subject to the Conditions set forth herein and Schedule of items and quantities, General & Special Conditions of Contract, specifications etc contained in the tendered documents including all correspondences exchanged by or between the parties from the submission of tender till the award of work, both letters inclusive, (all of which are collectively hereinafter referred to as "the said conditions", details of which are described in the schedule attached hereto, the works shown upon the said drawings and/or described in the said specification and included in the schedule of items and quantities at the respective rates therein set forth amounting to the sum as therein arrived at or such other sum shall become payable there under arrived at or such other sum as shall become payable there under (hereinafter referred to as "the said Contract Amount.)

NOW IT IS HEREBY AGREED AS FOLLOWS:

- 1) In consideration of the said Contract Amount to be paid at the times and in the manner set forth in the said Conditions, the Contractor shall upon and subject to the said Conditions execute and complete the work shown in the said Drawings and described in the said Specifications and the priced Schedule of items and quantities, as per the terms and conditions contained in the said conditions.
- 2) The Bank shall pay to the Contractor the said Contract Amount, or such other sum as shall become payable, at the times and in the manner specified in the said Conditions.



3) The term "the Architects" in the said Conditions shall mean the **M/s. SOPAN**, in the event of their ceasing to be the Architects for the purpose of this Contract for whatever reason, such other person or persons as shall be nominated for that purpose by the Bank, provided always that no person or persons subsequently appointed to be Architects under this Contract shall be entitled to disregard or overrule any previous decisions or approval or direction given or expressed in writing by the Architects for the time being.

4) The said general Condition, Special condition, technical drawings, Notice Inviting Tender, specifications, Guarantee, Instruction to Tenderers Price Bid (Schedule of Quantities), Correspondences, Letter of Acceptance, Agreements and Appendices there to, contained in the tendered documents/ said conditions shall be read and considered as forming part of this Agreement, and the parties hereto shall respectively abide by, submit themselves to the said conditions and perform the agreements on their part respectively in the said conditions contained therein.

The Plans, Agreements and Documents mentioned herein shall form the basis of this Contract. This Contract is neither a fixed lump-sum contract but is a contract to carry out the work in respect of INTERIOR FURNISHING WORK for STATE BANK OF INDIA AT J-9 CANAL ROAD BRANCH, SURAT.

5) As per the scope describe and to be paid for according to actual measured quantities at the rates contained in the schedule of rates and / or negotiated rates and probable quantities or as provided in the said condition.

6) The bank reserves to itself the right of altering the specifications and nature of the work by adding to or omitting any items of work or having portions of the same carried out without prejudice to this contract.

7)

- a. The contractors represent that they have experience and competent staff which will enable them to ensure proper quality check on the materials, whether brought by the contractors or supplied by the bank to the contractors, and which will ensure that the contractor will carry out proper tests as required by the specifications and will supervise the day to day working and execution of the contract work.
- b. If the contractors have any doubt about the quality of the materials or any difficulty in supervision of the day to day work it shall be duty of the contractors to report the matter in writing forthwith to the bank and for the time being suspend that portion of the work about which difficulty is experienced, and the contractors will abide by the directions given by the bank.



- c. The contractors are aware that the bank will not give day-to-day supervision but will periodically supervise and the contractor has to perform their obligations under the instructions given to him periodically and under sub clauses (a) and (b) above.
- d. The contractors covenant and warrant that completed items of work as well as the entire work on completion will be in conformity with the specifications and the terms and conditions contained in the said conditions and will be of contract quality and description.

8) Time shall be considered as the essence of this contract and the contractor hereby agrees to commence the work on the day on which he is instructed to take possession of the site or from the fourteenth day after the day of issue of formal work order as provided for in the said conditions whichever is later and to complete the entire work within 45 days subject nevertheless to the provisions for the extension of time.

- 1. All payments by the bank under this contract will be made only at J-9 CANAL ROAD branch, surat.
- 2. Any dispute arising under this Agreement shall be referred to arbitration in accordance with the stipulation laid down in the general conditions of contract.
- 3. The contents of this agreement have been read by the contractor and fully understood by the contractor.

IN WITNESS WHEREOF the bank and the contractor have set their respective hands to these presents and two duplicates hereof the day and year first herein above written (If the contractor is a partnership firm or an individual).

IN WITNESS WHEREOF the bank has set its hands to these presents through its duly authorized official and the contractor has caused its common seal to be affixed hereunto and the said duplicates have / has caused these presents and the said two duplicates hereof to be executed on its behalf, the day and year first herein above written (If contractor is a company).

Signature Clause :

SIGNED AND DELIVERED

By the hand of Shri Asst. General Manager, of State Bank Of India (Name and Designation)

In presence of

1.	Address
2.	Address



(Witness)

SIGNED AND DELIVERED by(If the Contractor is a Partnership firm or an individual, should be signed by all partners or by duly authorized person on behalf of all partners).

1)

Address _____

2)

Address _____

(Witness)

THE COMMON SEAL OFwas here into affixed pursuant tothe resolution By Board of Directors at the meeting held on(If the contractorsigns under its common seal, the Signature Clause should tally with the sealing clausein the Articles of Association).

SIGNED AND DELIVERED by

1)	
2)	
1)	
Address	
2)	
Address	
(Witness)	
SIGNED AND DELIVERED by	
1)	
Address	
2)	
Address	
(Witness)	



INSTRUCTIONS TO THE TENDERERS

1.1 Scope ofwork

Sealed Tenders followed by e-reverse auction are invited **by M/s SOPAN, Architects, Surat** for and behalf of SBI / SBIIMSPL for the work of Proposed Furniture works for SBI J-9 Canal road Branch, Surat.

1.2 Site and itslocation

The proposed work is to be carried out atJ-9, canal road, vesu, SURAT.

2.1 <u>Tenderdocuments</u>

2.2 The work has to be carried out strictly according to the conditions stipulated in the tender consisting of the following documents and the most workmen like manner.

Instructions to tenderers General conditions of Contract Special conditions of Contract Additional Specifications Drawings Priced bid A

2.3 The above documents shall be taken as complementary and mutually explanatory of one another but in case of ambiguities or discrepancies, shall take precedence in the order given below;

a) Price Bid

- b) Additional Specifications
- c) Technical specifications
- d) Drawings
- e) Special conditions of contract
- f) General conditions of contract
- g) Instructions to Tenderers

2.4 Complete set of tender documents including relative drawings can be downloaded from the website <u>www.sbi.co</u>.in

2.5 The tender documents are not transferable.



3.1 <u>SiteVisit:</u>

3.2 The tenderer must obtain himself on his own responsibility and his own expenses all information and data that may be required for the purpose of filling this tender document and enter into a contract for the satisfactory performance of the work. The tenderer is requested satisfy himself regarding the availability of water, power, transport and communication facilities, the character quality and quantity of the materials, labour, the law and order situation, climatic conditions local authorities requirement, traffic regulations etc;The tenderer will be fully responsible for considering the financial effect of any or all the factors while submitting histender.

4.1 <u>EarnestMoney:</u>

- 4.2 The tenderers are requested to submit the Earnest Money of **Rs 15,100/-**(Fifteen Thousand One Hundred only) by means of Demand Draft/ PayOrder (Valid for aperiod of 180 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of State Bank of India and payable at Surat.
- 4.3 EMD in any other form other than as specified above will not be accepted. Tender not accompanied by the EMD in accordance with clause 4.1 above shall be rejected.
- 4.4 No interest will be paid on the EMD.
 - 4.5 EMD of unsuccessful tenderer will be refunded within 30 days of award of Contract.
- 4.6 EMD of successful tenderer will be retained as a part of security deposit.

5.0 Initial SecurityDeposit:

The successful tenderer will have to submit a sum equivalent to 2% of accepted tender value less EMD by means of DD drawn in favour of SBIIMS Payable at Valsad within a period of 7 days of acceptance oftender.

6.0 SecurityDeposit:

Total security deposit shall be 5% of contract value. Out of this 2% of contract value is in the form of Initial Security Deposit (ISD) which includes the EMD. Balance 3% shall bedeductedfromtherunningaccountbilloftheworkattherateof10% of the respective running account bill i.e., deduction from each running billaccount will be@10% till Total Security Deposit (TSD) including ISD reaches to 5% of contract value. The 50% of the Total Security Deposit shall be paid to the contract on the basis of architect's certifying the



virtual completion. The balance 50% would be paid to the contractors after the defects liability period as specified in the contract

7.0 Signing of contractDocuments:

The successful tenderer shall be bound to implement the contract by signing an agreement and conditions of contract attached herewith within 15 days from the receipt of intimation of acceptance of the tender by the Bank. However, the written acceptance of the tenders by the Bank will constitute a binding agreement between the Bank and successful tenderer whether such formal agreement is subsequently entered in to or not.

8.0 Completion Period:

Time is essence of the contract. The workshould be completed in all respect accordance with the terms of contract within a period of **45 days** from the date of award of work.

9.0 Validity oftender:

Tenders shall remain valid and open for acceptance for a period of 90 days from the date of e-reverse auction. If the tenderer withdraws his/her offer during the value period ormakesmodificationsinhis/heroriginalofferwhicharenotacceptabletoBankwithout prejudice to any other right or remedy the Bank shall be at liberty forfeit theEMD.

10.0 Liquidated Damages:

The liquidated damages shall be 0.50% per week subject to a maximum of 5% of contract value.

11.0 Rate and prices:

11.0.1 In case of item ratetender:

Thetenderersshallquotetheirratesforindividualitemsbothinwordsandfigure.Incase of discrepancy between the rate quoted in words and figures, the unit rate quantity in wordswillprevail.Ifnorateisquotedforaparticularitemthecontractorshallnotbepaid for that item when it isexecuted.The amount of each item shall be calculated and the requisite total is given. In case of discrepancybetweentheunitrateandthetotalamountcalculatedfrommultiplicationof unit rate and the quantity the unit rate quoted will govern and the amount will be corrected.

The tenderers need not quote their rates for which no quantities have been given. In case the tenderers quote their rates for such items those rates will be ignored and will not be considered duringexecution.

The tenderers should not change the units as specified in the tender. If any unit is changedthetenderswouldbeevaluatedaspertheoriginalunitandthecontractorwould be paidaccordingly.

The tenderer should not change or modify or delete the description of the item. If any discrepancy is observed he should immediately bring to the knowledge of theArchitect/SBIIMS



Each page of the BOQ shall be signed by the authorized person and cutting or overwriting shall be duly attested by him.

Each page shall be totaled and the grand total shall be given.

The rate quoted shall be firm and shall include all costs, allowances, materials, labours, taxes etc. except G.S.T, which shall be payable / reimbursed at actual

The SBIIMS reserve their rights to accept any tenders, either in whole or in part or may entrust the work in phases or may drop the part scope of work at any stage of the project within its sole discretion without assigning any reason(s) for doing so and no claim / correspondence shall be entertained in this regard.

SIGNATURE OF THE CONTRACTOR WITH SEAL



GENERAL CONDITIONS OF CONTRACT

1.0 Definitions:-

"Contractmeansthedocumentsformingthetenderandtheacceptancethereofandthe formal agreement executed between SBI Infra Management Solutions Pvt. Ltd. (client) and the contractor, together with the documents referred there in including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Architects / Bank and all these documents taken together shall be deemed to form one contract and shall be complementary to oneanother.

In the contract the following expressions shall, unless the context otherwise requires, have the meaning hereby respectively assigned tothem.

1.1.1 'SBIIMS'shallmeanSBIInfraManagementSolutionsPvt.Ltd.(Project Management Services Provider-PMS) having its Circle Office at Third Floor, SBI, LHO, Bhadra, Laldarwaja, Ahmedabad-380001 and includes the client's representatives, successors and assigns.

1.1.2 'Architects/ Consultants' shall mean **M/s SOPAN**, Architects & Interior Designers, SURAT.

1.1.3 'Site Engineer' shall mean an Engineer appointed by the SBIIMS at site as their representative for day-to-day supervision of work and to give instructions to the contractors.

1.1.4 'The Contractor' shall mean the individual or firm or company whether incorporate not,

undertakingtheworksandshallincludelegalpersonalrepresentativeofindividualorthe composing the firm or company and the permitted assignees of individual or firms of company.

The expression 'works' or 'work' shall mean the permanent or temporary work descriptioninthe"Scopeofwork"and/ortobeexecutedinaccordancewiththecontract includes materials, apparatus, equipment, temporary supports, fittings and things of kinds to be provided, the obligations of the contractor hereunder and work to be done by the contractor under thecontract.

1.1.5 'Engineer' shall mean the representative of theArchitect/consultant.

1.1.6 'Drawings' shall mean the drawings prepared by the Architects and issued by the Engineerandreferredtointhespecificationsandanymodificationsofsuchdrawingsas maybeissuedbytheEngineerfromtimetotime Contractvalueshallmeanvalueofthe entire work as stipulated in the letter of acceptance of tender subject such additions there to or deductions there from as may be made under the provide herein after contained.



1.1.7 Specifications' shall mean the specifications referred to in the tender and modifications thereof as may time to time be furnished or approved by the Architect/Consultant.

1.1.8 "Month" means calendarmonth.

1.1.9 "Week" means seven consecutivedays.

1.1.10 "Day" means a calendar day beginning and ending at 00 Hrs and 24 Hrs respectively.

1.1.11 "SBIIMS'sEngineer"shallmeanTheCivil/ElectricalEngineerin-

chargeoftheProject, as nominated by the Circle Head and Vice President, SBIIMS, Ahmedabad

1.1.12 The following shall constitute the Joint Project Committee (herein under referred to as JPC) for assessing and reviewing the progress of the work on the project and to issue instructions or directions from time to time for being observed and followed by the Architects Site Engineer / PMC and other consultants / contractors engaged in the execution of theproject.

i) Vice President – Circle Head of SBIIMS

- ii) SBIIMS Engineer (Civil and Electrical) in-charge of the Project
- iii) Concerned partner of the Architects and their Resident Architect.... Member.

<u>CLAUSE</u>

2 a.Total SecurityDeposit

Total Security deposit comprise of Earnest Money Deposit, Initial security deposit and Retention Money

2 b. Earnest Money Deposit-

The tenderer shall furnish EMD of **Rs 15,100/- (Fifteen Thousand One Hundred only)** in the form of Demand draft or bankers cheque drawn in favour of SBI payable at Surat, on any Scheduled Bank. No tender shall be considered unless the EMD is so deposited in the required form. No interest shall be paid on this EMD. The EMD of the unsuccessful

tenderershallberefundedsoonafterthedecisiontoawardthecontractistakenwithout interest. The EMD shall stand absolutely forfeited if the tenderer revokes his tender at any time the period when he is required to keep his tender open acceptance by the SBIIMS or after it is accepted by the SBIIMS, the contractor fails to enter into a formal agreement or fails to pay the initial security deposit as stipulated or fails to commence the commence the work within the stipulatedtime.

2 c. Initial Security Deposit(ISD)



The amount of ISD shall be 2% of accepted value of tender including the EMD in the form of DD/Fixed Deposit Receipt (FDR) drawn on any scheduled Bank and shall be deposited within 15 days from the date of acceptance of tender.

2d. Retention Money:

BesidestheSDasdepositedbythecontractorintheabovesaidmanner,theRetention monev shall be deducted from the running account bill at the rate of 10% of the gross value of work done by the contractor and claimed in each bill provided the total security deposit i.e. ISD plus EMD plus Retention Money shall both together not exceed 5% of the contract value. The 50% of the total security deposit shall be refunded to the contractor without any interest on issue of Virtual Completion certificate by the Architect/consultant. The balance 50% of the total security deposit shall be refunded to thecontractorswithoutinterestwithinfifteendaysaftertheendofdefectsliabilityperiod provided the contractor has satisfactorily attended to all defects in accordance with the conditions of contract including site clearance.

3.0Language:

The language in which the contract documents shall be drawn shall be in English.

4.0Errors, omissions anddiscrepancies:

In case of errors, omissions and/ or disagreement between written and scaled dimensions on the drawings or between the drawings and specifications etc., the following order shallapply.

- i) Between scaled and written dimension (or description) on a drawing, the latter shall be adopted.
- ii) Between the written or shown description or dimensions in the drawings and the corresponding one in the specification the former shall be taken ascorrect.
- iii) Between written description of the item in the specifications and descriptions in bills of quantities of the same item, the former shall beadopted:
- a) In case of difference between rates written in figures and words, the rate in words shall prevail.
- b) Between the duplicate / subsequent copies of the tender, the original tender shall be taken ascorrect.

5.0Scope ofWork:

The contractor shall carryout complete and maintain the said work in every respect strictly accordance with this contract and with the directions of and to the satisfaction Bank to be communicated through the architect/consultant. The architect/consultant at the directions of the SBIIMS from time to time issue further drawings and / or write instructions, details directions and explanations which are here after collectively



references to as Architect's /consultant's instructions in regard to the variation or modification of the design, quality or quantity of any work or the addition or omission or substitution work. Any discrepancy in the drawings or between BOQ and / or drawings and/or specifications. The removal from the site of any material brought thereon by the Contractor and any substitution of anyothermaterials therefore theremoval and/orreexecuted of any work executed by him. The dismissal from the work of any person engaged there upon.

6.0 Letter of Acceptance:

Within the validity period of the tender the SBIIMS shall issue a letter of acceptance directly or through the architect by registered post or otherwise depositing at the of the contractorasgiveninthetendertoenterintoaContractfortheexecutionoftheworkas per the terms of the tender. The letter of acceptance shall constitute a bind contract between the SBIIMS and thecontractor.

7.0 Contract Agreement:

OnreceiptofinitimationoftheacceptanceoftenderfromtheSBIIMS/Architect thesuccessfultenderershallbeboundtoimplementthecontractandwithinfifteendays there of shall sign an agreement in a non-judicial stamp paper of appropriatevalue.

8.00wnership ofdrawings:

All drawings, specifications and copies thereof furnished by the SBIIMS/ SBI through its Architect / consultants are the properties of the SBIIMS They are not to be used on other work.

9.0Detailed drawings and instructions:

The SBIIMS through its architects / consultants shall furnish with reasonable proper additional instructions by means of drawings or otherwise necessary for the execution of the work. All such drawings and instructions shall be consistent with contract documents, true developments thereof and reasonably inferable there.

Theworkshallbeexecutedinconformitytherewithandthecontractorprepareadetailed programme schedule indicating therein the date of start and completion of various activities on receipt of the work order and submit the same to the SBIIMS through thearchitect/consultant

10.0Copies ofagreement:

Two copies of agreement duly signed by both the parties with the drawings shall be handed over to the contractors.

11.0Liquidateddamages:

If the contractor fails to maintain the required progress in terms of clause 8.0 of GOC or to complete the work and clear the site including vacating their office on or before the contracted or extended date or completion, without justification in support of the cause of delay, hemay be called upon without prejudice to any other right of remedy available under



the law to the SBIIMS on account of such breach to pay a liquidated damages at the rate of 0.50% of the contract value which subject to a maximum of 5% of the contract value.

12.0Materials, Appliances and Employees:

Unless or otherwise specified the contractor shall provide and pay for all materials, labour, water, power, tools, equipment transportation and any other facilities that are required for the satisfactory execution and completion of the work. Unless or otherwise specified all materials shall be new and both workmanship and materials shall be best quality. The contractor shall at all times enforce strict discipline and good order among his employees and shall not employ on the work any unfit person or anyone not skilled in the work assigned to him. Workman whose work or behavior is found to be unsatisfactory by the SBIIMS /Architect/ consultant he shall be removed from the site immediately.

13.0Permits, Laws and Regulations:

Permits and licenses required for the execution of the work shall be obtained by the contractor at his own expenses. The contractor shall give notices and comply with the regulations, laws, and ordinances rules, applicable to the contract. If the contractor observes any discrepancy between the drawings and specifications, he shall promptly notify the SBIIMS in writing under intimation of the Architect/ Consultant. If the contractorperformsanyact, which is against the law, rules and regulations he shall meet all the costs arising the reform and shall indemnify the SBIIMS any legal actions arising therefrom.

14.0Setting outWork:

The contractor shall set out the work and shall be responsible for the true and perfect settingoutofthesameandforthecorrectnessofthepositions,levels,dimensions,and alignment of all parts thereof and get it approved by the architect / consultant before proceeding with the work. If at any time any error in this respect shall appear duringthe progressoftheworks,irrespectiveofthefactthatthelayouthadbeenapprovedby,the architect / consultant the contractor shall be responsible for the same ad shall his own expenses rectify such error, if so, required to satisfaction of the SBIIMS

15.0Protection of works andproperty:

The contractor shall continuously maintain adequate protection. of all his work from damage and shall protect the SBI's properties from injury or loss arising in connection with contract. He shall make good any such damage, injury, loss, except due to causes beyond his control and due to his fault or negligence.

He shall take adequate care and steps for protection of the adjacent properties. The contractor shall take all precautions for safety and protections of his employees on the works and shall comply with all applicable provisions of Govt. and local bodies' safetylawsandbuildingcodestopreventaccidents,orinjuriestopersonsorpropertyonabout oradjacenttohisplaceofwork.Thecontractorshalltakeinsurancecoversasperclauseat his



own cost. The policy may be taken in joint names of the contractor and the SBIIMS and the original policy may be lodged with the SBIIMS

16.0Inspection ofwork:

The SBIIMS / Architect / Consultant or their representatives shall at all reasonable times have free access to the work site and / or to the workshop, factories, or other places where materials are lying or from where they are obtained and the contractor shall give every facility to the SBIIMS/Architect/consultant and their representatives necessary for inspection and examination and test of the materials and workmanship. No person unless authorized by the SBIIMS/ Architect

/Consultant except the representative of Public authorities shall be allowed on the work atanytime.Theproposedworkeitherduringitsconstructionstageoritscompletioncan also be inspected by the Chief Technical Examiner's Organization a wing of Central Vigilancecommission.

17.0Assignment and subletting:

Thewholeofworkincludedinthecontractshallbeexecutedthecontractorandheshall not directly entrust and engage or indirectly transfer, assign or underlet the contract or any part or share there of or interest therein without the written consent of the SBIIMS through the Architect and no undertaking shall relieve the contractor from the responsibility of the contractor from active & superintendence of the work during its progress.

18.0Quality of materials, workmanship & Test:

All materials and workmanship shall be best of the respective kinds described in the contract and in accordance with Architect/consultant instructions and shall be subject from time to time to such tests as the architect/consultant may direct at the place of manufacture or fabrication or on the site or an approved testing laboratory. The contractor shall provide such assistance, instruments, machinery, labor, and materials as are normally required for examining measuring sampling and testing any material or partofworkbeforeincorporationintheworkfortestingasmaybeselectedandrequired by thearchitect/consultant.

ii) <u>Samples:</u>

All samples of adequate numbers, size, shades & pattern as per specifications shall be supplied by the contractor without any extra charges. If certain items proposed to be used are of such nature that samples cannot be presented or prepared at the site detailedliterature/testcertificateofthesameshallbeprovidedtothesatisfactionof the Architect/consultant beforesubmittingthesample/literaturethecontractorshallsatisfy himself that the material / equipment for which he is submitting the sample / literature meetwiththerequirementoftenderspecification.Onlywhenthesamplesareapproved inwritingbythearchitect/consultantthecontractorshallproceedwiththeprocurement and installation of the particular material / equipment. The approved samples shall by the signed by the Architect / Consultant for identification and shall be kept on record at site office until the completion of the work for inspection / comparison at any time. The



Architect/Consultant shall take reasonable time to approve the sample. Any delay that mightoccurinapproving the samples for reasons of its not meeting the specifications or other discrepancies in adequacy in furnishing samples of best qualities from various manufacturers and such other aspects causing delay on the approval of the materials / equipment etc. shall be to the account of the contractor.

iii) Cost oftests:

The cost of making any test shall be borne by the contractor if such test is intended by or provided for in the specification or BOQ.

iv) Costs of tests not providedfor:

If any test is ordered by the Architect/ Consultant which is either

a) If so intended by or provided for or (in the cases above mentioned) is not so particularized, or though so intended or provided for but ordered by the Architect / Consultant to be carried out by an independent person at any place other than the site or the place of manufacture or fabrication of the materials tested or any Government / approved laboratory, then the cost of such test shall be borne by thecontractor.

19.00btaining information related to execution ofwork:

No claim by the contractor for additional payment shall be entertained which is consequent upon failure on his part to obtain correct information as to any matter affecting the execution of the work nor any misunderstanding or the obtaining incorrect information or the failure to obtain correct information relieve him from any risks orfrom the entire responsibility for the fulfillment of contract.

20.0Contractor'ssuperintendence:

The contractor shall give necessary personal superintendence during the execution the worksandaslong, thereafter, as the Architect/Consultant may consider necessary until the expiry of the defects liability period, stated hereto.

21.0Quantities:

The bill of quantities (BOQ) unless or otherwise stated shall be deemed to have been prepared in accordance with the Indian Standard Method of Measurements and quantities. The rate quoted shall remain valid for variation of quantity against individual item to any extent. The entire amount paid under Clause 19, 20 hereof as well as amounts of prime cost and provision sums, if any, shall be excluded.

22.0Works to bemeasured:

TheArchitect/Consultantmayfromtimetotimeintimatetothecontractorthatherequires the work to be measured and the contractor shall forthwith attend or send a quantity representative to assist the Architect in taking such measurements and calculation and to furnish all particulars or to give all assistance required by any of them. Such measurements shall be taken in accordance with the Mode of measurements detail in the specifications. The representative of the Architect / Consultant shall take



measurements with the contractor's representative and the measurements shall be enteredinthemeasurementbook.Thecontractororhisauthorizedrepresentativeshall signallthepagesofthemeasurementbookinwhichthemeasurementshavebeen recorded in token of his acceptance. All the corrections shall be duly attested by both representatives.NooverwritingsshallbemadeintheMbookshouldthecontractornot attend or neglect or omit to depute his representative to take measurements the measurementsrecordedbytherepresentativeoftheArchitect/consultantshallbefinal. All authorized extra work, omissions and all variations made shall be included such measurement.

23.0Variations:

Noalteration,omissionorvariationorderedinwritingbytheArchitect/consultantvitiates the contract. In case the SBIIMS/ Architect / Consultant thinks proper at any during the progress of works to make any alteration in, or additions to or omission from theworksorany.Alterationinthekindorqualityofthematerials tobeusedtherein,the Architect / Consultant shall give notice thereof in writing to the contractor shall confirm in writing within seven days of giving such oral instructions the contract shall alter to, addto,oromitfromasthecasemaybeinaccordancewithsuchbutthecontractorshall not do any work extra to or make any alterations or additions to or omissions from the works or any deviation from any of the provisions of the contract, stipulations, specifications or contract drawings without previous consent in writing of the Architect/ Consultant and the value of such extras, alterations, additions or omissions shall in all cases be determined by the Architect / Consultant and the same shall be added to or deducted from the contract value, as the case maybe.

24.0 Valuation of Variations:

No claim for an extra shall be allowed unless it shall have been executed under the authority of the Architect / Consultant with the concurrence of the SBIIMS as herein mentioned. Any such extra is herein referred to as authorized extra and shall be made in accordance with the following provisions.

(i)Thenetratesorprices in the contract shall determine the valuation of the extra work where such extra work is of similar character and executed under similar conditions as the work pricehere in.

(ii)Ratesforallitems,whereverpossibleshouldbe derivedoutoftheratesgiven in the pricedBOQ.

The net prices of the original tender shall determine the value of the items omitted, provided if omissions do not vary the conditions under which any remaining items of Works are carried out, otherwise the prices for the same shall be valued under sub-Clause 'c' hereunder.



Where the extra works are not of similar character and/or executed under similar conditions as aforesaid or where the omissions vary the conditions under which any remaining items or works are carried out, then the contractor shall within 7 days of the receipt of the letter of acceptance inform the Architect/ consultant of the rate which he intends to charge for such items of work, duly supported by analysis of the rate orrates claimedandtheArchitect/consultantshallfixsuchrateorpricesasinthecircumstances in his opinion are reasonable and proper, based on the marketrate.

Whereextraworkcannotbeproperlymeasuredorvaluedthecontractorshallbeallowed dayworkpricesatthenetratesstatedinthetender,oftheBOQor,ifnot,sostatedthen in accordancewiththelocaldayworkratesandwagesforthedistrict;providedthat ineither case, vouchers specifying the daily time (and if required by the Architect/Consultant) the workman's name and materials employed be delivered for verifications to the Architect /consultant at or before the end of the week following that in which the work has been executed.

Itisfurtherclarifiedthatforallsuchauthorizedextraitemswhereratescannotbe derived fromthetender,theContractorshallsubmitratesdulysupportedbyrateanalysisworked on the 'market rate basis for material, labour hire / running charges of equipment and wastages etc. plus 15% towards establishment charges, contractor's overheads and profit. Such items shall, not be eligible forescalation.

25.0Finalmeasurement:

Themeasurementandvaluationinrespectofthecontractshallbecompletedwithintwo months of the virtual completion of thework.

26.0Virtual Completion Certificate(VCC):

On successful completion of entire works covered by the contract to the fullsatisfaction of the SBIIMS, the contractor shall ensure that the following works have been completed the satisfaction of the SBIIMS:

Clear the site of all scaffolding, wiring, pipes, surplus materials, contractor's labour equipment and machinery.

Demolish,dismantleandremovethecontractor'ssiteoffice,temporaryworks,structure includinglaboursheds/campsandconstructionsandotheritemsandthingswhatsoever brought upon or erected at the site or any land allotted to the contractor by the SBIIMS not incorporated in the permanentworks.

Remove all rubbish, debris etc. from the site and the land allotted to the contractor by the SBIIMS and shall clear, level and dress, compact the site as required by the SBIIMS

Shall put the SBIIMS in undisputed custody and possession of the site and all land allot by the SBIIMS

Shall hand over the work in a peaceful manner to the SBIIMS



All defects / imperfections have been attended and rectified as pointed out by the Architects to the full satisfaction of SBIIMS

Upon the satisfactory fulfillment by the contractor as stated above, the contractor is entitled to apply to the Architect / consultant is satisfied of the completion of work. Relative to which the completion certificate has been sought, the Architect/ consultant shallwithinfourteen(14)daysofthereceiptoftheapplicationforcompletioncertificate, issue a VCC in respect of the work for which the VCC hasapplied.

This issuance of a VCC shall not be without prejudice to the SBIIMS's rights and contractor liabilities under the contract including the contractor's liability for defects liability nor shall the issuance of VCC in respect of the works or work at any site be construction as a waiver of any right or claim of the SBIIMS against thecontractor in respect of or work at the site and in respect of which the VCC has been issued.

27.0Work by otheragencies:

The SBIIMS / Architect / consultant reserves the rights to use premises and any portion the site for execution of any work not included in the scope of this contract which it may desire to have carried out by other persons simultaneously and the contractor shall not only allow but also extend reasonable facilities for the execution of such work.Thecontractorhowevershallnotberequiredtoprovideanyplantormaterial for the execution of such work except by special arrangement with the SBI. Such work shallbecarriedoutinsuchmannerasnottoimpedetheprogressoftheworksincluded in thecontract.

28.0 Insurance ofworks:

Without limiting his obligations and responsibilities under the contract the contractor shallinsureinthejointnamesoftheSBIIMSAndthecontractoragainstalloss of damages from whatever cause arising other than the excepted risks, for which he is responsible under the terms of contract and in such a manner that the SBIIMS and contractor are covered for the period stipulated I clause of GCC and are also covered during the period of maintenance for loss or damage arising from a cause, occurring prior to the commencement of the period of maintenance and for any loss or damageoccasionedbythecontractorinthecourseofanyoperationscarriedoutbyhim for the purpose of complying with his obligations under clause.

The Works for the time being executed to the estimated current Contract value thereof, orsuchadditionalsumasmaybespecifiedtogetherwiththematerialsforincorporation in the works at their replacementvalue.

The constructional plant and other things brought on to the site by the contractor to the replacement value of such constructional plant and other things.



Such insurance shall be effected with an insurer and in terms approved by the SBIIMS which approval shall not be unreasonably withheld and the contractor shall whenever required produce to the Architect / consultant the policy if insurance and the receipts for payment of the current premiums.

29.0 Damage to persons andproperty:

The contractor shall, except if and so far as the contract provides otherwise indemnify the SBI against all losses and claims in respect of injuries or damages to any personor material or physical damage to any property whatsoever which may arise out of or in consequence of the execution and maintenance of the works and against all claims proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto except any compensation of damages for or with respect to:

a) The permanent use or occupation of land by or any part thereof.

b) The right of SBIIMS to execute the works or any part thereof on, over, under, in or through anylands.

c) Injuries or damages to persons or properties which are unavoidable result of the execution or maintenance of the works in accordance with thecontract.

d) InjuriesordamagetopersonsorpropertyresultingfromanyactorneglectoftheSBIIMS their agents, employees or other contractors not being employed by the contractor orfor or in respect of any claims, proceedings, damages, costs, charges and expenses in respect thereof or in relation thereto or where the injury or damage was contributed to by the contractor, his servants or agents such part of the compensation as may be just and equitable having regard to the extent of the responsibility of the SBIIMS, their employees, or agents or other employees, or agents or other contractors for the damage or injury.

30.0 Contractor to indemnify SBIIMS:

The contractor shall indemnify the SBIIMS against all claims, proceedings, damages, costs, charges and expenses in respect of the matters referred to in the provision subclause 29.0 of this clause.

31.0 Contractor'ssuperintendence:

The contractor shall fully indemnify and keep indemnified the SBIIMS against any action, claim, or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect to any articleor part thereof included in the contract. In the event of any claim made under or action brought against SBIIMS in respect of such matters as aforesaid the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his ownexpenses to settle any dispute or to conduct any litigation that may arise therefrom, provided that the contractor shall not be liable to indemnify the SBIIMS if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the Architect / consultant in this behalf.

32.0 Third PartyInsurance:



Before commencing the execution of the work the contractor but without limiting his obligationsandresponsibilitiesunderclause28.0ofGCCshallinsureagainsthisliability for any material or physical damage, loss, or injury which may occur to any property including that of SBIIMS, or to any person, including any employee of the SBIIMS,byorarisingoutoftheexecutionoftheworksorinthecarryingoutof

thecontract, otherwise than due to the matters referred to in the provision to clause 28.0 thereof.

33.0 Minimum amount of Third PartyInsurance:

Such insurance shall be affected with an insurer and in terms approved by the SBIIMS which approval shall not be reasonably withheld and for at least the amount stated below. The contractor shall, whenever required, produce to the. Architect / consultant the policy or policies of insurance cover and receipts for payment of the current premiums.

The minimum insurance cover for physical property, injury, and death is Rs.5 Lakh per occurrence with the number of occurrences limited to four. After each occurrence contractor will pay additional premium necessary to make insurance valid for four occurrencesalways.

34.0 Accident or Injury toworkman:

relationthereto.

TheSBIIMSShallnotbeliablefororin respect toanydamagesor compensation payableatlawinrespectorinconsequenceofanyaccidentorinjurytoanyworkmenor otherpersonintheemploymentofthecontractororanysub-contractor,saveandexcept an accident or injury resulting from any act or default of the SBIIMS or their agents,oremployees.ThecontractorshallindemnifyandkeepindemnifiedSBIIMS against all such damages and compensation, save and except as aforesaid, and against all claims, proceedings, costs, charges and expenses whatsoever in respect thereof or in

35.0 Insurance against accidents etc. toworkmen:

ThecontractorshallinsureagainstsuchliabilitywithaninsurerapprovedbytheSBIIMSDuringt hewholeofthetimethatanypersonsareemployedbyhimontheworks and shall, when required, produce to the architect / consultant such policy of insurance and receipt for payment of the current premium. Provided always that, in respect of any persons employed by any sub-contractor the contractor's obligation to insured as aforesaidunderthissub-clauseshallbesatisfiedifthesub-contractorshallhaveinsured against the liability in respect of such persons in such manner that SBIIMS is indemnified under the policy but the contractor shall require such sub-contractor to produce to the Architect /consultant when such policy of insurance and the receipt for the payment of the currentpremium.

36.0 Remedy on contractor's failure toinsure:

If the contractor fails to effect and keep in force the insurance referred to above or any otherinsurancewhichhemayberequiredtoeffectunderthetermsofcontract, thenand in any such case the SBIIMS may effect and keep in force any such insurance and pay such premium or premiums as may be necessary for that purpose and from time to time



deduct the amount so paid by the SBIIMS as aforesaid from any amount due or which may become due to the contractor, or recover the same as debt from thecontractor.

Without prejudice to the others rights of the SBIIMS against contractors. In respectofsuchdefault,theemployershallbeentitledtodeductfromanysumspayable to the contractor the amount of any damages costs, charges, and other expenses paid bytheSBIIMSAndwhicharepayablebythecontractorsunderthisclause. The contractor shall upon settlement by the Insurer of any claim made against the insurer pursuant to a policy taken under this clause, proceed with due diligence to rebuild or repair the works destroyed or damaged. In this event all the monies received from the Insurer in respect of such damage shall be paid to the contractor and the Contractor shall not be entitled to any further payment in respect of the expenditure incurred for rebuilding or repairing of the materials or goods destroyed ordamaged.

37.0 Commencement ofWorks:

The date of commencement of the work will be reckoned from the date of award of letter by the SBIIMS

38.0Time forcompletion:

Time is essence of the contract and shall be strictly observed by the contractor. The entire work shall be completed within a period of <u>45days</u>from the date of commencement. If required in the contract or as directed by the Architect / consultant. The contractor shall complete certain portions of work before completion of the entire work. However, the completion date shall be reckoned as the date by which the whole work is completed as per the terms of the contract.

39.0Extension oftime:

If,intheopinionoftheArchitect/consultant,theworkbedelayedforreasonsbeyondthe control of the contractor, the Architect/consultant may submit a recommendation to the SBIIMStograntafairandreasonableextensionoftimeforcompletionofwork as per the terms of contract. If the contractor needs an extension of time for the completion of work or if the completion of work is likely to be delayed for any reasons beyond the due date of completion as stipulated in the contract, the contractor shall applytotheSBIIMSThroughtheArchitect'Consultantinwritingatleast30Days

before the expiry of the scheduled time and while applying for extension of time he shall furnish the reason in detail and his justification if an', for the delays. The architect/consultant shall submit their recommendations to the SBIIMS in the prescribed format for granting extension of time. While granting extension of time the contractor shall be informed the period extended time which will qualify for levy of liquidated damages. For the balance of original period in excess stipulated period and dulysanctionedextensionoftimebytheprovisionofliquidateddamagesasstatedunder clause 11.0 shall become applicable. Further the contract shall remain in force even for the period beyond the due date of completion irrespective whether the extension is granted ornot.

40.0Rate ofprogress:



Wholeofthematerials, plantand labour to be provided by the contractor and the mode, manner and speed of execution and maintenance of the works are to be of a kind and conducted in a manner to the satisfaction of the Architect/consultant should the rate of progress of the work or any part thereof be at any time be in the opinion the. Architect / consultant too Slow to ensure the completion of the whole of the work the prescribed timeorextended time for completion the Architect / consultant to expedite progress so as to complete the works by the prescribed time or extended time. Such communications from the Architect / consultant neither shall relieve. The contractor from fulfilling obligations under the contract nor he will be entitled to raise any claims arising out of such directions.

41.0Work during nights andholidays:

Subject to any provision to the contrary contained in the contract no permanent work shall save as herein provided be carried on during the night or on holidays without the permissioninwritingoftheArchitect/consultant,savewhentheworkisunavoidableor absolutely necessary for the saving of life or property or for the safety of the work in which case the contractor shall immediately advise the Architect / consultant. However the provisions of the clause shall not be applicable in the case of any work which becomes essential to carry by rotary or double shifts in order to achieve the progress and quality of the part of the works being technically required / continued with the prior approval of the Architect / consultant at no extra cost to the SBIIMS.

Allworkatnightafterobtainingapprovalfromcompetentauthoritiesshallbecarriedout without unreasonable noise and disturbance.

42.0No compensation or restrictions ofwork:

If at any time after acceptance of the tender SBIIMS shall decide to abandon or reduce the scope of work for any reason whatsoever and hence not required the whole or any part of the work to be carried out. The Architect / consultant shall give noticeinwritingthateffecttothecontractorandthecontractorshallactaccordinglyin the matter. The contractor shall have no claim to any payment of compensation or otherwise what so ever on account of any profit or advantage which he might have derivedfromtheexecutionoftheWorkfullybutwhichhe did not deriveinconsequence of the foreclosure of the whole or part of thework.

Provided that the contractor shall be paid the charges on the cartage only of materials actually and bonafide brought to the site of the work by the contractor and rendered surplus as a result of the abandonment, curtailment of the work or any portion thereof andthentakenbackbythecontractor,providedhoweverthattheArchitect/Consultant shall have in such cases the option of taking over all or any such materials at their purchase price or a local current rate whichever isless.

In case of such stores having been issued from SBIIMS stores and returned by the contractor to stores, credit shall be given to him at the rates not exceeding those at



which were originally issued to the contractor after taking into consideration and deduction for claims on account of any deterioration or damage while in the custody of the contractor and in this respect the decision of Architect / consultant shall be final.

43.0Suspension of work:

The contractor shall, on receipt of the order in writing of the Architect / consultant (whose decision shall be final and binding on the contractor) suspend the progress of works or anyparttheoffersuchtimeandinsuchmannerasArchitect/consultantmayconsider necessarysoasnottocauseanydamageorinjurytotheworkalreadydoneorendanger the safety thereof for any of followingreasons:

a) On account any default on the part of the contractor, or

b) For proper execution of the works or part thereof for reasons other than the default the contractor, or

c) For safety of the works or partthereof.

Thecontractorshall,duringsuchsuspension,properlyprotectandsecuretheworksthe extent necessary and carry out the instructions given in that behalf by the Architect / consultant.

i)If the suspension is ordered for reasons (b) and (c) in sub-para (i)above:

Thecontractorshallbeentitledtoanextensionoftimeequaltotheperiodofeverysuch suspension. No compensation whatsoever shall be paid on thisaccount.

44.0 Action when the whole security deposit isforfeited:

In any case in which under any clause or clauses of this contract, the Contractor shall haverenderedhimselfliabletopaycompensationamountingtothewholeofhissecurity deposit the Architect / consultant shall have the power to adopt any of the following course as they may deem best suited to the interest of the SBIIMS:

To rescind the contract (of which rescission notice in writing to the contractor by -Architect / consultant shall be conclusive evidence) and in which case the security, deposit of the contractor shall be forfeited and be absolutely at the disposal of SBIIMS.

To employ labour paid by the SBIIMS and to supply materials to carry out the work,orpartofthework,debitingthecontractorwiththecostofthelabourandmaterials cost of such labour and materials as worked out by the Architect/consultant shall final andconclusiveagainstthecontractor)andcreditinghimwiththevalueoftheworkdone, in all respects in the same manner and at the same manner and at the same rates as if it had been carried out by the contractor under the terms of this contract certificate of architect /consultant as to the value of work done shall be final conclusive against the contractor.

To measure up the work of the contractor, and to take such part thereof as shall unexecuted, out of his hands, and to give it to another contractor to complete in which caseanyexpenseswhichmaybeincurredinexcessofthesumwhichwouldhavebeen paidtotheoriginalcontractor,ifthewholeworkhadbeenexecutedbyhim(Theamount of which excess the certificates in writing of the Architects / consultant shall final and conclusive)



shallbebornebyoriginal contractor and maybed educted any money due to him by SBIIMS under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or sufficient part thereof.

In the event of any of above courses being adopted by the SBIIMS the contractorshallhavenoclaimtocompensationforanylosssustainedbyhimbyreasons of his having purchased or procured any material or entered into any engagements or make any advances on account of, or with a view to the execution of the work or the performanceofthecontractandincasethecontractshallberescindundertheprovision

aforesaid, the contractor shall not be entitled to recover or to be paid any sum or any work thereto for actually performed under this contract, unless, and until the Architect / consultant will have certified in writing the performance of such work and the value payableinrespectthereof, and heshallonlybeentitled to be paid the value socertified.

45.00wner's right to terminate thecontract:

If the contractor being an individual or a firm commit any 'Act of insolvency' or shall be adjusted an insolvent or being an incorporated company shall have an order for compulsory winding up voluntarily or subject to the supervision of Govt. and of the OfficialAssigneeoftheliquidatorinsuchactsofinsolvencyorwindingupshallbeunable within seven days after notice to him to do so, to show to the reasonable satisfaction of the Architect / Consultant that he is able to carry out and fulfill the contract, and to dye security therefore if so required by the Architect /Consultant.

Or if the contractor (whether an individual firm or incorporated Company) shall suffer executiontobeissuedorshallsufferanypaymentunderthiscontracttobeattachedby or on behalf of any of the creditors of thecontractor.

Or shall assign or sublet this contract without the consent in writing of the SBIIMS through the Architect/Consultant or shall charge or encumber this contract or any payment due to which may become due to the contractor there under:

has abandoned the contract;or

has failed to commence the works, or has without any lawful excuse under these conditions suspended the progress of the works for 14 days after receiving from the SBIIMS through the Architect / consultant written notice to proceed,or

has failed to proceed with the works with such diligence and failed to make such due progress as would enable the works to be completed within the time agreed upon, or has failed to remove the materials from the site or to pull down and replace work within seven days after written notice from the SBIIMS through the Architect / Consultant that the said materialswere condemned and rejected bythe Architect/consultant under these conditions; or has neglected or failed persistently to observe and perform all or any of the acts matters or things by this contract to be observed and performed by the contactor for seven days after written notice shall have been given to the contractor to



observe or perform the same or has to the detriment of good workmanship or in defiance of the SBIIMS or Architect's / consultant's instructions to the contrary subject any part of the contract. Then and in any of said cases the SBIIMS and or the Architect / consultant, may not withstanding any previous waiver, after giving seven days' notice in writing to the contractor, determine the contract, but without thereby affecting the SBIIMS powers of the the or Architect/consultantortheobligationandliabilitiesofthecontractorthewholeofwhich shall continue in force as fully as if the contract had not been determined and as if the works subsequently had been executed by or on behalf of the contractor. And, further the SBIIMS through the Architect / consultant their agents or employees may enter upon and take possession of the work and all plants, took scaffoldings, materials, sheds, machineries lying upon the premises or on the adjoining lands or roads use the same by means of their own employees or workmen in carrying on and completing the work or by engaging any other contractors or persons to the work and the contractor shall not in any was interrupt or do any act, matter or thing to prevent or hinder such other contractor or other persons employed for complement and finishing or using the materials and plant for theworks.

WhentheworksshallbecompletedorassoonthereafterasconvenienttheSBIIMSOrarchitect/ consultantshallgivea noticeinwritingtothecontractortoremovehis surplus materials and plants and should the contractor fail to do so within 14 days after receive thereof by him the SBIIMS sell the same by publication, and after due publication, and shall, adjust the amount realized by such auction. The contractor shall have no right to question any of the act of the SBIIMS incidental to the sale of the materialsetc.

46.0Certificate of payment:

The contractor shall be entitled under the certificates to be issued by the Architect / consultant to the contractor within 10 working days from the date of certificate to paymentfromSBIIMSFromtimetotimeSBIIMSshallrecoverthestatutory recovering other dues including the retention amount from the certificate of payment.Provided always that the issue of any certificate by the Architect / consultant during progressofworksorcompletionshallnothaveeffectascertificateofsatisfactionrelieve the contractor from his liability underclause.

The Architect / consultant shall have power to withhold the certificate if the work or in part thereof is not carried out to their satisfaction. The Architect/consultant may by any certificate make any corrections required pre vious certificate.

The SBIIMS shall modify the certificate of payment as issued by the architect/ consultant from time to time while making thepayment

The contractor shall submit interim bills only after taking actual measurements and properly recorded in the Measurement books.



No interim payment should be made only full and final payment will be paid.

Thefinalbillmaybesubmittedbycontractorwithinaperiodofonemonthfromthedate of virtual completion and Architect / consultant shall issue the certificate of payment withinaperiodoftwomonths.TheSBIIMSShallpaytheamountwithinaperiod of three months from the date of issue of certificate provided there is no dispute in respect of rates andquantities.

The contractor shall submit the interim bills in the prescribed format with all details.

<u>47.0</u>

A. Settlement of Disputes and Arbitration:

Except where otherwise provided in the contract all questions and disputes to the meaning of the specifications, design, drawings and instructions herein before mentioned and as to the quality of workmanship or materials used on the work or as to any other question , claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings specifications, estimates, instructions orders or these conditions or otherwise concerning the work or the execution or failure to execute the same whether arising during the progress of the work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned hereinafter:

If the contractor considers that he is entitled to any extra payment or compensation in respect of the works over and above the amounts admitted as payable by the Architect or in case the contractor wants to dispute the validity of any deductions or recoveries madeorproposedtobemadefromthecontractorraiseanydispute,thecontractorshall forthwith give notice in writing of his claim, or dispute to The Senior Vice President. SBIIMS, Head Office, Mumbai and endorsea copy of the same to the Architect, within 30 days from the date of disallowance thereof or the date of deduction or recovery. The said notice particulars of the shall give full claim, groundson which it is based and detailed calculations of the amount claimed and the contractor shall not be entitled to raise any claim nor shall the SBIIMS bein anywayliableinrespectofanyclaimbythecontractorunlessnoticeofsuchclaimshallhavebeen givenbythecontractortotheSenior Vice President,SBIIMS,Head Office, Mumbaiin the manner and within the time as aforesaid. The Contractor shall be deemed to have waivedandextinguishedallhisrightsinrespectofanyclaimnotnotifiedtotheSenior Vice President, Head Office, Mumbai in writing in the manner and within the time aforesaid.

B. Settlement of Disputes and Arbitration:

TheSenior Vice President, HeadOffice, Mumbaishallgivehisdecisioninwritingonthe claims notified by the receipt of the contractor may within 30 days of the receipt of the decision of the Sr. V.P., Head Office / Submit his claims to the conciliating authority namely the M.D. & C.E.O., SBIIMSPL, Head Office, Mumbai forconciliationalongwithalldetailsand copies of correspondence exchanged between him and the SBIIMS



If the conciliation proceedings are terminated without settlement of the disputes, the contractor shall, within a period of 30 days of termination thereof shall give a notice to the concerned M.D. & C.E.O. of the SBIIMS for appointment of an arbitrator to adjudicate the notified claims falling which the claims of the contractor shall bedeemed to have been considered absolutely barred andwaived.

Except where the decision has become final, binding and conclusive in terms of the contract, all disputes or differences arising out of the notified claims of the contractor as aforesaidandallclaimsoftheSBIIMSshallbereferredforadjudicationthrough arbitration by the Sole Arbitrator appointed by the M.D. & C.E.O. and who will be of Deputy General Manager rank. It will also be no objection to any such appointmentthat theArbitratorsoappointedisaSBIIMS,Officerandthathehadtodealwiththe matters to which the Contract relates in the course of his duties as SBIIMS, Officer. If the arbitrator so appointed is unable or unwilling to act or resigns his appointment or vacates his office due whatsoever another sole arbitrator to anv reason shallbeappointedinthemanneraforesaidbythesaidM.D. & C.E.O. oftheSBIIMSSuchpersonshallbeentitledtoproceedwiththereferencefromthestageatwhich it was let by hispredecessor.

It is a term of this contract that the party invoking arbitration shall give a list of disputes with amounts claimed in respect of each dispute along with the notice for appointment of arbitrator.

It is also a term of this contract that no person other than a person appointed by such Chief General Manager as aforesaid should act as arbitrator. The conciliation and arbitration shall be conducted in accordance with the provisions of the Arbitration & Conciliation Act 1996 or any or any accordance modification or reenactment thereof and the rules made there under.

It is also a term of the contract that if any fees are payable to the Arbitrator these shall be paid equally by both the parties. However, no fees will be payable to the arbitrator if he is a SBIIMS Officer.

It is also a term of the contract that the Arbitrator shall be deemed to have entered on thereferenceonthedateheissuesnoticetoboththepartiescallingthemtosubmittheir statement of claims and counter statement of claims. The venue of the arbitration shall be such place as may be fixed by the arbitrator in his sole discretion. The fees, if anyofthe arbitrators shall, if required to be paid before the award is made and published, be paid half and half by each of the parties. The Cost of the reference and of the award (includingthefees,ifanyofthearbitrator)shallbeinthediscretionofthearbitratorwho may direct to any by whom and din what manner, such costs or any part thereof, shall be paid and fix or settle the amount of costs to be sopaid.

48.0Watersupply:



The contractor shall make his own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following condition.

i) That the water used by the contractor shall be fit for construction purposes to the satisfaction of the Architect /consultant's.

ii) The contractor shall make alternative arrangements for the supply of water if the arrangement made by the contractor for procurement of water in the opinion of the Architect / consultant isunsatisfactory.

iii) In case contractor is permitted to use SBIIMS's source of water i.e. Municipal connection, Bore well (existing or new) etc., the SBIIMS will recover as per clause **54.0** of this document from the final bill of contractor.

The contractor shall construct temporary well / tube well in SBIIMS land for takingwaterforconstructionpurposesonlyafterobtainingpermissioninwritingfromthe SBIIMS The contractor has to make his own arrangements for drawing and distributingthewaterathisowncost.Hehastomakenecessaryarrangements.Toavoid any accidents or damages caused due to construction and subsequent maintenance of thewells.Hehastoobtainnecessaryapprovalsfromlocalauthorities,ifrequired,athis own cost. He shall restore the ground to its original condition after wells are dismantled on completion of work or hand over the well to the SBIIMS without any compensation as directed by the architect /consultant.

49.0 Powersupply:

The contractor shall make his own arrangements for power and supply / distribution system for driving plant or machinery for the work and for lighting purpose at his own cost, the cost of running and maintenance of the plants are to be included in his tender prices, He shall pay all fees and charges required, by the power supply and include the sameinhistenderedratesandholdtheownerfreefromallsuchcosts.Hehastoobtain necessary approval from the appropriate authorities, ifrequired.

In case contractor is permitted to use Bank's source of power supply provided at one point, the SBIIMS will recover as per clause **54.0** of this document from the final bill of contractor.

50.0Treasure trove etc.

Any treasure trove, coin or object antique which may be found on the site shall be the property of SBIIMS and shall be handed over to the bank immediately.

51.0Method ofmeasurement:

Unless otherwise mentioned in the schedule of quantities or in mode of measurement, the measurement will be on the net quantities or work produced in accordance with up to date rules laid down by the Bureau of Indian Standards. In the event any dispute/



disagreement the decision of the Architect / consultant shall be final and binding on the corrector.

52.0 Maintenance ofregisters:

The contractor shall maintain the following registers as per the enclosed perform at site of work and should produce the same for inspection of SBIIMS /Architect / consultant whenever desired by them. The contractor shall also maintain the records / registers as required by the local authorities / Govt. from time to time.

- i) Register for securedadvance
- ii) Register for hindrance towork
- iii) Register for running account bill
- iv) Register forlabour

53.0 ForceMajeure:

Neither contractor nor SBIIMS shall be considered in default in performance of the obligations if such performance is prevented or delayed by events such as but not war, hostilities revolution, riots, civil commotion, strikes, lockout, conflagrations, epidemics, accidents, fire, storms, floods, droughts, earthquakes or ordinances or any act of or for any other cause beyond the reasonable control of the party affected or prevents or delayed. However, a notice is required to be given within 30 days from the happening of the event with complete details, to the other party to the contract, if it is not possible to serve a notice, within the shortest possible period without delay.

As soon as the cause of force majeure has been removed the party whose ability perform its obligations has been affected, shall notify the other of such cessation and the actual delay incurred in such affected activity adducing necessary evidence in support hereof.

Fromthedateofoccurrenceofacaseofforforcemajeureobligationsofthepartyaffected.

54.0Water power and otherfacilities:

The rate quoted by the contractor shall include all expenses that are required for providing all the water required for the work and the contractor shall make his own arrangementsforthesupplyofgoodqualitywatersuitablefortheconstructionandgood qualitydrinkingwaterfortheirworkersIfnecessarythecontractorhastosinkatube well / open well and bring water by means of tankers at his own cost for the purpose The SBIIMS will not be liable to pay any charges in connection with the above

The rate quoted in the tender shall include the expenses for obtaining and maintaining power connections and shall pay for the consumptioncharges

The contractors for other trades directly appointed by the SBIIMS shall be entitledtotakepowerandwaterconnectionsfromthetemporarywaterandpowersupply obtained by the contractor However, the concerned contractor shall make their own arrangements to draw the supply and pay directly the actual consumption charges at mutually agreed rates between them. All municipal charges for drainage and water



connection for Construction purposes shall be borne by the contactor and charges payableforpermanentconnections, if any, shall be initially paid by the contactor and the SBIIMS will reimburse the amount on production of receipts.

The SBIIMS as well as the Architect / consultant shall give all possible assistance to the Contractor's to obtain the requisite Permission from the various authorities, but heresponsibility for obtaining the same intimes hall be of the contractor.

In case contractor is permitted to use Bank's source of water and power supply provided at one point, the SBIIMS will recover @ 0.5% of final bill amount for water and electricity (combined) from the bill of contractor.

55.0 Facilities for contractor'semployees:

The contractor shall make his own arrangement for the housing and welfare of his staff andworkmenincludingadequatedrinkingwaterfacilities. The contractor shall also make the arrangements at his own cost for transport where necessary for his staff and workmen to and from site of work at his owncost.

56.0 Lighting ofworks:

The contractor shall at all times provide adequate and approved lighting as required for the proper execution and supervision and inspection of work.

57.0 Firefighting arrangements:

The contractor shall provide suitable arrangement for firefighting at his own cost. This purposeheshallproviderequisitenumberoffireextinguishersandadequatenumberof buckets,someofwhicharetobealwayskeptfilledwithsandandsomewithwaterthese equipmentshallbeprovidedatsuitableprominentandeasilyaccessibleplaceandshall be properlymaintained.

Any deficiency in the fire safety or unsafe conditions shall be corrected by the contractor at his own cost and, to the approval of the relevant authorities. The contractor make the following arrangements at his own cost but not limited thefollowing:

- a) Proper handling, storage and disposal of combustible materials andwaste.
- b) Work operations which can create firehazards.
- c) Access for fire-fightingequipment.
- d) Type, number and location of containers for the removal of surplus materials and rubbish.

e) Type, size, number and location of fire extinguishers or other tire fightingequipment. f) General housekeeping.

58.0 Site orderbook:

A site order book shall be maintained at site for the purpose of quick communication between the Architect / Consultant. Any communication relating to the work may be conveyedthroughrecordsinthesiteorderbook.Suchacommunicationfromoneparty to the



other shall be deemed to have been adequately served in terms of contractEach site order book shall have machine numbered pages in triplicate and shall carefully maintainedandpreservedbythecontractorandshallbemadeavailabletothearchitect /consultantasandwhendemanded-Anyinstructionwhichthearchitect/consultantmay like to issue to the contractor or the contractor may like to bring to the architect / consultant two copies of such instructions shall be taken from the site order book and one copy will be handed over to the party against proper acknowledgment and the second copy will be retained for theirrecord.

59.0 Temporary fencing/barricading:

Thecontractorshallprovideandmaintainasuitabletemporaryfencing/barricadingand gatesathiscosttoadequatelyencloseallboundariesofthesitefortheprotectionofthe public and for the proper execution and security of the work and in accordance with the requirementofthe architect/consultantandregulationsoflocalauthorities.Theseshall be altered, relocated and adopted from time to time as necessary and removed on completion of thework.

60.0 Sitemeetings:

Site meetings will be held to review the progress and quality evaluation. The contractor shalldeputeaseniorrepresentativealongwiththesiterepresentativeandotherstaffof approved sub-contractors and suppliers as required to the site meetings and ensure all follow up actions. Any additional review meetings shall he held if required by the architect/ consultant.-

61.0 Disposal ofrefuse:

The contractor shall cart away all debris, refuse etc. arising from the work from the site and deposit the same as directed by the architect / consultant at his own cost. It is the responsibilityofthecontractortoobtainfromthelocalauthoritiesconcernedtotheeffect that all rubbish arising out of contractor's activities at the construction site or any other off-site activities borrow pits has been properly disposedoff.

62.0 Contractor to verify sitemeasurement:

The contractor shall check and verify all site measurements whenever requested other specialistscontractorsorothersub-contractorstoenablethemtopreparetheownshop drawingandpassontheinformationwithsufficientpromptnessaswillinanywaydelay the works.

63.0Displaying the name of thework:

The contractor shall put up a name board of suitable size as directed by the architect/ consultant indicating therein the name of the project and other details as given by the architect/consultant at his own cost and remove the same on completion of work.

64.0 As builtdrawings:

For the drawings issued to the contractor by the Architect / Consultant. The architect Consultant will issue two sets of drawings to the Contractor for the items for some



changes have been made. From the approved drawings as instructed by the SBIIMS / Architect / Consultant. The contractor will make the changes made on these copies and return these copies to the architect / Consultant for their approval. In cases revisionisrequiredorthecorrectionsarenotproperlymarkedthearchitect/Consultant willpointoutthediscrepanciestothecontractor.Thecontractorwillhavetoincorporated these corrections and / or attend to discrepancies either on copies as directed by the architect / consultant and resubmit to him for approval. The architect / consultant will return one copy duly approved byhim.

For the drawings prepared by the contractor:

The contractor will modify the drawing prepared by him wherever the changes madeby the SBIIMS / architect / consultant. And submit two copies of such modified drawings to the architect/ consultant for approval. The architect / consultant will return one copy of the approved drawing to thecontractor.

65.0 Approvedmake:

The contractors hall provide all materials from the list of approved makes at his own cost and also appoint the specialized agency for the waterproofing, anti-termite treatment, aluminum doors and windows and any other item as specified in the tender. The architect/consultant may approve any make / agency within the approved list as given in the tender after inspection of the sample/mockup.

66.0 Procurement ofmaterials:

The contractor shall make his own arrangements to procure all the required materials for the work. All wastages and losses in weight shall be to the contractors account

67.0 Excise duty, taxes, levies etc.;

The contractor shall pay and be responsible for payment of all taxes, duties, levies, royalties, fees, cess or charges in respect of the works including but not limited tosales tax, tax on works contract excise duty, and Octroi, payable in respect of materials, equipment plant and other things required for the contact. All of the aforesaid taxes, duties,levies,feesandchargesshallbetothecontractor'saccountandtheSBIIMSShall

notberequiredtopayanyadditionalorextraamountonthisaccount.Variation of taxes, duties, fees, levies etc. if any, till completion of work shall be deemed to be included in the quoted rates and no extra amount on this account. Variation of taxes, duties, fees, levies etc. if any, till completion of work shall be deemed to be included in the quoted rates and no extra claim on this account will in any case be entertained. If a new tax or duty or levy or cess or royalty or Octroi is imposed under as statutory law during the currency of contract the same shall be borne by thecontractor. However, GST will be paid extra.

68.0 Acceptance oftender:

The SBIIMS shall have the right to reject any or all tenders without assigning any reason. They are not to bind to accept the lowest or any tender and the tenderer or



tenderers shall have no right to question the acts of the SBIIMS However adequate transparency would be maintained by the SBIIMS

69.0 Photographs:

The Contractor shall at his own expense supply to the Architects with duplicate hard copies of large photographs not less than 25 cm. x 20 cm. (10" x 8") of the works,takenfromtwoapprovedportionsofeachbuilding,atintervalsofnotmore than one months during the progress of the work or at every important stage of construction.

Inadditiontoabove, the contractor shall be bound to submit a dequate no. of site

photographsalongwitheachRunningBillfortheprojectclearingshowingmajor progress of work measured and claimed therein failing which the Architect/ SBIIMS may consider returning the Bill to the contractor and no claim for delay on this account will beentertained.

70.0 Safety Codes:

- 1. First aid appliances including adequate supply of sterilized dressing and cotton wool shall be kept in a readily accessible place.
- 2. An injured person shall be taken to a public hospital without loss of time, in caseswhen the injury necessitateshospitalization.
- 3. Suitable and strong scaffolds should be provided for workmen for all works that cannot safely be done from theground.
- 4. No portable single ladder shall be over 8 meters in length. The width between the side rails shall not be less than 30 cm. (clear) and the distance between two adjacent running's shall not be more than 30 cm. When a ladder is used an extra labour shall be engaged for holding ladder.
- 5. The excavated material shall not be placed within 1.5 meters of the edge of the trench half of the depth of trench whichever is more. All trenches and excavations shall be provided with necessary fencing and lighting.
- 6. Everyopeninginthefloorofabuildingorinaworkingplatformbeprovidedwithsuitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be onemeter.
- 7. Nofloor,rooforotherpartofthestructureshallbesooverloadedwithdebrisormaterial as to render itunsafe.
- 8. Workers employed on mixing and handling material such as asphalt, cement, mortar, concrete and lime shall be provided with protective footwear and rubber hand gloves.



- 9. Those engaged in welding works shall be provided with welders' protective eye shield and gloves.
- 10. (i) No paint containing lead or lead products shall be used except in the form of paste readymade paint.
- (ii)Suitablefacemasksshouldbesuppliedforusebytheworkerswhenthepaintapplied in the form of spray or surface having lead paint dry rubbed andscrapped.
- 11. Overalls shall be supplied by the contractor to the painters and adequate facilities shall be provided to enable the working painters to wash during cessation ofwork.
- 12. Hoisting machines and tackle used in the works including their attachments anchor and supports shall be in perfect condition.
- 13. The ropes used in hoisting or lowering material or as a means of suspension shall be durable quality and adequate strength and free formdefects.



APPENDIX HEREINBEFORE REFERRED TO

1) Name of the organization Offering Contract: The Circle Head &Vice President. SBIIMS, Circle Office, SBI, LHO, Bhadra, Laldarwaja, Ahmedabad-1

2) Consultants : Ar. AJAY CHOWDHURY.

M/s SOPAN

3) Site Address : SHRIKUNJ, DABHOLI, SURAT

4) ScopeofWork : Proposed Furniture works for SBI J-9 Canal road Branch, Surat.

5)Name oftheContractor	:	
6)Address oftheContractor	:	
7) PeriodofCompletion	:	45 days from the dateof Issue of work order.

8) EarnestMoneyDeposit : Rs 15,100/- (Fifteen Thousand One Hundred only) by means of Demand Draft/PayOrder (Validforaperiodof180 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of State Bank of India and payable atSurat.

9) RetentionMoney general Conditions	:	As per clause no. 2d of
10) DefectsLiabilityPeriod Virtual Completion.	:	Twelve Months from the dateof
11) Insurance to be undertakenbythe : Contractor athiscost(Contractor's all riskpolicy)		of Contract Value

12) Liquidateddamages : 0.5% of the Contract amount shownin the tender per week subject to max. 5% of the contract value or actual final bill value.

13) Value of InterimBill(Min.) : No interim payment will be paid.



14) DateofCommencement : From the date of work order issued to the Contractor/ or the day on which the Contractor is instructed to take possession of the site whichever is earlier.

15) Period of FinalMeasurement : 1 Months from the date of Virtual Completion.
16) InitialSecurityDeposit : 2% of the Accepted Value

16) InitialSecurityDeposit of the Tender.

17) TotalSecurityDeposit :5% of the final bill amount including ISD.

18) Refund of initial SecurityDeposit comprising of EMDandISD. : 50% of the Security Deposit shallberefunded to the Contractor on completion of the work and balance refunded only after the Defect Liability Period isover.

19) Period forHonoringCertificate

: One Month for R.A.Bills

20) The final bill will be submitted by the Contractor within one month of the date fixed for completion work and the Bill shall be certified within 3 months from the date of receipt of final bill provided the bills are submitted with all pre-requisite documents/test reports etc. prescribed in thetender.

Signature of Tenderer.

Date:



LETTER OF DECLARATION

To, The C.H. &V.P., Circle Office, SBI Infra Management Solutions Pvt. Ltd., Third Floor, SBI, LHO, Bhadra, Laldarwaja, Ahmedabad-1

Dear Sir,

PROPOSED FURNITURE AND FURNISHING WORKS FOR SBI J-9 CANAL ROAD BRANCH, SURAT.

Having examined the terms & conditions, drawings, specifications, design relating to the works specified in the memorandum hereinafter set out and having visited and examined the site of the worksspecified in thesaid memorandum and having acquired the requisite information relating thereto and affecting the quotation, I/We hereby offer to execute the works specified in the said memorandum within the time specified in the said memorandum on the item rate basis mentioned in the attached schedule and in accordance in all respect with the specifications, design, drawings and instructions in writing referred to in conditions of Tender, the articles of agreement, conditions of contract and with such conditions so far as they may beapplicable.

MEMORANDUM

(a)	Description of work	Proposed Furniture works for SBI J-9 Canal road Branch, Surat.
(b)	Earnest Money	Rs 15,100/- (Fifteen Thousand One Hundred only) by means of Demand Draft / Pay Order (Valid for a period of 180 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of State Bank of India and payable at Surat.
(c)	Time allowed for completion of work from the date of issue of work order.	45 days from the date of commencement as per tender.

Should this tender be accepted, I/we hereby agree to abide by and fulfill the terms and provisions of the said conditions of Contract annexed hereto so far as they may be applicable or in default thereof to forfeit and pay to SBIIMS, the amount mentioned in the said conditions.



I/we have deposited Demand Draft / Banker's Cheque / FDR for a sum of **Rs 15,100/-**(Fifteen Thousand One Hundred only) asEarnestmoneydepositwiththeSBIInfraManagementSolutionsPvt. Ltd. Should I/we do fail to execute the contract when called upon to do so, I/we hereby agree that this sum shall be forfeited by me/us to SBI Infra Management Solutions Pvt.Ltd.

We understand that as per terms of this tender, the SBIIMS may consider accepting our tender in part or whole or may entrust the work of various buildings proposed (i.e. Institute Building,StaffQtrs.AndDirector'sBungalow/Interior work) inphases.We,therefore,undertakethatweshall

notraiseanyclaim/compensationintheeventualityofBankdecidingtodropanyofthebuilding/b uildingsfromthescopeofworkofthistenderatanystageduringthecontractperiod.Further, we also undertake to execute the work entrusted to us in phases on our approved rates and within the stipulated time limit without any extra claim for price escalation as provided for in Clause 11.0.1 "Instructions to Tenderers" of thistender.

We, hereby, also undertake that, we will not raise any claim for any escalation in the prices of any of the material during the currency of contract/execution/completion period.

Yours faithfully,

Signature of contractor With Seal



PROFORMA FOR RUNNING A/C BILL TABLE - XIII

:

:

:

:

- i. Name of Contractor/ Agency
- ii. NameofWork
- iii. Sr. No. ofthisBill:
- iv. No. & Date of previous Bill :
- v. Reference toAgreementNo.
- vi. Date of Written ordertocommence :
- vii. Date of Completion asperAgreement

S. No	Item Description	Unit	Rate (Rs.)	As pe	er Tender	Up to R.A.	o Previous Bill	Up (Gros		Preser	nt Bill	Remarks
				Qty	Amount	Qty	Amount	Qty	Amount	Qty	Amount	
					(Rs.)		(Rs.)		(Rs.)		(Rs.)	
1	2	3	4	5	6	7	8	9	10	11	12	13

Note:

1. If part rate is allowed forany items, it should be indicated with reasons for allowing such a rate.

Net Value since previous bill

2. If ad-hoc payment is made, it should be mentioned specifically.



CERTIFICATE

The measurements on the basis of which the above entries for the Running Bill No
were made have been taken jointly on and are
recorded at pages to to of measurement book
No

Signature and date of Contractor

Signature and date of Architects Representative (Seal)

Signature and date of Site Engineer

The work recorded in the above-mentioned measurements has been done at the site satisfactorily as per tender drawings, conditions and specifications.

Architect

Signature and date of Site Engineer



TABLE - XV

MEMORANDUM FOR PAYMENT

R/A BILL N	O.	
1.	Total value of work done since previous bill (A)	Rs
2.	Total amount of secured advance due since Previous Bill (B)	Rs
3.	Total amount due since PreviousBill (C) (A+B)	Rs
4.	PVA on account of declaration in price of Steel, Cement and other materials and labour as detailed in separate statements enclosed.	Rs
5.	Total amount due to the Contractor	Rs
	OBJECTIONS:	n
i)	Secured Advance paid in the previous R/A	Rs
ii)	Retention money on value of works as per accepted tenders upto date amount Rs.	Rs
	Less already recovered	Rs
	Balance to be recovered	Rs
iii)	Mobilization Advance, if any	Rs
(a)	Outstanding amount (principal + interest) as ondate	Rs
(b)	To be recovered in this bill	Rs
iii.	Any other Departmental materials cost to be recovered as per contract, if any	Rs
iv.	Any other Departmental service charges to be recovered if any, as per contract (water, power etc.) enclose statement.	Rs



The bill amount to Rs. ------ (both figures and words) has been scrutinized by us after due checking of the measurements of work as required and is recommended for payment.

Date:-----Signature ofArchitect with Seal

ThebillamounttoRs.-----certifiedbyConsultantshasbeenscrutinizedbyme afterduetestcheckingofmeasurementsofworksasrequiredandisrecommendedforpayment for an amount ofRs.....

Date : -----

- i) Total Amount due (E)
- ii) Less I.T. Payable
- iii) Less S.T. Payable Net Payable

Rs. -----Rs. -----Rs. -----Rs. -----

Signature of Banks/ SBIIMS Engineer

This figures given in the Memorandum for payable has been verified and bill passed for payment ------ (in words and figures)

Date:-----



Signature of the Circle Head & VP



APPROVED MAKES FOR VARIOUS MATERIALS IN WOOD WORK:

Particulars and Specifications	Approved Make/ model
ood / Block board / Plywood / Flush doors minates / Veneers / Solid surfaces	
ood:	
r External use	Steam Beach - 1 st quality imported, 95 % in even color without knots, joints & bend wood as suggested & in full length / size only
r Internal use	Marandi - 1st quality, without knots, joints & bend wood as suggested & in full length / size only
woods / Block boards / Laminates / neers / MDF / Particle boards / Acrylic solid rfaces	
mmercial Quality - Block boards (IS 1659), Ply od (IS 303) / Water proof ply (IS-710) / Flush or (IS 2202) Part - I	All plywood & block boards shall be with CM/L number only & shall not as per or not as per generally confirming to Duro / Anchor / Archid / Century / Green / Mayur
ninates (IS-2046)	On all horizontal & vertical surfaces in finish & shade on approval basis
lancing (0.5 to 0.7 mm thick) / Regular & ecial finish 1.0 mm & 1.5 mm as specified	Airolam / Century / Bell / Century / Blum / Formica / Greenlam / Merino / Silicon / Sunmica / Vir
neers	On all horizontal & vertical surfaces in finish & shade on approval basis - Minimum Rs. 120/- per Sq.Ft. net Rate Duro / Century / Durian / Garnet / Green / Timex / Vir
0F / Particle boards - IS 12406 - 1988	Exterior grade (water proof) manufactured from agro based
	lignocelluloses fibers
D.F. board	Action (Tesa) / Duratuf / Green / Merbock / Nuwud
rticle boards	Deco board / Novapan
rylic solid surface	Bendable / Thermo Transforming - On approval basis only
	Dupont / LG - Hi-Macs / Luxor / Merino / Neonnex / Samsung
rdware items	
neral Hardware items	
hesives	Araldite / Blue coat + / Fevicol SH / Mavicol / Royal bond
rews	Sheet Metal / Wood
	GKW / Haffele / Nettle fold / R.K. / Sharp
ils	Fresh & without rusting
	Chakra / Mehta / Sun
alant	Choksey / Pedilite / Rhone Poul
alant	



II	Locks	
1	Auto (self) latch Lock	For SWS counters
-		Ebco - P - ALL1 - 22 or Eq. in Hafele / Hettich
2	Multipurpose group Lock	Round housing in vertical or horizontal mounting as req. In
		all item - in group only
		Ebco - E-MPL1-22/E-MPL1C-22 or Eq. in
		Door set / EG / Europa / Godrej / Hafele / Hettich
3	Night latch	S.S. brush / matt finish
		Europa 8010 NS / Doorset - NL 180 S/S. / Godrej - 8812
4	Cylindrical lock	S.S. brush / matt finish
		Ebco - C120SS Europa 8010 NS or C120SS / Doorset - NL
		180 S/S, / Godrej 3792 - with key & 3786 for
		keyless / Hafele / Hettich
5	Mortise dead lock (two way)	6 lever - pin cylinder type with flush type key hole
		Doorset - HL 170 or ML 102 S / Dorma / Ebco /
		Godrej - Matiz 8083 or 8815
6	Mortise lock with door handle	Dorma / Doorset - ML 102 S / Ebco / Godrej - 8815 or Matiz
		8083
7	Allen Key	Prince / Riddhi / SSL
	Fixtures	
1	Hinges	S.S. brush / matt finish
	For Storage units	3" or 4" x1/2"x3/4" x 1.2 mm th 3 or 4 nos. as per
		the
		weight / size of the shutter
	For Cabin Doors & Flap doors	5" or 6: X1"X1"x1.8 mm - Min. 4 or more nos. as per the
		weight / size of the door
		Aks hvy. Cut / EBCO / Garg premium / Hafele /
		Hettich /
		Suzu matt
2	Drawer sliders	Premium quality ball baring - full extension - 45 x
		25.4 mm
		th. & 0.0775 kg / inch weight - in Zinc coating / Powder
		coated finish - 18"/20"/22" long as req.
а	Telescopic	EBCO - STDS35(I)35 / STDS45(I) / STDS50(I)35 /
		STDS60(i)35, Godrej / Hafele / Hettich
b	Bottom channels	EBCO - BMDS 35/ BMDS 37/ BMDS 55/ BMDS 60



3	Sliding Mechanism	For sliding shutters
5		Hanfa / Orbit
		"L" Stopper / SS brush / matt finish - 3" up to 3' / 4"
4	Tower bolts ("L" stopper)	for 3' to
		5' & 5" for 5' to 7' shutter height
		Cent / Flora / Oswal / Riddhi / Rolex
		"C" or bow shape - S.S. 202 - Matt finish- Size as
5	Handles	per the
		size of shutter / with common pin for a pair
	For Storage units / drawers / door / Flap doors	Acme / Corel / Ebco / Godrej / Korsa / Orchid
	Profile type	Ebco / Hafele / Hettich
0		Small for shutter Up to 3' shutter & big for shutter
6	Magnet	up to 3'
		to 7'
		Bentex / Honda / Meesha / Supreme
7	"D" / Pocket bracket	8 mm & 12 mm th. X 50 mm - SSL plated
		Flora / Riddhi / Oswal
8	Studs	SS matt finish - length as req.
		Deco well
IV	Door Opening Fixtures	
1	Door closers	Silver in color - on approval
	For door @ 60 Kgo in weight	Dorma / Ebco / Godrej - double speed 8292 - Silver
	For door @ 60 Kgs. in weight	/ 7345 -
		Golden / Hardwin / Ozone / Scorpio
	For fire rated door @ 60 Kgs. in weight	Godrej - 1938 / Hardwyn - Triton
2	Floor spring	Hold open type-heavy duty/ / as per door size &
_		weight
	60 KG	Door Set / Dorma / Ebco / Godrej - 7477 / EG Sterling - FS
		3000 / Hardwyn - M 74 / Ozone - 7400
		Door Set / Ebco / Godrej - 8293 / Hardwyn - M 74 /
	80 KG	Ozone -
		8400
	100 100	Door Set / Ebco / Godrej - 8294 / Hardwyn - M 76 /
	100 KG	Ozone -
		9400
3	Door Stopper	SS brush / matt finish - push type only
		Corel / Ebco - DS1 / E.G.I.L Spring type - Sterling
		/ Ozone
4	Patch fittings for door & fixed glass partition	As per the req. & detailed drawing
	(top/bottom/ patch, pivot, lock, L arm, L	
	connect, connector, floor spring, handle,	
	plastic profile	
		Dorma - XL C series / Ebco / Hafel / Ozone - OPF
ι		series



V	Computer related fixtures	
1	Cable manager	S.S.L. plated - 50 or 60 MM dia on approval
-		basis
		EBCO - CO60ZN1 zinc 60 or 80 mm dia as req.
		CO 60 ZN1 /
		CO 80 ZN1 / Nova / Rolex
2	Key drawers	heavy ball bearing slide - 25" long + soft pad - with
		or without mouse tray as required.
		EBCO - KTE 1 -45 M / Jumbo - KBJT / Featherlite /
		Hettich /
		Innofitt
3	CPU trolley / hanger	M.S. black powder coated with castor / wall mounted as
		required
		EBCO - Cpusm / Featherlite / Hettich / Innofitt -
		side
		mounted IS CPU HL SM / Ziproc - 4/2-SMCS
4	Leg rest	Read made with adjustable angle - Chrome plated with
		Heavy duty plastic top
		EBCO
VI	Aluminum Sections / ACP / Perforated sheet / Skirting	
1	Aluminum Sections	Banko / Hindalco / Indal / Jindal
	For Partitions	2"x1"x1.6 mm
	For Paneling	1"x1"x1.2 mm
	For Doors	Size as specified in BOQ x Minimum 2.65 mm th.
2	Perforated sheet	As per the manufacturer's specifications
		EBCO Alu . shutter grill ASG
3	ACP Sheets	3 mm th. Exterior grade
		Alu bond / Alu Décor / Armstrong / Euro bond /
		Flexi bond /
		Timex
4	Aluminum skirting	With End caps - As per manufacturer's
		Specifications Ozone or Eq.
		With End caps - As per manufacturer's
-	UPVC Skirting	specifications
5		
5		
5	Gasket	Rehau or Eq. PVC or EPDM - As per requirement

VII Glass & Mirrors Of appropriate thickness (as suggested in B shall be	OQ) &	
--	-------	--



	Building SBI	
		in full size only as suggested as per mfg.
		company's
		specifications
		Aasahi / Modi guard / Saint Gobain
VIII	Finishes	
1	Polish	Melamine matt finish polish as suggested
		Asian Paints
2	Paints	Satin enamel / Flat / Duco / Exterior / Cement paint /
		Distemper / Royal shine luxury emulsion - shade & finish as
		suggested
а	For wall / ceiling / furniture etc.	Asian Paints / Burger / ICI Dulux / Nerolac
b	For Wood - PU paint (Pigmented / paint & polish)	Polyurethane paint
~		Asian paints - Emporia PU / Sirca
С	Textures plaster / Spray paint	On sample approval basis - to be executed by company's
		approved applicator only
		Alltek / Asian / Durotex / Luxture / Nerolac
		Shade, finish & mfg company - on approval basis -
d	Powder coating	55 to 65
		microns by giving pretreatment the material and
		phosphate before powder coating and thermo set powder
		coating by applying epoxy hybrids in suggested shade /
		finish - by seven tank process only
е	Color anodize	Shade, finish & mfg company - on approval basis
f	Wall putti	Birla white / J K white
IX	Foam / Rubber / Tapestry	
1	Rubber	Pencil hole various thickness Geo
2	U foam	40 density - various thickness as req.
		Feather foam / Sleep well / Spring well
3	Fabric / Upholstery	Shade / Design on Approval basis
	For Chairs / Display board / Setti	Rs. 360 / - per meter - Net rate
	For Sofa	Rs. 660 / - per meter - Net rate
Х	Furnishing material	· · ·
1	Roller / Vertical blinds	On approval basis / as / basic rate for fabric given in BOQ
		Hunter Douglass / Mac / Marvel / Vista
2	Wall paper	On approval basis / as / basic rate for fabric given in BOQ
		Asian (Nilaya) / Excel - Streamline / Sangestu / WK Stone
		(Gaenari)



	Building SBI	
	Vinyl	Only approval basis only including surface
	VIIIyi	preparation
		3 M India
4	Film	Only approval basis only including surface
4	Film	preparation
		3 M India / Garware
XI	Accessories / Signage	
1	Toilet accessories	304 / 316 Grade SS
		Chase / Deco Well / Kich
0	Simon	SS matt finish with inlay - visual format - 120 mm x
2	Signage	120 mm
		x 1.5 mm th.
		Chase / Deco Well / Kich
XII	Folgo Colling	All components including all hardware items of the
NII	False Ceiling	false
		ceiling systems shall be used of the same make of
		the false
		ceiling system. Any local material shall not be used
		for any
		part of the ceiling system.
1	Gypsum Board Framing with complete system	Gyproc (Saint Gobain), USG Boral
		Gyp steel ultra (Saint Gobain), USG Boral Ultra
		frame
		system
_	Calcium silicate Board Framing with complete	
2	system	Hilux / Ramco Fuji or equivalent
3	Mineral fiber tiles ceiling with complete system	Armstrong/Saint gobain/USG
L	. . ,	

Note:

[a] Where other Material are proposed to be used these should be got Approved from the Architect before execution of particular item. In case of Non- Availability of any material of specified make, the Alternative equivalent make should be used only after it is Approved in writing by the Employer or the Architect. The Material shall be used in preferential Order only

[b] Before starting of work contractor must get all samples/make approved from Architect before using at site

[c] Consultants reserve the right to add or delete name of any manufacture as and when required.

[d] Consultants reserve rights to select any of the specified brands mentioned above. [e] Contractor should get the sample approved before execution.

FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR STATE BANK OF INDIA AT CANAL ROAD (NEW PREMISE) BRANCH, SURAT BILL OF QUANTITIES (Not to be Filled by the Bidder)



Sr.	Description	Qty.	Unit
Α	P/F SINGLE WINDOW		
1	Making single window counters with working table 1½" Thk. of 4'-9" - 5'-0" X 2'-6" X 2'-6" with transaction counter 5'-0" X 2'-3" 12 mm thk. toughened glass above transaction counter with 9" X 4½" communication cut out for transaction and outer front facia side use saint gobain 4mm thk. 18" high aqua blue back painted approved glass and provision of space to conceal LED light as per drawing. Counter to be made out in 18mm ply and 6mm thk. flexible ply for facia as required. All exposed surfaces including grooves to be finished with specified approved 1mm thk. laminate in combination as per drawing (Excluded table top). Cable managers to be provided for cable outlets. Foot rest of 3"x1.5" in C.P. Teak wood. and CPU stand 16"x 24" as per Drawing Detail.	3	Nos.
	Supplying, Fabrication and Installation of Approved make Corian of 6mm thick applied on table Top, front, and all Sides etc. To minimize material usage and facilitate installation, a corner block of corian should be made square(Butt) rather than metered joint. The edges to be joined should be straight, smooth and clean. Joints should only be made with joint Adhesive for Approved Corian. All corners of a cutout must be rounded to 5mm radius and the edges smoothed, both on top & bottom, all around a cutout. "L" & "U" shaped corners need smooth 5mm radius inside corner. All works done to the satisfaction of the Architect/Bank's Engineer. Rate includes labour, material wastage, time limits, required hardware etc. Note:- Use White Corian Sheet . The job shall be completed including required adhesive, fasteners, hardwares etc. The rates shall include all material, labor, wastages etc. complete of the table ,and finished complete shall be made as per drawings and details and as per instruction.		
	Drawer unit: 1'-4" X 1'-9" X 2'-4½" includes 3nos. Of drawers Providing and fixing drawers made from 18 mm thick plywood on front side and 12 mm thick on sides and 6 mm thick plywood on bottom. Drawer slide on telescope channels, handle, Auto lock of approved make.will also have internal divisions made out of 12mm thick ply for currency note as per requirement. fixing 1.5 mm thick white laminate bravia 404/ equivalent of approved make on front side etc. complete as directed. Inside surface will have balncing 0.8mm thk. Laminate.		
	 Side unit:- 2'-6" X 1'-0" X 2'-6" unit in Approved make Corian of 6mm thick applied on Top including border on 18mm ply including 3 nos. of shutters with internal shelves, 1.5 mm thick white laminate bravia 404/ equivalent and approval, hardware, L-hinges, lock, handle as per the requirement and finished complete shall be made as per drawings and details and as per instruction. All Inside surface will have balncing 0.8mm thk. Laminate. All hardware:- key board drawer, CPU stand, foot rest, cable manager etc as per 		
	requirement.All internal surfaces to be balancing 0.8mm thk. laminate. Sides & back of SWOCounter shall be measured separately as half ht partition. Rest of detail as per plan, instructions. and as per standard SWO counters.		
2	P/F BRANCH MANAGER CABIN WS+SR TABLE: Providing and fixing manager's table to be made out in 18 mm ply. Foot rest to be provided in teak wood frame 3" x 1" section as per details and polished in french polish. All inside exposed areas and table undersides except drawer front	1	No.



	Building SBI		
	& exposed sides of it to have balancing laminate. Cable managers to be		
	provided for cable outlets. Shelf for CPU to be provided under the counter as		
	shown in the drawing. Drawer sides to be made out of 12 mm ply with fully		
	extensible sliding channel and drawer bottom to be made out of 12mm		
	ply.Drawer to be provided with the details given in the drawings. Drawer locks,		
	multi purpose with one key for specified no. of locks. Readymade key board		
	drawer to be provided as approved by the architect. All hardware to be		
	approved before fixing. Making manager's table of 6'-0"(L) X 3'-0"(W) X 2'-6"(H)		
	with table top $1\frac{1}{2}$ " thk. of approved Teak wood Veneer on 18mm thk. ply,		
	laminate, necessary hardware, lock, handle etc. complete. as per Drawing.		
	Providing and fixing of <u>Approved Teak wood Veneer of 4 mm thick applied on</u>		
	table Top, modesty panel, both vertical Sides finished with high gloss / matt P.U		
	coating (as per instruction). The edges to be joined should be straight, smooth		
	and clean. All works done to the satisfaction of the Architect/Bank's Engineer.		
	Rate includes labour, material wastage, time limits, required hardware etc. The		
	job shall be completed including required adhesive, hardwares etc. The rates		
	shall include all material, labor, wastages etc. complete of the table ,and		
	finished complete shall be made as per drawings and details and as per		
	instruction. (Basic cost of Veneer up to Rs.90/sq.ft.)		
	Drawer unit:1'-6" X 2'-0" X 1'-10" in 18mm ply. Considering 3 drawers with		
	necessary hardware, group lock to each drawer, handle, channel etc. complete		
	as per design and details and as per instruction. All Inside surface will have		
	balancing 0.8mm thk. Laminate.		
	Side unit:- 3'-0" X 1'-3" X 2'-6" unit in Approved make 4mm thk. Teak wood		
	Veneer applied on Top finished with high gloss P.U coating. including border on		
	18mm ply including 2 nos. of shutters with internal shelves, 1.0mm laminate as per		
	selection and approval, hardware, L-hinges, lock, handle etc. & 1/2" teak wood		
	beading as per the requirement of drawer unit. All Inside surface will have		
	balancing 0.8mm thk. Laminate.		
	Key board, CPU shelf out of 18 mm plywood and laminate, foot rest, Modesty		
	panel, support legs/panels, cable manager etc complete Inside finish with		
	balancing 0.8mm thk. laminate as per architects instructions. RATE IN WORDS		
3	P/F OFFICER TABLEWS+SR		
	Making officer's table of 4'-9" to 5'-0"(L) X 2'-3"(W) X 2'-6"(H) with 18mm thk. ply	3	Nos.
	with 4mm thick approved Teak wood Veneer over top surface, vertical both side		
	surface finished with high gloss PU coating and front vertical surface on external		
	facia sides will have white laminate(1.5 mm thk. white core laminate		
	bravia404 /equivalent) on sides and modesty panel. Inside balancing 0.8mm thk.		
	laminate. complete with necessary hardware, lock, handle etc. as per drawing		
	and details and as per instructions.		
	Drawer unit:1'-3" X 1'-10" X 2'-4" in 18mm ply. Considering 3 drawers finished with		
	all external surface have 1mm thk. approved laminate and inside balancing		
	0.8mm thk. laminate. necessary hardware, Group lock, handle, channel etc. with		
	complete as per design and details and instructions.		
	Side unit:- 3'-3" X 1'-3" X 2'-6" unit in with 18mm thk. ply with 4mm thick approved		
	<u>Teak wood Veneer over top surface, including 3 nos. of shutters finished with</u>		
	internal shelves, approved external surface have 1mm thk. approved laminate		
1 1			



. <u> </u>	Building SBI	1	
	and inside balancing 0.8mm thk. laminate. as per selection, hardware & 1/2" teak wood beading as per the requirement as per drawing and details and as per instructions.		
	Key board, CPU self out of 18 mm plywood and laminate, foot rest, Modesty panel, support legs/panels, cable manager etc complete Inside finish with		
	laminate/paint or melamine polish as per architects instructions. RATE IN WORDS		
_			
4	P/F GRAHAK MITRA TABLE		
	Making Grahak Mitra table of 4'-0"(L) X 2'-3"(W) X 2'-6"(H) with table top 1½" thk. of approved 1.5mm thk. white solid core laminate (Bravia 404 / Equivalent) on top, all exposed sides and front side facia. As per detail Front facia will have additional 4mm thk., 3'-6" high X 4'-0" Aqua Blue shade of saint Gobain (or eq.) glass fixed with s.s stud. with necessary hardware, lock, handle etc. as per drawing and details and as per instructions.	1	Nos.
	Drawer unit:1'-3" X 1'-11" X 2'-4" (both end portion) in 18mm ply. Considering 3 drawers finished with internal shelves, approved external surface have 1.5mm thk. white core laminate (Bravia 404 / Equivalent) and inside balancing 0.8mm thk. laminate. complete as per design and details and instructions.		
5	P& F TABLE FOR SERVER ROOM		
	Making Server Room table of 4'-0"(L) X 2'-0"(W) X 2'-6"(H) with table top 1½" thk. of approved 1.0mm thk. laminate on top, all exposed sides complete with necessary hardware, lock, handle etc. as per drawing and details and as per instructions.	0	R.Mt
	Drawer unit:1-3" X 1'-9" X 2'-5" in 18mm ply. Considering 3 drawers finished with internal shelves, approved external surface have 1.5mm thk. white core laminate (Bravia 404 / Equivalent) and inside balancing 0.8mm thk. laminate. complete as per design.		
6	P& F WRITING COUNTER WITH DROP BOX		
	Wall /column mounted of size 4'-0" X 1'-3" with glass partitions as per drawing	1	Nos.
	Providing and fixing in position glass top writing counter made in 12 mm clear glass with crystal edged glass and 18mm plywood with 1.0mm laminated as instructed the front shall have 8 mm thk glass fixed with ss studs and caps for holding slip/challans.		
	Providing and fixing drop box of size 3-6" x 1'-9" x 1'-0" and finished outside with 1mm thk. Approved laminate as per detail and instruction of architect. Drop box to have slit for cheque drop and locking arrangement. All inside surface to be finished with .8mm white balancing laminate.		
_			
B	P & F FULL HEIGHT PARTITION / GLAZED PARTITION		
1	P & F FULL HEIGHT FRONT PARTITION (fully glazed) approx ht beam bottom 7'-6" to 10'-0" Providing and fixing on site in required position full height glass partition of height as shown on drawings / as per site compelete with required glass fitting and accessories.		
	14'-9" X 8'-0" = 118 sq.ft.	43.2	SQ.MT.
		0	



Building SBI		
15'-9" X 8'-0" = 126 sq.ft.		
14'-9" X 8'-0" = 118 sq.ft.(less door 5'-4" X 8'-0" = 42.64 sq.ft.)= 75.36 sq.ft.		
10'-7" X 8'-0" = 84.64 sq.ft.		
11'-0" X 8'-0" = 88 sq.ft.(less door 3'-6" X 8'-0" = 28 sq.ft.)= 60 sq.ft.		
compelete with 12 mm thk. toughen glass (clear)		
including required hinges and hardware for door with specified locking system		
*in case of false ceiling the vertical wood member to fixed with R.C.C ceiling for		
P& F FULL HEIGHT SOLID PARTITION		
Frame work having internal sections of size 2" x 1" x 1.6mm thik. Aluminium section covered with 6mm thk. ply with spacing not more than 600 mm c/c both ways. All exposed edges of the partition to have laminate finish or 12 x 75 mm sycamore or matching wood bidding. Necessary provisions shall be made in the partition for electrical conduits, switch boards. All the partitions should be fixed with floor, beam, surroundings for proper strength.	27.0 0	SQ.MT.
Record room partition 10'-0" x 8'-0"= 80 sq.ft.Less door (3'-0" x7'-0"= 21 sq.ft.) = 59 sq.ft.		
Record room partition 7'-3" x 8'-0"= 58 sq.ft.		
Record room partition 7'-0" x 8'-0"= 56 sq.ft.		
Record room partition $3'-4" \times 8'-0" \times 2 = 53.28 \text{ sq.ft.}$		
Nr. Stair case partition 7'-9" x 8'-3" = 63.93 sq.ft.		
P & F LOW HEIGHT PARTITION		
Providing and fixing on site in required position Low height partition as shown on		
drawing and as per instruction.		
Providing and fixing low ht. double skin Partitions. Low ht. solid and glazed Partitions as per specification including pattern in lamination, complete as per drawings and instructions. The rate shall be inclusive of all the necessary hardware, Main frame - 50 mm x 25mm Aluminium section of 1.5 mm thk vertical and horizontals at 2'-0" x 2'-0". Centre spacing approx extra frame below slab soffit for conduit to run above. All verticals secured to ceiling (if required). Skin - Both side with 6mm thk Commercial ply screwed to frame work on both sides with joints as shown or directed. The rate shall be inclusive of Patta with grooves, borders, bottom, middle & top as advised by bank. For Glazing Skin - 12 mm thk toughen glass Straight / segmented glass fixed with 32x10mm thk T.W. molding and 3'-0" high solid portion as shown in the drawing or as directed by Architect. Finishing - Both side finished in 1.0 mm thk wood grain Laminate or as per detail drawing shown or directed by Bank. Other exposed wooden patti areas to be polished as directed by architect or bank's engineer. Partition: Making 4'-0" to 5'-0" high partition where 3' height of in double skinned with internal aluminium framing and covered with 6mm ply on both sides		
with internal aluminium framing and covered with 6mm ply on both sides includes laminate on all sides, necessary hardware etc. complete. Glass: fixing 12mm thk. toughen glass from 3'-0" to 5'-0" in wooden framing and beading including polishing of glass addres and popersons bardware etc.		
	 15'-9" X 8'-0" = 126 sq.ft. 14'-9" X 8'-0" = 118 sq.ft.(less door 5'-4" X 8'-0" = 42.64 sq.ft.)= 75.36 sq.ft. 10'-7" X 8'-0" = 88 sq.ft.(less door 3'-6" X 8'-0" = 28 sq.ft.)= 60 sq.ft. compelete with 12 mm thk. toughen glass (clear) Note: "Amount shall be paid only for the Partition between the Celling & floor. including required hinges and hardware for door with specified locking system etc. complete. "In case of false celling the vertical wood member to fixed with R.C.C celling for proper stability. P&F FULL HEICHT SOLID PARTITION Frame work having internal sections of size 2" x 1" x 1.6mm thik. Aluminium section covered with 6mm thk. ply with spacing not more than 600 mm c/c both ways. All exposed edges of the partition to have laminate finish or 12 x 75 mm sycamore or matching wood bidding. Necessary provisions shall be made in the partition for electrical conduits, switch boards. All the partitions should be fixed with floor, beam, surroundings for proper stength. Record room partition 7'-3" x 8'-0" = 58 sq.ft. Record room partition 7'-9" x 8'-0" = 58 sq.ft. Record room partition 7'-9" x 8'-0" = 58 sq.ft. Record room partition 7'-9" x 8'-0" = 58 sq.ft. Record room partition 7'-9" x 8'-0" = 58 sq.ft. Record room partition 7'-9" x 8'-0" = 58 sq.ft. Record room partition 7'-9" x 8'-0" = 58 sq.ft. Record room partition 7'-9" x 8'-0" = 58 sq.ft. Ps F LOW HEIGHT PARITION Providing and fixing on site in required position Low height partition as shown on drawing and as per instruction. Providing and fixing on site in required position Low height partition as shown on drawing and sper instruction. Providing and fixing low ht. double skin Partitions. Low ht. solid and glazed Partitions as per specification including pattern in lamination, complete as per drawings and instructors. The rate shall be inc	15:-9" X 8:-0" = 126 sq.ft. 14'-9" X 8:-0" = 118 sq.ft.(less door 5'-4" X 8'-0" = 42.64 sq.ft.) = 75.36 sq.ft. 10'-7" X 8'-0" = 88 sq.ft.(less door 3'-6" X 8'-0" = 28 sq.ft.) = 60 sq.ft. 11'-0" X 8'-0" = 88 sq.ft.(less door 3'-6" X 8'-0" = 28 sq.ft.) = 60 sq.ft. compelete with 12 mm thk. toughen glass (clear) Note: *Amount shall be paid only for the Partition between the Celling & floor. including required hinges and hardware for door with specified locking system etc. complete. *in case of false celling the vertical wood member to fixed with R.C.C celling for proper stability. P& F FUL HEIGHT SOLD PARTITION Frame work having internal sections of size 2" x 1" x 1.6mm thik. Aluminium section covered with 6mm thk. ply with spacing not more than 600 mm c/c both ways. All exposed edges of the partition to have laminate finish or 12 x 75 mm sycamore or matching wood bidding. Necessary provisions shall be made in the partition for electrical conduits, switch boards. All the partitions should be fixed with floor, beam, surroundings for proper strength. Record room partition 10'-0" x 8'-0" = 50 sq.ft. Record room partition 7'-9" x 8'-0" = 56 sq.ft. Record room partition 7'-9" x 8'-0" = 55 sq.ft. Record room partition 7'-9" x 8'-0" = 50 sq.ft. P & F LOW HEIGHT PARTITION Providing and fixing low ht. double skin Partitions. Low ht. solid and glazed Partition: Name esom ma kerninium section 1



	Building SBI		
	complete as per design. include night latch - 4nos.		
	All exposed edges of the partition to have laminate finish or 12 x75 mm half		
	round sycamore or matching wood bidding		
	Soft board cover with fabric shall be as par design , drawing specifications and		
	instructions of architect and engineer in charge.		
	Nr. Branch manager 7'-0" x 4'-0" = 28 sq.ft .	14	SQ.MT.
	Nr. Branch manager 2'-4" x 4'-0" = 9.32 sq.ft .		
	SWO (1.5mm thk. white core laminate (Bravia 404 / Equivalent)) (only for SWO partition) = 6'-0" x 4'-9" x 4 NO= 114 sq.ft.		
4	P & F E-LOBBY 19MM THK. TOUGHEN GLASS LOW HEIGHT PARTITION		
	Glass partition with polished edged 19mm thk. Toughen glass with all required fittings and accessories and NR film as per instructions. 4'-0" x 5'-0" x 3 NO. = 60 sq.ft.	5.6	SQ.MT.
С	P & F VARIETY OF DOORS		
	DOORS OF 2'-6" / 2'-9"/ 3'-0" x 7'-6" Size totally flush doors, 38mm thk. with both the sides duly laminated finished with approved design / approved shade of laminate, with provision for 12mm thk. glass vision panel if required Mortise lock handles, door closer, door stopper, & brass Hinges, all the exposed wooden edges to be finished with approved shade of melamine polish (with all necessary hardware items) including door frame if any) with 18mm thk. ply wood on sides and 1 mm laminate as shown in the plan complete with all aspect.		
	2'-6″ to 3'-0" X 7′-6″		
	3'-0" TO 3'-3" new door on granite frame complete with all accessories. Ref plan. With glass vision panel where necessary with frame covering		
1	WOODEN GLAZED DOORS		
	FLUSH DOORS	10.7 0	SQ.MT.
	TOILET = 2'-6" X 7'-0"- 2 NO(35 sq.ft.)	0	
	TOILET = 2'-6" X 7'-0"- 1 NO(17.5 sq.ft.)		
	TOILET : 3'-0" X 7'-0" - 1NO (21 sq.ft.)		
	RECORD ROOM : 3'-0" X 7'-0" - 1NO (21 sq.ft.)		
	PANTRY DOOR = $3' \cdot 0'' \times 7' \cdot 0'' - 1NO (21 sq.ft.)$		
2	FIRE RESISTANT DOOR	4.05	
2.1	Providing & Fixing of 3'-0" X 7'-6" 41mm thk. door with door closer, S.S handle, cylindrical lock, tower bolt. The door should be made from 1" X 1.5" aluminium frame and finished with 8mm fire resistant material (i.e bison panel or cement sheet). The door should be finished with between UPS and Server room paint on both sides as per architect's design & instructions. Door to have 10mm (1'-3" x 5'-6") glass as viewing panel. or as per drawing. Using bison panel on both side with aluminum /framing, rest of detail as standard flush door with eye hole as per safety instructions/guidelines.	1.95	SQ.MT.
	UPS ROOM 3'-0" X 7'-0"		
2.2	Same as above (entry door) finished with inner side finished with 8mm fire resistant material with water paint and outer side 8mm ply with approved 1mm thk. laminate as per architect's design & instructions. Door to have 10mm (1'-3" x	0	SQ.MT.



	Building SBI		
	5'-6") glass as viewing panel. or as per drawing. rest of detail as standard flush door with eye hole as per safety instructions/guidelines.		
	SERVER ROOM ENTRY DOOR 3'-0" X 7'-0"		
3	SWO FLAP DOOR		
	Size 2'-6" x 4'-0"- 1 NO. = 10 sq.ft.	0.93	SQ.MT.
	providing and fixing 38 mm solid core flush door with <u>night latch</u> SS handle lock, tower bolt fixed with 1/2 " thk wooden beading patti on perimeter. The door should be finished with 1.5mm thk. white core laminate (Bravia 404 / Equivalent) on both sides as per architects instructions . All exposed wood to be finished with melamine finishes.		
D	P & F PANELLING & BOXING		
	PANELLING COLUMN / WALL CLADDING central Column in the Banking hall with		
	12mm thick approved plywood, exposed surface to be treated with 1mm thick approved laminate pasted with approved adhesives, with1/4" C grooves corner beading complete. with melamine polish in Refer plan and sections. Up to ceiling height complete with all aspects		
1	ONLY LAMINATE FINISH ON BEAM : G.F = 55'-9" X 1'-6"= 83.625 SQ.FT.	18	SQ.MT.
	ONLY LAMINATE FINISH ON BEAM : F.F = 73'-0" X 1'-6"= 109.5 SQ.FT.		
2	ONLY LAMINATE FINISH ON COLUMN PANELING :	19.7	SQ.MT.
	GROUND FLOOR		
	3'-7" X 8'-3" X 2 nos. = 59.07 sq.ft.		
	2'-7" X 8'-3" = 21.28 sq.ft.		
	2'-0" X 8'-3" = 16.5 sq.ft.		
	3'-3" X 8'-3" = 26.81 sq.ft.		
	FIRST FLOOR		
	4'-9" X 8'-0" = 38 sq.ft.		
	3'-0" X 8'-0" = 24 sq.ft.		
	3'-3" X 8'-0" = 26 sq.ft.		
3	Panelling for Digital wall with Blue/white high gloss PU Coating finishing (Behind S.W Counter): Providing and laying pannelling on wall having 12 mm thk. MDF Board exterior grade with PU coating fixed on wall with Aluminium framing of 50 mm x 25 mm x 1.50 mm thick at maximum 2'-0" c/c both ways etc. complete as directed. pannelling as per design and instruction of Architect. Only Finished visible surface area shall be measured for payment. SWO Counter back wall panelling 17'-0" X 6'-0" = 102 Sq.Ft. Refer detail drawing.	9.5	SQ.MT.
4	WALL PANELING Branch Head table back panel with 12mm thk. Approved plywood with required aluminum framing. All exposed surface to be treated with	9.2	SQ.MT.
	Approved 4mm thk. Teak wood Veneer finished with high gloss P.U coating with approved adhesive as per design and instruction. 12'-0" X 8'-3" = 99 Sq.Ft. Refer detail drawing. Branch Head back wall panelling with teak veneer in combination with texture paint or wall paper. etc. finished with high gloss P.U coating.		
E			
Ē	P & F VARIETY OF STORAGE UNITS		



	Building SBI		
	Storage cabinet 18mmthk shutter with req. shelves white beach		
	molding,/beading providing wooden support for hinges, 6" s.s handles, L-hinges,		
	lock and laminated, inner side 0.8mm thk. laminate, complete as per detail		
	drawing and instruction. Refer detail plan and detail drawing.		
1	BEHIND GRAHAK MITRA TABLE - 10'-6" X 1'-3" X 2'-6" = 26.25 sq.ft. and BEHIND SWO	5.6	SQ.MT.
	COUNTERS- 14'-0" X 1'-3" X 2'-6" = 35.00 sq.ft. complete with 11/2" thick top, ply,		
	approved 4mm thk. teak Veneer top with high gloss PU coating, and all vertical		
	exposed surface to be approved 1.0mm thk. laminate and inside balancing		
	0.8mm thk. laminate. complete with necessary hardware, L-hinges, lock, handle		
	etc. Refer detail drawing.		
2	P/F BELOW PANTRY SHUTTER 9'-0" X 2'-6" = 22.5 SQ.FT.	2	SQ.MT.
	Shutters (with 2.75"x1.25" hard wood frame) and shelves made of 18mm th. ply.		
	External exposed surfaces to be finished with vertical exposed surface to be		
	approved 1.0mm thk. laminate and inside balancing 0.8mm thk. laminate With 3		
	nos. of drawers.		
3	P/F ELECTRIC MAIN PANEL CUPBOARD		
	Providing and Fixing to 2nos. Of Forex PVC foam board shutter with sides in		
	thickness of 18mm fitting with 2" x 1" aluminium frame as to cover electrical main		
	panel, 8mm clear glass as viewing panel, fixed S.S louver etc. complete. The		
	shutter to be fixed with auto hinges (Hettich, plumb made)S.S handles, lock and		
	laminate over exposed surface and side members also etc. complete.		
	4'-0" X 1'-6" X 8'-0" - 1NOS.	3	SQ.MT.
F	P/F MIS.FURNISHING ITEMS		
1	DISPLAY BOARD		
-	Providing & fixing notice board made from 12mm thick soft board with approved	2	SQ.MT.
	color of tapestry @ Rs. 125/- per meter on it. This will be fixed on wall with stainless	2	502.1011.
	steel mirror screw. The framing of soft board will be done with $\frac{1}{2}$ " x $\frac{3}{4}$ " T.W.		
	section. The same framing will be finished by Melamine polish etc. complete as		
	per direction of Architect.		
2	P& F WINDOW BLINDS		
	Providing & fixing venetian blinds - ROLLERR TYPE of VISTA or equivalent approved	30.5	SQ.MT.
	make approved shades with powder coated track as per architect's	00.0	002.1011.
	instructions.		
G	P& F MANAGER CABIN'S SOFA 3 seater		
	Visitors sofa min 5'-6" - 6'-6" length each with teak wood frame & supports, to	2	R.MT
	have minimum 42 density of foam on the seat, high density of foam on the back,		
	with spring, Nylon bands, coir etc. with the upholstery of G.M. make or equivalent		
	(scotch-guard) to the approval of Architect. Refer detail drawing.		
Н	CENTRE TABLE/CORNER IN THE VISITING AREA in the banking Hall:		
	TIPOY/ SOFA SIDERS		
	providing and fixing tipoy as per design complete with melamine polish/ 12 mm		
	glass.		
	Refer plan teak wood frame, top to have laminated cladded plywood & 12 mm thick glass. (with all edges crystalpolished). All the exposed veneer & wooden		



1	Building SBI		
	members to be polished duly finished with spray matt coat, with one		
	intermediate shelf for placing magazines, as shown in the detail. (with all		
	necessary hardware items)		
	SOFA SIDER 15" x24"	1	No.
	CENTER TIPOI 24" X 36"	1	No.
-	Providing and fixing approved make beveled edge 5mm thk. mirror of 600 X	2	No.
•	800mm mounted on mirror brackets.	2	110.
J	Providing and fixing CP towel ring of approved make & diameter with bracket or	2	No.
J	flange fixed to wall with necessary screw, plug etc. complete.	2	NO.
	Thange fixed to wail with necessary screw, plug etc. complete.		
		0	
К	P & F S.S Finish Signage's plate- 5" x 5" or Equivalent make approved by Architect	2	No.
	and as per Instruction. (Kitch- OTH10152 AML or Equivalent)		
L	FULLY TOUGHEN GLASS OPENINGS & DOORS		
	P & F FULLY 12mm thk. Toughen glass MAIN DOOR	6.6	SQ.MT.
	5'-4"X 8'-0"- 1 NOS = 42.64 (Double Door)		
	3'-6"X 8'-0" - 1 NOS = 28.00		
	The patch fittings (Ozone make) shall be of aluminum with S.S. matt finish		
	Signage's shall be of Kich make. coating & The entire door should be installed in		
	position as suggested with floor spring.		
1			
М			
M	PLANTER AND DECORATIVE PICTURE FRAME	0	No
M 1	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be	0	No.
	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and	0	No.
1	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers.		
	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and	0	No. No.
1	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4")		
1	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers.		
1	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4")		
1 2 N	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING		
1 2 N	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections		
1 2 N	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels, perimeter channels)		
1 2 N	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw		
1 2 N	PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws		
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with 		
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with suitable attachment. standard company manufactured sections and specifications(Gypsteel ULTRA) should be used for the entireframework. the board of size 6' x 4' are to be jointed 	0	No.
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with suitable attachment. standard company manufactured sections and specifications(Gypsteel ULTRA) should be used for the entireframework. the board of size 6' x 4' are to be jointed & finished so as to have a flush look which includes filling & finishing the tapered 	0	No.
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with suitable attachment. standard company manufactured sections and specifications(Gypsteel ULTRA) should be used for the entireframework. the board of size 6' x 4' are to be jointed & finished so as to have a flush look which includes filling & finishing the tapered & square edges of the boards with jointing compound, paper tape only & two 	0	No.
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with suitable attachment. standard company manufactured sections and specifications(Gypsteel ULTRA) should be used for the entireframework. the board of size 6' x 4' are to be jointed & finished so as to have a flush look which includes filling & finishing the tapered & square edges of the boards with jointing compound, paper tape only & two coats of primer suitable for gyp-board (as per recommended practices of Saint- 	0	No.
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with suitable attachment. standard company manufactured sections and specifications(Gypsteel ULTRA) should be used for the entireframework. the board of size 6' x 4' are to be jointed & finished so as to have a flush look which includes filling & finishing the tapered & square edges of the boards with jointing compound, paper tape only & two coats of primer suitable for gyp-board (as per recommended practices of Saint-Gobain Gyproc India Ltd.). 	0	No.
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with suitable attachment. standard company manufactured sections and specifications(Gypsteel ULTRA) should be used for the entireframework. the board of size 6' x 4' are to be jointed & finished so as to have a flush look which includes filling & finishing the tapered & square edges of the boards with jointing compound, paper tape only & two coats of primer suitable for gyp-board (as per recommended practices of Saint- 	0	No.
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with suitable attachment. standard company manufactured sections and specifications(Gypsteel ULTRA) should be used for the entireframework. the board of size 6' x 4' are to be jointed & finished so as to have a flush look which includes filling & finishing the tapered & square edges of the boards with jointing compound, paper tape only & two coats of primer suitable for gyp-board (as per recommended practices of Saint-Gobain Gyproc India Ltd.). General notes for the item rate include: The job includes applying two or more coats of acrylic emulsion paint in the standard procedure of the painting job as 	0	No.
1 2 N	 PLANTER : P&F on site plants as selected by Architect. Rs. 1800/- can be considered per number. Final Amount shall be paid as per actual amount and actual numbers. DECORATIVE PICTURE FRAME (APROX. MIN. SIZE = 1'-4"X1'-4") P & F PLAIN FALSE CEILING P & F suspended gypsum plain false ceiling by using standard company sections (Gyp steel ULTRA, intermediate channels , perimeter channels) 12.5 mm tapered edge gyp board (conforming to is - 2095-1996) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers. screws fixing is done mechanically either with screwdriver or drilling machine with suitable attachment. standard company manufactured sections and specifications(Gypsteel ULTRA) should be used for the entireframework. the board of size 6' x 4' are to be jointed & finished so as to have a flush look which includes filling & finishing the tapered & square edges of the boards with jointing compound, paper tape only & two coats of primer suitable for gyp-board (as per recommended practices of Saint-Gobain Gyproc India Ltd.). 	0	No.



	Building SBI		
	perimeter channels of size 20 mm. x 27 mm. x 30 mm. x 0.55 mm. thick, supported suitably. no extra will be paid for this. Edge beed has to be used to protect the exposed gypsum core i.e. cut edges of opening for light fixtures. Nodeduction in area for cutouts		
	"v" grooves should be cut at every square edge joints & filled with jointing compound & paper tape. additional g.i. / wooden supports shall be provided for fixing of variety of light fixtures, a.c. continues grill, diffusers etc. Recessed strip over transation area shall be finished with high gloss blue shade pu paint.		
2	same as above but for vertical patta. with perfect line and level The measurement would be counted as R ft. if size is less than 12". Item to include 2 coats of acrylic emulsion paint with putty.	162. 50	R.MT.
3	P & F Plain False Ceiling same as above but using 8mm thk. Hylux bond instead of regular Gypsum bond.	7.00	SQ.MT.
	hylux bond false ceiling - Server / UPS room.		
0	P & F MODULAR GRID CEILING		
	P & F of modular grid type false ceilings at all heights of 600 x 600 x15/16mm Armstrong mineral fiber ceiling tiles of type dune supreme mledge RH – 99 prima laid on Armstrong silhouette 15mm black reveal grid systems or eq.the frame work comprise of main runner of size 15 x 42 x 3000 mm spaced at 600 mm centers securely fixed to the structural soffit by approved hangers at 1200 mm maximum centers. hangers (BUTTER FYLY CLIP) to be fixed by approved roof plug, level adjusters, screws etc. the last hanger at the end of each main runner should not be greater than 450mm from the adjacent wall. 600mm x 600mm modules to be formed by fitting 600mm long flush fitting cross tees of size 15 x 42 x 600 mm centrally between the main runners.	124	SQ.MT.
Р	P&F POP IN WALL .	0	SQ.MT.
-	providing and applying plaster of paris (POP) class1super fine with perfect plum at the exposed wall where needed for leveling purpose. before painting work.	0	5Q.IVII.
Q	P&F LOCKER ROOM MIRROR AND PUFFY.	0	NO.
	The basic structure of the dressing mirror 6 mm th. mirror (having 1/2" bevaled edge on all vertical edges) shall be fixed with 12 mm ply & 1 mm thk. aprovd. laminate. The unit will have seatty with castores with upholstered ruplyer seat of size: 1'-3"x1'-3". Entire unit which have a basic structure with 1 nos. of mirror, & seatty, shall be installed in postition as directed. Enitre wooden members shall be in melamine matt polish finish.	0	NO.
R	P & F ALUMINUM COMPOSITE PANEL IN CEILING & ON WALL (Included e-lobby) & COLUMNS, BEAM.		
	Providing & Fixing ACP paneling on front walls, beam & columns etc. in vertical & horizontal directions. Necessary Aluminum framing of size 2"x1"x1.2 mm thk. both directions shall be provided. The paneling shall be finished on all sides by 3 mm thick ACP finish of exterior grade of suggested shade & finish. All joints & grooves shall be properly filled with clear sealant. As far as possible small pieces shall not be used unless unavoidable. Entire work shall be executed in entire line & level.	16	SQ.MT.



	E-lobby wall 48'-0" X 8'-0"= 384.00 sq.ft.		
	OUTSIDE WALL 19'-0" X 9'-0" = 171 sq.ft.		
S	P & F ROLLING SHUTTER BOXING WITH TRAP DOOR INCLUDING PASSAGE CEILING IN ACP FINISH		
	P & F ACP boxing for the rolling shutters. Necessary Aluminum framing of size 2"x1"x1.2mm both directions shall be provided. The boxing shall be finished on external sides by 3 MM THK. EXTERIOR GRADE ALUMINUM COMPOSITE PANEL on finish as suggested. The item includes for providing open able shutters with necessary framework (to be fixed with structural members) for servicing of rolling shutters. It also includes filling of joints and groves properly filled with clear sealant. required hardware such as hinges an keys on all respect in perfect line and level. (Only the plan area measurement will be considered for the payment purpose)	14	SQ.MT.
T	P & F Display logo/ QUOTES on 12mm thk. Ply or external grade MDF and 2" wooden framing complete with vinyl approved 3M film as per instruction. (behind / beside Grahak Mitra Table) Ref. B-1(a) (8'-0" x 3'-6") and (18'-0" x 2'- 0")	6	SQ.MT.
	Note:		
1.	All the rates should be inclusive of all taxes and transport excluding GST which will be pa applicable.	aid extra	as as
2 .	The contractor should depute one person at site from start of work to finish of work.		
3.	The total amount may vary depending upon actual quantity executed. The quantity BOQ is approximate.	y indica	ated in
	LIST OF MATERIALS USED		
	6 mm thick white corian with polishing		
	Top/sides and Other surface-1.5 mm thick solid core white Laminate of Bravia 404 /	' or Equi	valent
	Table Top & Side Table front and Other surface-1.00 mm thick Laminate of AICA Su E997/1997Ash Grey Oak (Wood grain Laminate) or Equivelent or as per instruction.	nmica.	
	4mm thick glass Aqua blue (back painted glass) of Saint Gobian or Equivelent or as instruction.	s per	
	4mm thick approved teak wood veneer.		





















