## Sealed Bid Format for Interior furnishing works at SBI Medical College Branch for accommodating Wealth Hub.

S.No	Description Description	Qty	Unit	Rate	Amount
0	Shifting of tables from Kudappanakunnu branch(first	-	• • • • • • • • • • • • • • • • • • • •	11010	7
	floor) to medical college branch, fixing new mica on				
	the top of the table and finishing as per bank's				
	engineer's direction.				
1	150 x 90 x 75cm ht	6	Nos	LS	
'	Supplying and fixing <b>side tables</b> made out of	_	1100		
	19mm marine plywood finished with 1mm				
	decorative laminate over it on all exposed				
	faces, and inside painted with 2 coats of enamel				
	over a coat of putty and mulitwood/teak wood				
	beading on all exposed edges.	5			
2	100 x 40 x 75 cm ht.		Nos		
	Supplying CPU trolleys made of powder coated				
	MS sheet with adjustable width, front and back				
3	open, provided with lockable castors.	9	Nos		
3	open, provided with lockable castors.	3	1403		
	Completion and installing death and				
	Supplying and installing double skin wooden partitions				
	130cm height near the table with 50x50mm size				
	hard wood frame work				
	(Unnam/Thambakam/Irul/pinkoda) for horizontals				
	at floor level,75cm and 6 mm marine ply on both				
	sides finished with 1mm laminate, edges to be				
	covered with 12mm thick multiwood white				
	colour.12mm glass with edges machine polished				
4			C		
4	and with etching and fixed above 75cm from FFL	5	Sq m		
	Supplying and fixing storage units made of 19mm				
	marine plywood finished with 1mm decorative				
	laminate over it on all exposed faces, and				
	openable shutters providing 2 shelves,				
	necessary locks, handles. All the exposed edges				
	are to be finished with multi wood/beech wood				
	<b>beading</b> and all the inside portion finished with				
_	primer and 2 coats of enamel paint.				
5	Unit 90 cm ht	15	Sq m		
	12mm toughened glass with patch fittings- Door				
	of size 100x210 cm				
	Providing and fixing Frameless fully glazed 12 mm				
	thick toughened float glass fixed with necessary patch				
	fittings (Dorma make) including cutting, making holes,				
	cutouts in the glass of required shape and size to				
	accommodate fittings and fixing the fittings in floors,				
	soffits, jambs including necessary fixtures, screws,				
	sealant wherever required and SS cover over patch				
	fittings. Rate shall include necessary etching				
	film/LOGO approved patch fitting locking				
	systems,1pair of 600 mm long S.S. Handles, floor				
	springs, and any necessary hardware items.(Dorma				
	XLC Make/ Godrej or equivalent) Top Pivot-PT 24,Top				
	Patch Fittings-PT 20, Bottom Patch fittings-PT 10,				
	Floor Spring – BTS 75V, corner lock with strike plate				
	and euro profile cylinder-US 10, Handle- TG DIH600-				
	32mm diax600 mm length.	2	Sa m		
6					

Providing and fixing of fixed glass partitions with 12 mm thick toughend glass using standard fittings of Dorma XLC range or equivalent at the top and bottom, glass connectors, including cutting, making holes in glass and fixing the same good with necessary screws, sealant etc complete. 3M Vinyl sticker as per approved.colour, design and pattern , sealants etc complete.  Supplying and fixing of 12 mm float glass for the table top. The edges to be machine polishied and hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after levelling the surface and applying two coats of plastic emulsion paint of approved make and shade of paproved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with turled Tip sheared, Yam w- min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm, sittcher(min 35,98ends/10cm), total weight (700g/sgm)+/5%, carpet to pass filammability metheramine pill test (not more after 60 hrs exposure. Carpet shall have colour fastness to ight with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco" worx "/Fibre glass reinforced thermoplastic complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 no vertical legs with 25mm heavy guage powder coated MS pipe, nylon bushes etc complete.	1	TELLINI LOUGINOTOU GIGOO DUI LILIOT	1			
mm thick toughened glass using standard fittings of Dorma XLC range or equivalent at the top and bottom, glass connectors, including cutting, making holes in glass and fixing the fittings in floors ceiling et and making the same good with necessary screws, sealant etc complete. 3M Vinyl sticker as per approved.colour, design and pattern , sealants etc complete. 3M Vinyl sticker as per approved.colour, design and pattern , sealants etc complete. 3M Vinyl sticker as per approved.colour, design and pattern , sealants etc complete. Supplying and fixing of 12 mm float glass for the table top .The edges to be machine polishied and hole for wire manager to be provided. 7  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form truffles finish or equivalent approved texture finish after levelling the surface and applying two coats of plastic emulsion paint of approved make and shade for windows including removing existing paint, clearing the surface as per the 10 direction of engineer 13  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with uffed Tip sheared, Yarn wt-min 678, 0 g/m/2, pile htmin 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700gsqm)+6%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet shall have colour fastness to light with a rating 4.0. it shall have less than 3.5 kV as electrostatic property. Backing material eco' wors ' / Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 13.6 / Sq. ft.  Medium back revolving chair with height adjustment flacility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical l		Providing and fixing of fixed glass partitions with 12				
Dorma XLC range or equivalent at the top and bottom, glass connectors, including cutting, making holes in glass and fixing the fittings in floors ceiling etc and making the same good with necessary screws, sealant etc complete. 3M Vinyl sticker as per approved, colour, design and pattern , sealants etc complete.  Supplying and fixing of 12 mm float glass for the table top. The edges to be machine polishied and 8 hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet titles of size 50x50 cm of Eco soft Galaxy . Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yam wtrentin 678, 0 g/m/2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sgm)+-75%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should pass-Radiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to cracking with rating 4.0 it shall have less than 3.5 kV as electrostatic property. Backing material: ecc' worx "Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 f Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged methal base with twin castor wheels, fully polyurethane arms, seat with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
glass connectors, including cutting, making holes in glass and fixing the fittings in floors ceiling et and making the same good with necessary screws, sealant etc complete. 3M Vinyl sticker as per approved, colour, design and pattern , sealants etc complete. Secondary of the table top. The edges to be machine polishied and hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles firsh or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade elements of approved make and shade or windows including removing existing paint, clearing the surface as per the 10 direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yam wt-min 678, 0 g/m/2, pile ht-min 4mm, total helpfh-min 7mm, stitcher/min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability metheranine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0 it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx *Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 13.5 / Sq ft.  Medium back revolving chair with fixed low back, fully polyurethane arms, seat with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
glass and fixing the fittings in floors ceiling etc and making the same good with necessary screws, sealant etc complete. 3M Vinyl sticker as per approved,colour, design and pattern , sealants etc complete.  Supplying and fixing of 12 mm float glass for the table top. The edges to be machine pollshied and hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy . Carpet of Anti microbial growth and environment friendly material with furthed Tip sheared, Yarn wrimin 678, 0 g/m²2, pile ht-min Arm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sgm)+-679, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should pass-Radiant panel test (average critical radiant flux 22 watts/sq cm). Carpet shall have colour fastness to ight with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property, Backing material: eco' worx "Fifte glass reinforced thermoplastic composite hard back tile. The basic price should has for the pass of the						
making the same good with necessary screws, sealant etc complete. 3M Vinyl stickor as per approved, colour, design and pattern , sealants etc complete.  7 complete.  8 Supplying and fixing of 12 mm float glass for the table top. The edges to be machine polishied and hole for wire manager to be provided.  7 Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles firsh or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  10 direction of engineer  11 Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Antimicrobial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m², pile ht-min 4mm, total height-min 7mm,stitcherfmin 35,98ends/10cm), total weight (70Qu/sgm)+/5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should pass/Radiant panel test (average critical radiant flux .22 wats/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 kV as electrostatic properly. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should 11 not be less than 135 / Sq ft.  12 Medium back revolving chair with height adjustment facility. 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
sealant etc complete. 3M Vinyl sticker as per approved,colour, design and pattern , sealants etc complete.  Supplying and fixing of 12 mm float glass for the table top. The edges to be machine polishied and 8 hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion part of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yam wt-min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,siticher(min 35,98ends/10cm), total weight (700g/sqm)+75%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant fitx. 22 watts/sq cm). Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic properly. Backing material: ecc "worx "/Fibr glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality plack coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
approved.colour, design and pattern , sealants etc   7 complete.  Supplying and fixing of 12 mm float glass for the table top. The edges to be machine polishied and hole for wire manager to be provided.  Fexture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer   10 direction of engineer   13 Sq m  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy . Carpet of Antimicrobial growth and environment friendly material with tufted Tip sheared, Yarn wt. min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 kV as electrostatic property. Backing material: eco* worx */Fibre glass reinforced thermoplastic composite hard back tile. The basic price should 11 not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage provider coated MS		making the same good with necessary screws,				
Supplying and fixing of 12 mm float glass for the table top. The edges to be machine polishied and 8 hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0, g/m/2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sgm)+/5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sg cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco" worx "/Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135/Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions, back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guages powder coated MS		sealant etc complete. 3M Vinyl sticker as per				
Supplying and fixing of 12 mm float glass for the table top. The edges to be machine polishied and 8 hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0, g/m/2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sgm)+/5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sg cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco" worx "/Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135/Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions, back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guages powder coated MS		approved, colour, design and pattern, sealants etc				
Supplying and fixing of 12 mm float glass for the table top. The edges to be machine polishied and hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade 48 Sq m  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer 10 direction of engineer 13 Sq m  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with utfled 11 ps sheared, Yarn wt-min 678, 0 g/m²2, plle ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sqm)+67%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0 it shall have less than 3.5 KV as electrostatic property. Backing material: ecc* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mulded PU foam and upholstery back with best quality black coloured net complete. Back for full back without any gaps in between the seats and back cushions. back to be about 24 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS	7			Sa m		
table top. The edges to be machine polishied and hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/qun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Antimicrobial growth and environment friendly material with tufted Tip sheared, Yam wt. min 678, 0 g/m²2, plle ht-min 4mm, total height-min 7mm, stiticher(min 35,98ends/10cm), total weight (700g/sqm)+75%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should pass-Radiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 kV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 /Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality mpulded PU foam and upholstery back with best quality shake without any gaps in between the seats and back cushions. back to be about 24 inches. chairs to be fixed type with 4 nos vertical legs with 25mm heavy guages in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guages in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs w						
table top. The edges to be machine polishied and hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/qun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Antimicrobial growth and environment friendly material with tufted Tip sheared, Yam wt. min 678, 0 g/m²2, plle ht-min 4mm, total height-min 7mm, stiticher(min 35,98ends/10cm), total weight (700g/sqm)+75%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should pass-Radiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 kV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 /Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality mpulded PU foam and upholstery back with best quality shake without any gaps in between the seats and back cushions. back to be about 24 inches. chairs to be fixed type with 4 nos vertical legs with 25mm heavy guages in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guages in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs w		Complaint and fining of 42 mm floot glood for the				
8 hole for wire manager to be provided.  Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy, Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm, sitcherfimi 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 kV as electrostatic property. Backing material: eco* worx *fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / S qt.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
Texture painting over the walls with synthetic acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying five coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  10 direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soff Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m²-2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx */Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality mouded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm hea		table top .The edges to be machine polishied and				
acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade 48 Sq m  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer 13 Sq m  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy, Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m^2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 kV as electrostatic property. Backing material: eco* worx *fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft. 70 Sq m  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality mpulded PU foam and upholstery back with best quality moulded PU foam and upholstery back with best quality shack coloured net complete. Back to full back without any gaps in between the seats and back cushinos, back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality shack coloured net complete. Back to full back without any gaps in between the seats and back cushinos, back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm he	8	hole for wire manager to be provided.	7	Sq m		
acrylic plaster materials with special type of brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade 48 Sq m  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer 13 Sq m  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy, Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m^2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 kV as electrostatic property. Backing material: eco* worx *fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft. 70 Sq m  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality mpulded PU foam and upholstery back with best quality moulded PU foam and upholstery back with best quality shack coloured net complete. Back to full back without any gaps in between the seats and back cushinos, back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality shack coloured net complete. Back to full back without any gaps in between the seats and back cushinos, back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm he		Texture painting over the walls with synthetic				
brush/gun to form ruffles finish or equivalent approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678, 0 g/m^2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sgm)+/6%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall bum) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * //Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135/Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		· · ·				
approved texture finish after leveling the surface and applying two coats of plastic emulsion paint of approved make and shade  Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678. 0 g/m²2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sgm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco" worx " /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
and applying two coats of plastic emulsion paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sgm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * //Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135/Sq ft.  Medium back revolving hair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
9 of approved make and shade Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  10 direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		approved texture finish after leveling the surface				
9 of approved make and shade Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  10 direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		and applying two coats of plastic emulsion paint				
Providing 2 coats of enamel paint of approved make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm, stitcher(min 35,98ends/10cm), total weight (700g/sqm)+67%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS	0			Sam		
make and shade for windows including removing existing paint, clearing the surface as per the direction of engineer  10 direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt-min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /* Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS	3			Oq III		
existing paint, clearing the surface as per the direction of engineer  Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 kV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678, 0 g/m^2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx */Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		make and shade for windows including removing				
Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678, 0 g/m^2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx */Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		existing paint, clearing the surface as per the				
Supply and fix high quality floor carpet tiles of size 50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678, 0 g/m², 2 pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.    Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.    Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS	10			Sa m		
50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS	10		10	09 111		
50x50 cm of Eco soft Galaxy , Carpet of Anti microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
microbial growth and environment friendly material with tufted Tip sheared, Yarn wt- min 678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: ecc* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
material with tufted Tip sheared, Yarn wt- min 678, 0 g/m^2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.    Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.    Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.    Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		50x50 cm of <b>Eco soft Galaxy</b> , Carpet of Anti				
material with tufted Tip sheared, Yarn wt- min 678, 0 g/m^2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.    Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.    Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.    Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		microbial growth and environment friendly				
678, 0 g/m²2, pile ht-min 4mm, total height-min 7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft. 70 Sq m  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
7mm,stitcher(min 35,98ends/10cm), total weight (700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
(700g/sqm)+/-5%, carpet to pass flammability methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.    Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.    Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
methenamine pill test (not more than 1 out of 8 specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.    Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.    Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft. 70 Sq m  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches. 6 Nos  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		(700g/sqm)+/-5%, carpet to pass flammability				
specimen shall burn) Carpet should passRadiant panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft. 70 Sq m  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches. 6 Nos  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		methenamine pill test (not more than 1 out of 8				
panel test (average critical radiant flux .22 watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 40 it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should  11 not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be  12 about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		· ,				
watts/sq cm). Carpet shall have colour fastness to light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  70 Sq m  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches. Chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		· · · · · · · · · · · · · · · · · · ·				
light with a rating of 4 or more after 60 hrs exposure. Carpet shall have colour fastness to cracking with rating 4.0. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.    Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.    Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
exposure. Carpet shall have colour fastness to cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		watts/sq cm). Carpet shall have colour fastness to				
exposure. Carpet shall have colour fastness to cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		light with a rating of 4 or more after 60 hrs				
cracking with rating 40. it shall have less than 3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  11 not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
3.5 KV as electrostatic property. Backing material: eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		l ·				
eco* worx * /Fibre glass reinforced thermoplastic composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		3.5 KV as electrostatic property. Backing material:				
composite hard back tile. The basic price should not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		eco* worx * /Fibre glass reinforced thermoplastic				
11 not be less than 135 / Sq ft.  Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		composite hard back tile. The basic price should				
Medium back revolving chair with height adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS	11	·		Sam		
adjustment facility, 5 legged metal base with twin castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS	- ''	·		Oq 111		
castor wheels, fully polyurethane arms, seat with best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		· · · · · · · · · · · · · · · · · · ·				
best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
best quality mpulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		castor wheels, fully polyurethane arms, seat with				
back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		* * *				
complete. Back to full back without any gaps in between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
between the seats and back cushions. back to be about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
12 about 24 inches.  Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete.  Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete.  Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		between the seats and back cushions. back to be				
Low back non revolving chair with fixed low back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete.  Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS	12	about 24 inches.	6	Nos		
back, fully polyurethane arms, seat with best quality moulded PU foam and upholstery back with best quality black coloured net complete.  Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		Low back non revolving chair with fixed low				
quality moulded PU foam and upholstery back with best quality black coloured net complete.  Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		=				
with best quality black coloured net complete. Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
Back to full back without any gaps in between the seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		with best quality black coloured net complete.				
seats and back cushions. back to be about 21 inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS		Back to full back without any gaps in between the				
inches.chairs to be fixed type with 4 nos vertical legs with 25mm heavy guage powder coated MS						
legs with 25mm heavy guage powder coated MS						
13 pipe, nylon bushes etc complete. 8 Nos						
· · · · · · · · · · · · · · · · · · ·	13	pipe, nylon bushes etc complete.	8	Nos		
			<del></del>		<del></del>	<del></del>

14	Providing <b>two armed seater sofa</b> made with necessary hard wood frame work and 4" thick superior quality foam on seating and 3" foam on back rest. Covered with fabric upholstery not less than Rs.300/- meter with necessary accessories. Cloth covering for all sides including rear side. Heavy duty nylon brush to be given.		No	
14	Vertical blinds: Providing and fixing 100mm wide	1	INO	
15	vertical blinds of Vista or any approved	20	Sq m	
16	Round Table: The top should be 8mm toughened glass with 18mm marine ply, supports and neat laminate and finish of approved colour. The circular table is with 75 cm dia:.		No	
	Total			
	GST@18%			
	Grand Total			