

PRICE BID

BOQ OF FURNITURE WORKS FOR KUKARWADA BRANCH AT KUKARWADA.

Note :

Rate should be inclusive of material,labour,tools, machinery, scaffolding, final disposal of debris, cleaning & removing of all existing furniture items and relocating the same as per instruction by bank etc. All taxes, tra complete. (Excluding GST) GST will be paid as Applicable at the time of payment of Bills

Sr. No.	Description	Quantity	Unit	Rate in Figures	Rate in words
	FURNISHING WORK				
	<u>Note : for all work stations</u>				
	FINISHING DETAILS IN NUTSHELL:				
	1) Table Top : 6 mm thick white corian				
	2) Front Apron: Round Corian and 6 mm thick blue lacquered glass fixed with Natural Silicon				
	3) Facing of Drawers: 1.00 mm thick laminate finish				
	The W.S. should have Ready Made Foot Rest. High impact polysterene with crome plated metal structure of approved make.				
	There should be provision for cable manager(Metal Cable Manager) system with necessary cutouts in top surface				
	C.P.U. trolly with castors/roller supports/ Nylon castors.				
	Key board tray with mouse pad made from CRCA steel duly powder coated. It must have built-in slides which, must have a soft palm rest and a stow-away design of mousepad mounted underneath it.				
	All the internal surface (non visible surface) shall be provided with 0.60 mm thick balancing laminate of approved shade etc. complete				
	Heavy duty <u>telescopic full extension</u> sliding channel of approved make shall be used in all drawers.				
1	SINGLE WINDOW COUNTER / CASH COUNTER SIZE 5'-0" X 2'-9" with White glass laminate & blue lacquered glass finishing (4 nos. Counter)	5.65	RMT		
	Supplying, fixing and keeping in position single window counter complete as per design and drawing made out of 18 mm thick commercial ply wood of approved make, complete with 19 mm. C.P. Teak wood lipping on all edges wherever required.				
	The cost shall be inclusive of S & F of a drawer unit or drawer & shelf unit with 18 mm thick commercial plywood and with approved make multipurpose Auto Lock in drawer and shelf unit. The cost shall also be inclusive of the following.				
[a]	size :				
	Description: L B H				
*	Writing Top 5'-0" 2'-9" 2'-6"				
*	4 Drawers with pigeon hole 2'-0" 1'-3" 2'-0"				
*	Side Crdenza 3'-0" 1'-4" 2'-6"				
*	Side Credenza(Side Rack/Storage):For S.W Countwer Same as above item but Side Table Top and edges shall be finished with 6 mmThick White glass laminate on Top and Edges. All other visible surface shall be finished with 1.00 mm th laminate. Size shall be 3'-0"x 1'-4"x2'-6" ht. With openable shutter as directed				

Note :

Rate should be inclusive of material, labour, tools, machinery, scaffolding, final disposal of debris, cleaning & removing of all existing furniture items and relocating the same as per instruction by bank etc. All taxes, tra complete. (Excluding GST) GST will be paid as Applicable at the time of payment of Bills

- * Providing and fixing 12 mm thick Toughened Glass partition on counter top, front side as follows. The counter will have additional 1 no. 12 mm th. Clear toughen glass of size: 5'-0"x 2'-6" with one number half round cutout for cash transaction and one number circular cutout (5" dia) for communication fixed with side partition with S.S. bracket

- [b] Working table top and edges shall be finished with 1 mm thick white glass laminate of approved make as per drawing and direction with all labour and material.
- [c] Front Apron : 2 nos 6 mm thick flexy ply wood in round shape with 6 mm thick white corian shall be provided at front as per design. All edges should be finished with corian of DUPONT make.
- [d] Front pannel shall be finished with 6 mm thick 18" high blue lacqured glass of approved make and fixed on 18 mm thick commercial ply wood with Natural Silicon gum as per manufacturer's specification and to be completed as per drawing
- [e] All wood work shall be laquer polished to a smooth and uniform finish of choice colour and shade.
- [f] All fittings like S.S. handle, Auto Lock to each drawer and cabinet doors, piano / auto hinges, ball catcher, stopper, metal cable manager etc. should be fixed of approved make.
- [g] Counter shall be made independent in Length of 5'-0" and properly placed between two partitions. Counter will be measured in RMtr between two partition and paid (FOR DETAILS REFER DRG.)

- (h) **Providing and fixing 12mm thick Toughened float Glass diapharm partition between Single Window counters as follows.**

12 mm thick Toughened clear float glass with polished edges shall be fixed with silicon and T.W beading support on wooden partition as directed. All edges of glass shall be Diamond cut polished edges as directed complete. Wooden partition will be paid seperately. Maximum length and height will be measured for payment purpose.

5 **CUSTOMER WRITING DESK**

1.00 NO

Writing Desk Size 3'-0" L x 1'-3" x (0'-6"+3'-0") ht.
Verticle Sides and bottom shall be made out of 36 mm (2X18) thick Commercial plywood and back side 12 mm thick ply wood with Laminate on Top and Edges on all sides including inside divisions. Top shall be made from 12mm th Toughend glass with polished edges making different divisions by 18 mm thick glass / plywwod with laminate on both side for slips or forms as per detail drawing and inststruction complete. (Drawing as enclosed herewith) Laminate to be provided on all visible surface [REFER DRG NO-]

8 **P/F ELECTRIC CUB BOARD**

2.75 SQMT

Note :

Rate should be inclusive of material, labour, tools, machinery, scaffolding, final disposal of debris, cleaning & removing of all existing furniture items and relocating the same as per instruction by bank etc. All taxes, trade complete. (Excluding GST) GST will be paid as Applicable at the time of payment of Bills

Providing and fixing Electric cup board using 18 mm thick Bison board for inside vertical division, shelves and shutter. Aluminium framing of 50x25x1.20mm thick with 6 mm thick Bison board on both side for outer partition with 1.0 mm thick laminate on all exposed surface and polishing/ synthetic enamel paint on all internal surface. Shutter will have approved make lock, handle, hinges, ball catches & S.S Perforated jali etc. complete as directed. Depth of cup board will be around 1'-3". Height of shutter will be maximum 7'-0". Only Front elevation shall be measured for payment purpose.

Note :

Rate should be inclusive of material,labour,tools, machinery, scaffolding, final disposal of debris, cleaning & removing of all existing furniture items and relocating the same as per instruction by bank etc. All taxes, tra complete. (Excluding GST) GST will be paid as Applicable at the time of payment of Bills

10 **LOW HEIGHT PARTITION WORK**

P/F LOW HEIGHT BOTH SIDE LAMINATE PARTITION FOR BACK SIDE AND IN BETWEEN S.W COUNTER AND CASH CABIN WITH TOUGHENED GLASS

11.20 SQMT

Providing and fixing low height partition using 50mm x 25mm x 1.50mm thick Aluminium members maximum in grid of 2'-0" x 2'-0" fixing 12 mm thick MDF Board exterior grade / 6 mm thick ply of approved brand on both side of aluminium framing and fixing 1.0 mm thick laminate of approved shade on both sides, fixing 12 mm thick transparent toughened glass as directed. Applying polish on exposed steam beach members with lacquer polished edges as directed. Laminate to be provided only on visible surface [FOR DETAILS REFER DRG. NO-]

For Low height Single window and Cash cabin partition, Average height of partition shall be measured and paid.

11 **PROVIDING AND FIXING WICKET GATE WITH BOTH SIDE LAMINATE**

2.30 SQMT

Same as item no 10 but P/F 30 / 32 mm thick flush door shutter with both side laminate (but without aluminium framing) including SS hinges with countersunk SS screws, Approved make Night latch Lock, S.S Handles,Door stoppers, doorstop etc complete as directed.

18 **Panelling for Digital wall with Blue / white high gloss PU Coating finishing**

1.30 SQMT

Providing and laying panelling on wall having 8mm th MDF Board exterior grade with PU coating fixed on wall with Aluminium framing of 25mm x 25mm x 1.20 mm thick at maximum 2'-0" c/c bothways etc. complete as directed. Only finished visible surface area shall be measured for payment.

19 **P/A WALL PAPERS on Digital wall**

3.30 SQMT

Providing and applying **Wall paper** approved by Architect / Bank's Engineer having basic price of Rs 100=00 Per Sq.Ft

FALSE CEILING WORK

20 **P/F GYPSUM BOARD FALSE CEILLING**

57.00 SMT

Providing and fixing Gypsum board 12.50 mm thick false ceiling in steps and design using Original Indian Gypsum board with original GI sheet section of **Gypsteel ULTRA (Gypsteel Ultra shall be used)** supporting system in line and level. Finishing the surface and **applying 3 coats of Plastic emulsion paint** as directed complete. Entire work to be done as per standard specifications of Saint Gobin Gyproc India.

After completion of work, certificate from Saint Gobain Gyproc Company shall be submitted along with bill stating that work is satisfactorily completed as per their specification.

Note :

Rate should be inclusive of material,labour,tools, machinery, scaffolding, final disposal of debris, cleaning & removing of all existing furniture items and relocating the same as per instruction by bank etc. All taxes, tra complete. (Excluding GST) GST will be paid as Applicable at the time of payment of Bills

Note : (1) Rate includes dismantalling of existing GYPSUM/ AMF/ POP false ceiling including stacking of servicable materials & disposal of unserviable materials & making necessary cut-outs for lighting fixtures (2) Pattas if any shall be measured in SqM and not in Rmt and paid in SqM (3) Only finished visible surface area shall be measured for payment.

Note :

Rate should be inclusive of material,labour,tools, machinery, scaffolding, final disposal of debris, cleaning & removing of all existing furniture items and relocating the same as per instruction by bank etc. All taxes, tra complete. (Excluding GST) GST will be paid as Applicable at the time of payment of Bills

- | | | | |
|----|---|-------|-----|
| 22 | <p>Providing and Fixing of Armstrong Mineral Fibre Accoustical Suspended ceiling system with FINE FISSURED (MICRO LOCK) EDGE TILES With Armstrong Silhouette Exposed Grid</p> <p>Using Silhouette Grid with Fine Fissured microlook Edge Tiles. With necessary Angles at junctions as per company specifications as directed complete. Rate includes necessary cut outs for A/C Grills, diffusers light fixtures complete as directed. Cutout for light and Diffusers will be deducted from area. Only Tiles cost will be deducted for payment purpose</p> <p>After completion of work, certificate from Company to be obtained and submitted with bill that work is carried out as per their specifications</p> | 66.00 | SMT |
| 25 | <p>Providing and fixing 1.0 mm thick laminate on any existing laminate surfaces of Tables, Side Tables, , cupboards, panelling by removing existing laminate by Hot Iron. Rate includes applying lacquer polishing on all existing exposed wooden members. Only laminate finished surface area shall be measured for payment</p> | 30.00 | SMT |

TOTAL COST

Note:

- [a] In all furniture work, contractor shall make necessary cutout in panelling/partitions / wooden members electrical/data cabelling and No extra amount shall be paid for this
- [b] All internal surface (non visible surfaces) shall be provided with the 0.60 mm thick balacing laminate of a shade in the all S.W Counters/Tables/ Credenza,Storage Cup Board etc.

cutting wastage
insportation etc.

Amount

cutting wastage
insportation etc.

cutting wastage
insportation etc.

cutting wastage
insportation etc.

cutting wastage
insportation etc.

cutting wastage
insportation etc.



ers to facilitate

proved make &