

NIT NO: GUW201910006

**RENOVATION & REPARING OF INTERIOR FURNITURE WORKS
OF SBI SORUPATHAR BRANCH**

PRICE BID

ANNEXURE-III



**SBI INFRA MANAGEMENT SOLUTIONS PVT. LTD., (SBIIMS),
(WHOLLY OWNED SUBSIDIARY OF SBI)
GUWAHATI CIRCLE OFFICE
3rd FLOOR, SBI, LHO, GUWAHATI BUILDING
DISPUR, GUWAHATI-781006**

BOQ FOR RENOVATION & REPAIRING OF INTERIOR & FURNITURE WORKS OF SBI SORUPATHAR BRANCH

S.N.	DESCRIPTION	UNIT	QNTY	RATE	AMOUNT
1	<p><u>MODIFICATION OF EXISTING SWO COUNTER:</u></p> <p>Supplying and fixing of 4 mm thick ply of approved brand and finished with 1 mm thick laminates of approved colour, brand and shade on top of the existing SWO counters. The front of the counters have to be modified by fixing of flexi ply with curvature in front as per Bank's new uniform colour, layout & elevation policy and finished it with 1 mm thick laminates of approved colour and brand. Rate shall includes removing and refixing of the existing front glass as requierd at site with all nmecceassry clamps etc. complete and covering the exposed edges with new teak wood beeding after removing of existing beeding.</p> <p>Overall size of counters 1680 mm X 1830 mm X 750 mm, including side credenza.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply or equivalent. Laminate Make: Greenlam/Centurylam/Archidlam or equivalent.</p>	Each	7		
2	<p><u>MODIFICATION OF BOX MULLION:</u></p> <p>Removing of existing laminets of all sides and top of box mullion by heating method and refixing 1 mm thick laminates of approved colour, brand and shade. Rate shall includes removing and refixing of the box mullions from existing place for fixing of the new leminets.</p> <p>Laminate Make: Greenlam/Centurylam/Archidlam or equivalent.</p>	Each	9		
3	<p><u>MODIFICATION OF EXISTING BM TABLE:</u></p> <p>Supplying and fixing of 4 mm thick ply of approved brand and finished with 1 mm thick laminates of approved colour, brand and shade on top, front and side of the existing table, face of drawers and side cabinets as per Bank's new uniform colour, layout & elevation policy. Rate shall includes covering the exposed edges with new teak wood beeding after removing of existing beeding.</p> <p>Overall size of table 1680 mm X 1830 mm X 750 mm, including side credenza</p> <p>Laminate Make: Greenlam/Centurylam/Archidlam or equivalent.</p>	Each	1		
4	<p><u>MODIFICATION OF EXISTING OFFICER TABLE:</u></p> <p>Supplying and fixing of 4 mm thick ply of approved brand and finished with 1 mm thick laminates of approved colour, brand and shade on top, front & side of the existing table, face of drawers and side cabinets as per Bank's new uniform colour, layout & elevation policy. Rate shall includes covering the exposed edges with new teak wood beeding after removing of existing beeding.</p> <p>Overall size of table 1680 mm X 1830 mm X 750 mm, including side credenza</p> <p>Laminate Make: Greenlam/Centurylam/Archidlam or equivalent.</p>	Each	14		

5	<p><u>MODIFICATION OF Low ht storage unit:</u></p> <p>Supplying and fixing of 4 mm thick ply of approved brand and finished with 1 mm thick laminates of approved colour, brand and shade on top, & side of the existing sotrage cabinets and fixing of new 1 mm thick leminets in front side cabinet shutter after removing of the existing leminets by heating method. Rate shall includes covering the exposed edges with new teak wood beeding after removing of existing beeding. Size of Cabinets: 450 MM X 750 MM Laminate Make: Greenlam/Centurylam/Archidlam or equivalen</p>	RM	25		
6	<p>Fabricating and fixing wall paneling, with 12 mm thick ply finshied with 1 mm thck laminate of approved shade & brand over 25 mm x 35 mm (thickness not less than 1.5 mm) alluminium section framework of approved brand at spacing not exceeding 600 mm both ways (horizontal and vertical.) Panelling framework to be secured to wall surface / column surface Design and detail shall be as per direction of EIC and Bank's new uniform colour, layout & elevation policy.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply or equivalent. Laminate Make: Greenlam/Centurylam/Archidlam or equivalent.</p>	SQM	40		
7	<p>Providing & fixing in position Aluminium Composite Panel (ACP) Panelling with framing of min 20 gauge 35 mm x 25 mm Aluminium Tube section in 600 mm C/C both ways. Minimum 3 mm thick ACP to be fixed over the freamework with 3M or equivalent adhesive and mirror screw in 600 width panels or distributed equally. Joints to be finished with Silicon based sealant. Aluminium foil thickness to be min 0.20 mm on both sides.</p> <p>Make: Alubond, Eurobond, Fujibond, Alcobond or equivalent ISO certified or approved brands to be used.</p>	SQM	25		
8	<p>Fabricating and fixing fully glazed partition, with 8 mm thick float glass fixed in between powder coated 50mm x 50mm size aluminium section framework in 600mm x 600mm c/c in horizontal and vertical direction. All exposed edge shall be coverd with bidding. Payment will be made for the area upto false ceiling only.</p>	SQM	5		
9	<p>Providing and fixing glazed doors made of 8 mm thick float glass with frost film fixed in between top & bottom rail and side stile framework of powder coated aluminium section of size 125 mm x 50 mm. Glass to have acid etched design pattern with logo as directed. Doors to be mounted on heavy duty floor spring. S.S. finish handle of approved size and make to be provided. All complete including locks and necessary hardwares such as hinge, stopper, tower bolt etc. all exposed edge sahl be covered with bidding as directed by EIC. (doors of other sizes will be paid on pro rata basis.)</p>	SQM	6		
10	<p>False ceiling : Providing and fixing suspended false ceiling with 600x600 mm size & 12mm thick mineral fiber ceiling tiles of Armstrong dune or approved make. Suspender, frame work as per manufacturer's specifications. The item to include cost of making necessary cut-outs for lights/air-conditioning grills as per design direction by bank.</p>	SQM	370		

11	Gypsum board false ceiling : Providing and fixing suspended 12mm thick Gypsum board false ceiling with GI framework of standard gauge and as per the specifications of India Gypsum Co. The rate to include painting with lustre paint and making necessary design,pattern & cut outs for light fittings, cove light etc. complete as per design direction by bank.	SQM	130		
12	Providing & fixing in place 100 mm. Vertical blinds with scotch guard of approved make, quality and colour shade & pattern. Rate shall include necessary fittings, scotch guard treatment on both sides etc. complete. The overlaps should be uniform & adequate.	SQM	35		
13	Wall Paper : Providing and fixing wall paper of approved, design, pattern colour/shade complete as per desired of bank.	SQM	15		
14	Providing and applying Texture paint on internal walls. Rate includes surfaces preparation, applying necessary coats of paint to obtain Uniform and even finish. Rate also includes applying paint of approved shed etc. complete. Make: Asian paint/ Berger/ Dulex.	SQM	15		