



SBI INFRA MANAGEMENT SOLUTIONS PVT.LTD.

CIRCLE OFFICE, THIRD FLOOR, STATE BANK OF INDIA, SYNERGY BUILDING, C-6, G-BLOCK, BANDRA KURLA COMPLEX, BANDRA EAST, MUMBAI-400051

PART – B : FINANCIAL BID

TENDER FOR :

Proposed Interior, Furniture & Civil Work of UD GIR MAIN BRANCH .

TENDER SUBMITTED BY :

NAME : _____

ADDRESS : _____

DATE : _____

TENDER INVITED BY:

Vice President & Circle Head,

SBI Infra Management Solutions Pvt. Ltd; 3rd floor, Circle Office, State Bank of India, Synergy building, C-6, G Block, Bandra -Kurla complex, Bandra East, Mumbai-400051.

ARCHITECT :

S. NANDEDKAR & ASSOCIATES

ARCHITECT, INTERIOR, FURNITURE & CIVIL DESIGNER

103, 'UTKARSHA UMANG', BESIDE MT. CARMEL SCHOOL, AJNI SQUARE, NAGPUR – 440015

Tel : 0712 2252945, Fax-0712 2243921,

MOB : +91 9823294893, 9823040281,

E-mail:- officesna@gmail.com

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|-------------------------|---|------|------|------|--------|
| 1 | Providing & fixing 65mm thick Full ht. Dead/Partially Glazed partition with 6mm thick MR grade comm. ply to either side of frame of 50 mm x 50 mm x 1mm Aluminium sections at 610 mm c/c in both direction with 1.0 mm thick laminate (in multi colour) of approved shade and make on both side including partially glazed door shutter out of BWR solid core flush door panel, fixing 8 mm thick glass with etching, S.S. handles, Mortised lock, door closer (OZONE make), door stopper and three coats of French polish of approved shade to TW beading as per drawing. The item also includes grouting frame in wall/ floor & ceiling etc. complete. (Al. sections shall carry up to slab soffit. Measurement up to ceiling only will be paid.) | Sq.m | 34 | | |
| Rate in Words (Rupees)- | | | | | |
| 2 | Full height/ low height partition for server room: Providing and fixing in position 75mm thick Full/Low height partition made of 50 mm x 50mm x 1.2mm medium duty aluminium hollow square pipes framed at less than 0.60 m c/c both ways covered with 6mm MR grade ply and 12mm thick Calcium silicate boards of white shade with necessary hardwarel etc. Including 33 x 25 mm size T.W.frame to stop door shutter out of 35mm thk. Solid core BWR Flush door panel duly cut for fixing 5mm thk. clear etched glass & 1 mm laminate to surfaces as per drawing with 4" long Brush finish S.S. handles, Mortised lock, door closer, door stopper, as per requirement and instructions of bank's engineer. | Sq.m | 8 | | |
| Rate in Words (Rupees)- | | | | | |
| 3 | Providing and fixing in position a 1.30 M high low/medium height partitions made of 50 x 50 x 1 aluminium square section framed at less than 0.6m c/c both ways covered with 6 mm MR grade ply and 1.0 mm laminate (in multi colour) of approved shade & make both sided including polished edged.12 mm thk. etched glass fixed with 'D' bracket with necessary cut outs including all necessary opening for electric / telephonic conduits etc. as per requirement. including 33x25 mm size T.W. door stopper frame to stop wicked gate out of 35mm thick BWR solid core flush door panel, S.S. handles, Mortised lock/Night Latch, , door stopper and three coats of French polish of approved shade to TW beading as per drawing, with finishing etc. complete. | Sq.m | 32 | | |
| Rate in Words (Rupees)- | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|-------------------------|---|------|-------|------|--------|
| 4 | Providing and fixing Single Window Counters out of 18 mm thick comm. ply as per drawing including foot rest, counter front, working table top (Staff side) with cable guard, to be provided with 1.0mm thick laminate of approved shade (in multi colours) and make & 0.8 mm thk. laminate to all internal surfaces. Customer side Counter top shall be out of 02 nos. layers of 6mm thick Flexiply stuck to each other and with 1mm Laminate externally & 0.80mm laminate on internal surface, as per design detail. Counter front shall have ply boxing out of 12mm ply with 1mm coloured laminate, inclined & projecting as per design & having side ply supports, with 10mm T.W. lipping as per drawing & having 3 coat of french polish. Keyboard tray (metallic), telescopic channel & CPU trolley shall be of 'Ebco' make, approved quality brush finished stainless steel handles, French polish to all exposed T.W. members of approved colour & shade etc. complete. | Rmt. | 16 | | |
| Rate in Words (Rupees)- | | | | | |
| 5 | Providing & fixing MS Drawer Box for Cash counter made up of heavy gauge metal sheet & angle with three coats of oil paint of approved colour & shade etc. complete. | Nos. | 8 | | |
| Rate in Words (Rupees)- | | | | | |
| 6 | Providing and fixing paneling over Wall/RCC column with 12 mm thick commercial ply on aluminium frame work 50 x 25 mm at 300 mm center to center on both side finished with 1 mm thk. Laminate of approved colour & make. The rate shall include all necessary hardware fittings, etc. | sq.m | 15 | | |
| Rate in Words (Rupees)- | | | | | |
| 7 | Providing & fixing 1.52M high Cash Cabin Side & back partition with 6mm commercial ply to either side of frame of 50mm X 50mm X 1mm Aluminum section at 610 mm c/c in both the direction as per drawing including 1 mm thick laminate of approved shade and make, 33 x 25 mm size T.W. door stopper frame with 35 mm thk. partially glazed solid core BWR door shutter and 8 mm thick clear glass with polished edges & necessary T.W beading with 1mm thick laminate on both side, including 'Godrej' make night latch. Side partitions shall be out of 12 mm thick clear glass with openings & pencil polished edges, piercing both side supports as per drawing & fixed by 'D' clips, including voucher tray & with three coats of French polish to T.W members/ beadings etc. complete. | sq.m | 44.00 | | |
| Rate in Words (Rupees)- | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------------------------|---|------|-------|------|--------|
| 8 | Providing & fixing 12 mm thk. Clear glass in two pieces at Front of banking counters with openings as per drawing fixed on side supports as frames out of 18mm thk. commercial ply & 1mm thk. Laminate with `D` clips including polishing of all open edges of glass as directed with finishing etc. complete. | Sq.m | 6.50 | | |
| Rate in Words (Rupees) - | | | | | |
| 9 | Buy Back of Existing Furniture like tables, chairs, partition including removing of existing furniture, paneling, false ceiling etc. complete. etc. complete | LS | | | |
| Rate in Words (Rupees) - | | | | | |
| 10 | Providing and fixing fully glazed door at the Main Entrance pivoted as shown in the drawing, consisting of powder coated approved make heavy duty-14 gauge 100 mm x 50 mm Aluminium Jumbo sections for top & bottom rails, to hold 12mm thk. (Modi guard make) clear toughened etched float glass. All the edges of the glass shall be machine polished. Rate shall include necessary etching to glass, approved locking systems (Ozone/ Godrej make-ultra mortise dead lock), 1 pair of 18" long S. S. Handles, Heavy duty floor springs, gaskets & miscellaneous hardware items. | sq.m | 7 | | |
| Rate in Words (Rupees) - | | | | | |
| 11 | Providing and fixing Fixed Glazing aligned with Glazed Entrance consisting of powder coated approved make heavy duty-14 gauge 100 mm x 50 mm Aluminium Jumbo sections for top & bottom rails, to hold 12mm thk. (Modi guard make) clear etched float glass. All the exposed edges of the glass shall be machine polished. Rate shall include necessary etching to glass, miscellaneous hardware items. (Heavy Duty fixed frames (14 Gauge) – Approved quality make) | sq.m | 4.5 | | |
| Rate in Words (Rupees) - | | | | | |
| 12 | Providing and fixing 30 mm thk. BWR Solid core flush door with 1 mm thk. Laminate from both sides of approved quality and multi-colour with hinges and mortised lock, door closer, door stopper, tower bolt including all necessary fittings & fasteners etc. complete. | Sq.m | 16.00 | | |
| Rate in Words (Rupees) - | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------------------------|---|------|--------|------|--------|
| 13 | Providing and fixing 6 mm thk. ply with 1 mm thk. Laminate from both sides in multi-colour of existing doors of approved quality and shade with hinges and mortised lock, door closer, door stopper, tower bolt including all necessary fittings & fasteners etc. complete. | Sq.m | 23.00 | | |
| Rate in Words (Rupees) - | | | | | |
| 14 | Providing & Fixing in position Ply Boxing cover to Main Electrical Panel with Louvred openable shutter with air vents Grill & T.W. frame & 12 mm th ply & 1mm th. Laminate including hinges Locking arrangements complete as per design / direction. | sq.m | 5 | | |
| Rate in Words (Rupees) - | | | | | |
| 15 | Providing & fixing in position 12 mm thick Gypsum board false ceiling fixed with 16 gauge galvanized frame supported from RCC slab with Anchor bolts. The ceiling should contain approx. 40% of the ceiling area of 12 mm thick Mineral Fibre ceiling Board of Armstrong or equivalent Approved make with framework, runners, cross runners & suspenders from the existing as per the manufacturers details and specification and 600 x 600 mm x 15 mm thick mineral fibre ceiling (600*600 mm)-beuti sky or other approved pattern and stepping. All the joints to be properly sealed with jointing tape and finished with approved jointing material. The item includes making cutouts and providing necessary frame work for light fitting, grill diffusers and ducts etc. Which have to made with frame of perimeter channels of size 20mm x 30mm x 0.55mm thick supported suitably and angle bead is to be used at steps to get straight line finish etc. complete. The item rate shall also include preparation of surface with sanding , and 3 coat of Plastic Emulsion paint in approved shade over a coat of primer / putty including necessary work etc. complete as per Bank Engineer's instruction.(Asian Paints make - LI02,I9nc). | Sq.m | 412 | | |
| Rate in Words (Rupees) - | | | | | |
| 16 | Providing and fixing as per approved make 100 mm wide vertical fabric blinds (Vista/Hunter Douglas make) complete with handling chain, sliding & tilting system in drawn position, fabric vanes to overlap by minimum 10 mm (every 1 m. length to have at least | sq.m | 370.00 | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------------------------|--|------|-------|------|--------|
| | 12 Nos. 100 mm wide fabric-vanes).Length of blinds bottom end to be at least 12 mm from horizontal surface fabric strip as that of fabric vanes, to be fixed on both sides on Aluminium top channel. Lower end of vanes to be weighed down & tight with each other on both corners with ball chains .Items to be completed in all respects including fixing with brackets on wall or partition with rawl plugs. | | | | |
| Rate in Words (Rupees) - | | | | | |
| 17 | Providing & fixing Aluminium Composite panels 4 mm thk. Of exterior grade with 50 x 25 mm size aluminium frame section. Filling joints with silicon sealant, cleaning, scaffolding etc. complete. | Sq.m | 34.00 | | |
| Rate in Words (Rupees) - | | | | | |
| FURNITURE WORK | | | | | |
| 18 | Providing & fixing in position tables made of 18 mm comm. Ply at top, side and front, support including 6/12 mm additional ply for modesty panel, along with 125 mm drawer unit made of 18 mm ply with telescoping arrangement & CPU base resting on foot rest & Key board tray (ebco make metallic). Front apron shall have boxing 12mm ply inclined & projecting as per design & drawing. All external surface to be finished with 1.0 mm thick laminate and 0.8 mm thk. laminate to all internal surfaces of approved shade and make including SS brush finish accessories like handles, telescopic sliding channel, hinges for shutter, drawer/shutter locks including cable guard and teak wood beading for all edges with three coats of melamine polish to all teak wood members complete in all respect. The rate includes 8 mm thk. clear glass with bevelled edges for table top. | | | | |
| a | 1500 x 750 x 760 mm (Officer and Service Manager Table) | Nos. | 12 | | |
| Rate in Words (Rupees) - | | | | | |
| b | 1800 x 900 x 760 mm (Br. Manager Table) Front apron shall have 20mm dis SS brush finish pipes & 12mm thk frost glass for bank logo, as per drawing. | Nos. | 1 | | |
| Rate in Words (Rupees) - | | | | | |
| c | 1200 x 610 x 760 mm-Assistant/Clerical Tables | Nos. | 3 | | |
| Rate in Words (Rupees) - | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------------------------|--|------|------|------|--------|
| 19 | Providing and Supplying Grahak Mitra/Tech Mitra table of size 910 x 600 x 1050 mm made of 18 mm MR grade ply with 125 mm deep drawer of 12 mm ply and shutter and inside shelf with 1.0 mm wooden finish lamination from front top and side and inside 0.8 mm thk. laminate, powder coated key board & telescopic channel sliding channels (ebco make) for drawers, key boards with Brush finish SS handles of approved make and shade, locks for drawers & shutters of approved make etc. complete. The rate includes 8 mm thk. clear glass with bevelled edges for table top. Front apron - combined, shall have 12mm thk frosted glass, as per drawing, for bank logo. | Nos. | 1 | | |
| Rate in Words (Rupees) - | | | | | |
| 20 | Same as above size but without front glass & logo - System Room table (two computers)-size - 910X600X760mm | Rmt | 2 | | |
| Rate in Words (Rupees) - | | | | | |
| 21 | Providing and Supplying Meeting table of size 3.855 x 1.545 x 760 mm made of 18 mm thk. MR grade Commercial ply box supports & finished with 1mm thk Laminate with 10mm T.W.Lipping on ply edges.The top shall be out of 12mm thick plain etched glass with bevelled edges, 38mm dia SS Brush finish section at 3" skirting height & below top for support, both fixed to ply boxing with mirror screws as shown in drawing/design with finishing etc complete. | No. | 1 | | |
| Rate in Words (Rupees) - | | | | | |
| 22 | Providing & fixing side table of following sizes made of 18 mm thick ply for all top, support and side with 6 mm thick ply at back externally finished with 1.0 mm thick laminate and internal surface shall be finished with 0.8 mm thk. laminate, both of approved make including brush finish SS handles, shutters hinges with necessary teak wood beading including three coats of French polish to teak wood member and necessary locks to drawer/ shutters etc. all required surface. | | | | |
| a | 950 x 400 x 760 mm (For Officer) | Nos. | 12 | | |
| Rate in Words (Rupees) - | | | | | |
| b | 1000 x 450 x 760 mm (For Br. Manager) | Nos. | 1 | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------------------------|---|------|------|------|--------|
| Rate in Words (Rupees) - | | | | | |
| c | 850 x 400 x 760 mm (For Assistant) | Nos. | 4 | | |
| Rate in Words (Rupees) - | | | | | |
| 23 | Providing & Fixing Writing desk as per drawing out of 18 mm thick comm. ply and 1.0mm thick laminate on external & internal surfaces, T.W. beading to all edges of ply with three coats of French polish & 8 mm thk. Glass for separation of slips with polished edges etc. complete. | Nos. | 1 | | |
| Rate in Words (Rupees) - | | | | | |
| 24 | Providing & Fixing Note counting table 1800 X 910 X 760 size, out of 18 mm thick comm. ply and 1.0mm thick laminate on external & internal surfaces, shutter shelf, T.W. beading to all edges of ply with three coats of French polish along with 125 mm high drawer unit made of 18 mm ply with telescoping arrangement with finishing etc. complete. | Rmt | 3.6 | | |
| Rate in Words (Rupees) - | | | | | |
| 25 | Providing & fixing Lockable Notice Boards 900 x 750 mm size x 50mm deep, made up of 12 mm soft board fully covered by approved colour upholstery & fixed on 12 mm commercial ply backing & with sliding shutters out of 5mm thk. Clear glass with locking arrangement and running within required size T.W beading including three coats of French polish of approved shade to T.W. beading and necessary hinges, fixtures & fastenings etc. complete. | Nos. | 2 | | |
| Rate in Words (Rupees) - | | | | | |
| 26 | Providing and fixing 425mm deep File Storage Cabinets out of 18 mm thick commercial ply with T.W. beading on edges, 6 mm thick commercial ply on back with one coat of wooden primer, 1 mm thick laminate (multi colour and grooves in laminate as per drawing) on all external surfaces & 0.8 mm thk. laminate on all internal surfaces, 4" long brush finished stainless steel handles, locks, magnets for shutters and three coats of French polish to T.W. beading/ T.W. members as per drawing. | Sqm | 18 | | |
| Rate in Words (Rupees) - | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------------------------|--|-------|------|------|--------|
| CIVIL WORK | | | | | |
| 27 | Providing and laying Double charged vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm. (Basic Rate - Rs. 750/-sq.m) | Sq.m | 440 | | |
| Rate in Words (Rupees) - | | | | | |
| 28 | Providing and fixing Skirting 100mm high out of Double charged vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, fixed with 20mm thick readymade adhesive mortar of approved quality after making wall surface ready and in level, jointing with grey cement slurry @ 3.3kg/sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm. (Basic Rate - Rs. 750/- sq.m) | Rmt | 220 | | |
| Rate in Words (Rupees) - | | | | | |
| 29 | Erecting, scaffolding, preparing the surface for Plastic emulsion Paint by rubbing the surface by sand paper of different grade, removing all dirt, smoke, grease, loose plaster etc. if any, from the existing surface cleaning the surface thoroughly and removing all dirt from the surface. Providing & applying three coats of approved quality paints over required nos. of coats of approved cement primer and full putty in all ceiling, internal walls all complete, finishing the work in plain, clear & smooth or rough surface as per site condition etc. Standard specifications with 1st grade paint of approved color and shade. | Sq.m. | 770 | | |
| Rate in Words (Rupees) - | | | | | |
| 30 | Erecting, scaffolding, preparing the surface for Synthetic enamel paint two or more coats by rubbing the surface by sand paper of different grade, removing all dirt, smoke, grease, loose particals etc. if any, from the existing surface cleaning the surface thoroughly an removing all dirt from the surface, applying one coat of metal primer etc. complete. | Sq.m. | 90.0 | | |
| Rate in Words (Rupees) - | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|-------------------------------|---|-------|-------|------|--------|
| 31 | Providing and fixing 1st quality Double charged Vitrified tiles to Walls conforming to IS : 15622 (10 mm thickness) of approved make & colours, of any size as approved by Architect, over 12 mm thick bed of cement Mortar 1:3 (1 cement : 3 sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete (Basic rate of Tile Rs. 750/Sq.m.) | Sq.m. | 160.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 32 | Providing & fixing 20 mm thk. & 1.52m x 0.60m size Black Granite Partitions -both side polished, between urinals with full round moulding as per drawing. Item includes removing existing partitions with finishing etc. complete. | Sq.m | 4.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 33 | Providing & Finishing walls with Acrylic Smooth exterior paint of required shade (Two or more coat applied @ 1.67 ltr/10 sqm over and including base coat of water proofing cement paint applied @ 2.20 kg/ 10 sqm). | Sq.m. | 25.0 | | |
| Rate in Words (Rupees) - | | | | | |
| Plumbing/Sanitary work | | | | | |
| 34 | Providing and fixing white vitreous china Orissa pan (Indian WC), with all fittings and fixtures complete including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid | No. | 1.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 35 | Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat | No. | 5.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 36 | Providing and fixing pedestal wash basin with C.I. brackets, 15 mm C.P.brass pillar taps,32 mm C.P. brass waste coupling of standard pattern, including painting of fittings and brackets, with cutting and making good the walls wherever required. | No. | 5.0 | | |
| Rate in Words (Rupees) - | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------------------------|--|------|------|------|--------|
| 37 | Providing and fixing white vitreous china flat back or wall corner type lipped front Urinal of 430x260x350mm and 340x410x265mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 liter white P.V.C. automatic flushing cistern. | No. | 4.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 38 | Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 a) 15 mm nominal bore | No. | 11.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 39 | Providing & fixing PVC liquid soap holder of approved design and colour with screw | No. | 6.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 40 | Providing and fixing in position C.P. brass Taps & fittings with approved make & design etc. complete. (Parryware/ Hindware/ Cera /Jaquar make.) | | | | |
| a | 15 mm dia. Angular stop cock . (with wall flange) | No. | 16.0 | | |
| Rate in Words (Rupees) - | | | | | |
| b | 15 mm dia. Bibcock . (with wall flange) | No. | 12.0 | | |
| Rate in Words (Rupees) - | | | | | |
| c | 15 mm dia. Pillar cock . (Minimum 150 mm high) | No. | 5.0 | | |
| Rate in Words (Rupees) - | | | | | |
| d | Jet Spray fitted on Western WC with CP nozzle & plate, connected to 12 mm dia. flexible pipe | No. | 5.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 41 | Providing and fixing 10cm SWR Nahani Trap with S.S. jali including SWR bend and piece of pipe up to the outside face of the wall complete. | No. | 15.0 | | |
| Rate in Words (Rupees) - | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------------------------|--|------|------|------|--------|
| 42 | Providing and fixing following dia. unplasticised SWR soil/vent / waste pipes with stand working pressure of 4 kg/cm ² soil waste pipes confirming to IS:13592 and IS:4985 including jointing with seal ring confirming to IS :5282 leaving 10mm gap for thermal expansion with necessary fixtures' and fittings such as bends, tee, single junction, double junction, slotted vent offsets, cowl with cap on walls or in the ground including fixing the pipe on walls by means of nails & clamps driven through hole in wood holder/ battens fixed with concrete blocks and supported on gr. floor by C. C. 1:2:4 30 X 30 cm size etc. complete. | | | | |
| a | 110 mm dia. | Rmt. | 17.0 | | |
| Rate in Words (Rupees) - | | | | | |
| b. | 75 mm dia. | Rmt. | 16.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 43 | Providing and fixing 40 mm dia. PVC soil/vent / waste pipes with necessary fixtures' and fittings such as bends, tee, single junction, double junction on walls or in the ground including fixing the pipe on walls by means of nails & clamps driven through hole in wood holder/ battens fixed with concrete blocks and supported on gr. floor by C. C. 1:2:4 30 X 30 cm size etc. complete. | Rmt. | 10.0 | | |
| Rate in Words (Rupees) - | | | | | |
| 44 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. | | | | |
| a | 50 mm dia | Rmt. | 5.0 | | |
| Rate in Words (Rupees) - | | | | | |
| b | 40 mm dia | Rmt. | 5.0 | | |
| Rate in Words (Rupees) - | | | | | |
| | Concealed work including cutting chases and making good the walls etc. | | | | |
| c | 25 mm dia | Rmt. | 0.0 | | |
| Rate in Words (Rupees) - | | | | | |
| d | 15 mm dia | Rmt. | 21.5 | | |
| Rate in Words (Rupees) - | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|-------|---|------|------|------|--------|
| 45 | Providing & fixing Pantry Platform 750 mm wide out of 20 mm thk. Black granite supported over 12 mm thk. cement board including double moulding on the edges to granite, SS Nirali Sink (550 x 450), with 25 x 50 mm size Aluminium pipes TW inserted for framing below counter, including water supply CPVC pipes & bib-cocks, etc. complete. (Item includes dismantling of existing platform). | Rmt. | 2.4 | | |

Rate in Words (Rupees) -

| | | | | | |
|--|--|--|------------|--|--|
| TOTAL OF Interior, Furniture & Civil Work = | | | | | |
| S U M M A R Y : | | | | | |
| Total of Interior, Furniture & Civil Work | | | Rs. | | |
| Less discount (if any) | | | Rs. | | |
| Total cost of work Tendered | | | Rs. | | |
| Add SGST @ 9% | | | Rs. | | |
| Add CGST @ 9% | | | Rs. | | |
| FINAL AMOUNT INCLUDING GST | | | Rs. | | |

Total Amount

Rupees in words : _____

Signature & Seal of Contractor

Date : _____