

SBI INFRA MANAGEMENT SOLUTIONS PVT. LTD.

CIRCLE OFFICE, AHMEDABAD STATE BANK OF INDIA, 3RD FLOOR, LOCAL HEAD OFFICE, BHADRA, LALDARWAJA, AHMEDABAD-380001

SBIIMS INVITE TENDERS ON BEHALF OF SBI FOR PROPOSED FURNITURE WORKS FOR RANI TOWER BRANCH, DIST: RAJKOT-360001

FROM

THE SBI APPROVED EMPANELLED FURNITURE CONTRACTORS OF AHMEDABAD CIRCLE UNDER CATEGORY RS. 20 LAKH TO RS. 500 LAKH

TENDER ID: AHM201908008

<u>PART – A: TECHNICAL BID</u>		
TENDER SUBMITTED BY: NAME	:	
ADDRESS	:	-
DATE	:	
ARCHITECT:		

AR. DEVDATT M. PANDYA
STUDIO 919 ARCHITECTS

2ND FLOOR/8, AJITNATH SOCIETY
B/S PULKIT HIGH SCHOOL
NR. PALDI POST OFFICE
AHMEDABAD-380 007

PHONE: (070) 36630154

PHONE: (079) 26630154 Email: <u>919studio@gmail.com</u>

Ar. Devdatt M Pandya
Studio919 Architects



TENDER ID: AHM201908008

NOTICE INVITING TENDERS

SBIIMS on behalf of SBI through its Architect <u>M/s. STUDIO 919 ARCHITECTS</u> invites "online item rate E-tender" from the SBI Empanelled contractors under appropriate category F2 to F6 for the captioned work.

The SBI Empanelled contractors who receives NIT from Architect are only entitled to quote for this tender.

The details of tender are as under:

S.No.	Description	
1.		Proposed Furniture works for State Bank of India Rani Tower Branch Dist: Rajkot
2.	Nature of Work	Furniture Work
3.		(45 days) $1\frac{1}{2}$ Months from date of acceptance of work order.
4.		Rs. 11900.00 (Rupees Eleven Thousand Nine hundred only) by means of Demand Draft / Pay Order (Valid for a period of 90 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of SBI Infra Management Solutions Pvt. Ltd. payable at Ahmedabad.
5.		2% of value/quantum of work awarded (Non interest bearing ISD) after standardization of unit rates to be submitted in the form of DD/BC in favour of "State Bank of India" Payable at Ahmedabad". EMD obtained in the name of SBI Infra Management Solutions Pvt. Ltd. will be refunded.
6.	Tender fees	Rs. 3000 (Rupees Three Thousand Only) Non Refundable Tender Fees Amount To Be Paid Only Through SB Collect Payment Portal Available In SBI Site: https://www.Onlinesbi.Com) GUIDELINES TO MAKE ONLINE TENDER FEES Go to SBI Internet Banking websitehttps:// www.onlinesbi.com/

Ar. Devdatt M Pandya Studio919 Architects



		Building SBI
		Select SBI Collect from Top Menu
		↓ Click Check box to Proceed
		Click Check box to Proceed
		Select "All India " in state Corporate/Institution and
		"Commercial Services" in type of Corporate /
		Institution
		after that click go
		Select " SBI INFRA MANAGEMENT SOLUTIONS PVT.
		LTD." IN Commercial Services Name and Submit
		Select "Tender Application Fee" in Payment category
		and Enter "Tender ID " and Submit ↓
		The purchaser will have to fill up the fields properly
		and submit upon making the payment a receipt will
		be generated with a reference no. on submit. The
		purchaser has to enclose the receipt along with EMD in Technical Bid.
7.	Total Security deposit	5% of the final bill amount including ISD.
	Total Codanty doposit	570 of the final bill difficult including 102.
8.		08/08/2019 to 21/08/2019 at <u>www.sbi.co.in</u> under <link/> procurement news.
9.	Last date & time for	21/08/2019 by 3.00 PM
	submission of online	
	Technical bid, EMD and	
	receipt of Application Fees in sealed cover.	
10.		Circle Head & Vice President,
		SBI Infra Management Solutions Pvt. Ltd.
	submitted	Third Floor, SBI, LHO, Bhadra, Laldarwaja
		Ahmedabad-380001
11.		21/08/2019 by 3.00 PM
	submission of online Technical bid at e-	
	Technical bid at e- procurement portal.	
12.	Date and time of opening of	21/08/2019 by 3.30 PM
12.	online Technical bid.	
	1	

Ar. Devdatt M Pandya
Studio919 Architects



13.		Date and time for submission of indicative price bid
		will be informed to the qualified contractor separately
	indicative price bid.	after scrutiny of their Technical bid.
14.		Date and time will be informed to the qualified
	online indicative price bid.	contractor separately.
15.	Date & time for e-reverse	Date and time for e-reverse auction will be informed
	auction	to the qualified contractor separately.
16.	Liquidated Damages	0.50% of contract amount per weeks subject to max.
		5% of contract value or final bill value.
17.	Defects liability period	12 Months from the date of Virtual Completion
18.	Validity of offer	90 days from the date of opening of Price-bid
19.	Value of Interim Certificate	Full & final payment will be paid. No advance on
		materials / plant / machinery or mobilization advance
		shall be paid under any circumstances
20.	Insurance	The contractor shall obtain all necessary insurance
		policies as per the law applicable at the centre & shall be required to produce the original policies and
		receipt of the premium applicable in the matter to the
		Architect/Bank.
21.	Water & electricity	If contractor is permitted to use SBIIMS's source of
		water & electricity, the SBIIMS Pvt. Ltd will recover @
		0.5% of contract amount from the final bill of
		contractor. However further distribution & extension &
		light fixtures etc. with required MCB switches, switch
		boards, lamp, tube etc. shall be arranged by the
		contractor at their own cost within the accepted
		tender amount. <u>Bank will recover 0.5% of the final bill</u>
		amount towards consumption of water & electricity.

- 22. Tenders can be downloaded from the bank's website www.sbi.co.in(link) Procurement News. It shall be responsibility of the contractor to arrange and ensure timely submission of the online tender.
- 23. The contractor shall sign and stamp each page of the tender document thereby ensuring the number and sequence of all pages.
- 24. No conditions other than mentioned in the tender will be considered, and if given they will have to be withdrawn before opening of the price-bid.
- 25. The SBIIMS reserve their rights to accept or reject any or all the tenders, either in whole

Ar. Devdatt M Pandya Studio919 Architects



- or in part without assigning any reason(s) for doing so and no claim / correspondence shall be entertained in this regard.
- 26. Tenders received without EMD and Application Fees shall be summarily rejected and such tenders shall not be allowed to participate in the online price bidding process.
- 27. In case the date of opening of tenders is declared as a holiday, the tenders will be opened on the next working day at the same time.
- 28. SBIIMS has the right to accept / reject any / all tenders without assigning any reasons and no correspondence shall be entertained in this regard.

Yours Faithfully,

For:

AR. DEVDATT M. PANDYA STUDIO 919 ARCHITECTS 2ND FLOOR/8, AJITNATH SOCIETY B/S PULKIT HIGH SCHOOL NR. PALDI POST OFFICE AHMEDABAD-380 007

PHONE: (079) 26630154 Email: <u>919studio@gmail.com</u>



FORM TENDER

To, The Circle Head & VP (Civil), Circle Office, SBI Infra Management Solutions Pvt. Ltd., Ahmedabad- 380001.

Dear Sir,

Having examined the drawings, specification, design and schedule of quantities relating to the works specified in the memorandum hereinafter set out and having visited and examined the site of the works specified in the said memorandum and having acquired the requisite information relating thereto as affecting the tender, I/We hereby offer to execute the works specified in the said memorandum at the rates mentioned in the attached Schedule of Quantities and in accordance in all respects with the specifications, design, drawings and instructions in writing referred to in conditions of tender, the Articles of Agreement, Special Conditions, Schedule of Quantities and Conditions of Contract and with such materials as are provided for by, and in all other respects in accordance with such conditions so far as they may be applicable.

MEMORANDUM

Proposed Furniture works for State Bank of India
Rani Tower Branch Dist: Rajkot
Rs. 11900.00 (Rupees Eleven Thousand Nine
hundred only) by means of Demand Draft / Pay
Order (Valid for a period of 90 Days from the last
date of submission of the tender) from any
scheduled Nationalized Bank drawn in favour
of SBI Infra Management Solutions Pvt. Ltd.
payable at Ahmedabad.
10 % from Running Bills, subject to maximum
Total 5% of contract amount or actual Final Bill
value including EMD & Initial Security Deposit.
(45 days) 1½ Months

I/We have deposited a sum of Rs. 11900.00 (Rupees Eleven Thousand Nine hundred only) of the total tender amount as Earnest Money with the State Bank of India which is not to bear any interest. Should I / We fail to execute the Contract when called upon to

Ar. Devdatt M Pandya
Studio919 Architects



do so I/ We do hereby agree that this sum shall be forfeited by me/us to SBI Infra Management Solution.

1) Our Bankers are: i)
ii)
The names of partners of our firm are: i)
ii)
Name of the partner of the firm Authorized to sign
Or
(Name of person having Power of Attorney to sign the Contract.) (Certified true copy of the Power of Attorney should be attached)
Yours faithfully,
Signature of Contractors.
Signature and addresses of Witnesses
i)
ii)



SAMPLE BUISNESS RULE DOCUMENT

ONLINE E-TENDERING OF PROPOSED FURNITURE WORKS FOR STATE BANK OF INDIA RANI TOWER BRANCH, DIST: RAJKOT.

(A) Business rules for E-tendering:

- 1. Only empanelled Interior/ furniture contractors with SBI under appropriate category who are invited by the project Architect/SBIIMS shall only be eligible to participate.
- 2. SBIIMS will engage the services of an E-tendering service provider who will provide necessary training and assistance before commencement of online bidding on Internet.
- 3. In case of e-tendering, SBIIMS will inform the vendor in writing, the details of service provider to enable them to contact and get trained.
- 4. Business rules like event date, closing and opening time etc. also will be communicated through service provider for compliance.
- 5. Contractors have to send by email, the compliance form in the prescribed format (provided by service provider), before start of E-tendering. Without this the vendor will not be eligible to participate in the event.
- 6. The Contractors will be required to submit the various documents in sealed Envelope to the office of SBI Infra Solutions Pvt Ltd. at the address mentioned hereinbefore by the stipulated date i.e. (1) Hard Copy of Technical Bid duly signed and stamped on each page (2) Demand Draft of specified amount of EMD (3) Demand Draft / Cheque of Application Fees (4) Certified copy of Work Licenses). Contractors not submitting any one or more documents shall not be eligible to participate in the on-line price bidding.
- 7. E-tendering will be conducted on schedule date &time.

8. The e-tendering will be treated as closed only when the bidding process gets closed in all respects for the item listed in the tender.

(B) Terms & conditions of E-tendering:

SBIIMS shall finalize the Tender through e-tendering mode for which **M/s. e- Procurement Technology, Ahmedabad** has been engaged by SBIIMS as an authorized service provider. Please go through the guidelines given below and submit your acceptance to the same along with your Commercial Bid.

1. E-tendering shall be conducted by SBIIMS through M/s. e-Procurement Technology, Ahmedabad, on pre-specified date. While the Contractors shall be quoting from their own offices/ place of their choice, Internet connectivity and other paraphernalia requirements shall have to be ensured by Contractors themselves. In the event of failure of their Internet connectivity(due to any reason whatsoever it may be) it is the bidders' responsibility.

Ar. Devdatt M Pandya
Studio919 Architects



In order to ward-off such contingent situation bidders are requested to make all the necessary arrangements / alternatives such as back—up power supply whatever required so that they are able to circumvent such situation and still be able to participate in the E-tendering successfully. Failure of power at the premises of Contractors during the E-tendering cannot be the cause for not participating in the E-tendering. On account of this the time for the E-tendering cannot be extended and SBIIMS is not responsible for such eventualities.

- M/s. e-Procurement Technology, Ahmedabad., shall arrange to train your nominated person(s), without any cost to you. They shall also explain you all the Rules related to the E- tendering. You are required to give your compliance on it before start of bid process.
- 3. **Bidding currency and unit of measurement:** Bidding will be conducted in Indian currency & Unit of Measurement will be displayed in Online E-tendering.
- 4. **Bid Price**: The Bidder has to quote the rate as per the Tender Document provided by SBIIMS their appointed Architects.
- 5. **Validity of Bids**: The Bid price shall be firm for a period specified in the tender document and shall not be subjected to any change whatsoever.
- 6. Procedure of E-tendering:

i. Online E-tendering:

- (a) The hard copy of the Technical as well as Price Bid is available on the Bank's website during the period specified in the NIT.
- (b) Online e-tendering is open to the empanelled bidders who receive NIT from the Architect and qualified for participating in the price bidding as provisions mentioned hereinabove through SBIIMS approved Service Provider.
- (c) The Price-Bid shall be made available online by the Service Provider wherein the contractors will be required to fill-in their Item-wise rates for each item.
- (d) The Contractors are advised not to wait till the last minute to submit their online itemwise quote in the price bid to avoid complications related with internet connectivity, network problems, system crash down, power failure, etc.
- (e) It is mandatory to all the bidders participating in the price bid to quote their rates for each and every item.

Ar. Devdatt M Pandya
Studio919 Architects



- (f) In case, contractor fails to quote their rates for any one or more tender items, their tender shall be treated as "Incomplete Tender" and shall be liable for rejection.
- 7. Log in Name and Password: Each Bidder is assigned a Unique User Name & Password by M/s. e-Procurement Technology, Ahmedabad. The Bidders are requested to change the Password after the receipt of initial Password from M/s. e-Procurement Technology, Ahmedabad. All bids made from the Login ID given to the bidder will be deemed to have been made by the bidder.
- 8. **Bids placed by bidder**: Bids will be taken as an offer to execute the work as specified. Bids once made, cannot be cancelled / withdrawn and the Bidder shall be bound to execute the work at the quoted bid price. In case the L-1 Bidder backs out or fail to complete the work as per the rates quoted, SBIIMS shall at liberty to take action as deemed necessary including de-paneling such contractors and forfeiting their EMD.
- 9. At the end of the E-tendering, SBIIMS will decide upon the winner. SBIIMS decision on award of Contract shall be final and binding on all the Bidders.
- 10. SBIIMS shall be at liberty to cancel the E-tendering process/tender at any time, before ordering, without assigning any reason.
- 11. SBIIMS shall not have any liability to bidders for any interruption or delay in access to the site irrespective of the cause.
- 12. Other terms and conditions shall be as per your techno-commercial offers and other correspondences till date.

13. OTHER TERMS & CONDITIONS:

- The Bidder shall not involve himself or any of his representatives in Price manipulation of any kind directly or indirectly by communicating with other suppliers / bidders.
- The Bidder shall not divulge either his Bids or any other exclusive details of SBIIMS to any other party.
- SBIIMS decision on award of Contract shall be final and binding on all the Bidders.
- SBIIMS reserve their rights to extend, reschedule or cancel any E-tendering within its sole discretion.
 - SBIIMS or its authorized service provider M/s. **e-Procurement Technology**, **Ahmedabad** shall not have any liability to Bidders for any interruption or delay in access to the site irrespective of the cause.

Ar. Devdatt M Pandya
Studio919 Architects



- SBIIMS or its authorized service provider M/s. **e-Procurement Technology, Ahmedabad** is not responsible for any damages, including damages that result from, but are not limited to negligence.
- SBIIMS or its authorized service M/s. **e-Procurement Technology, Ahmedabad** will not be held responsible for consequential damages, including but not limited to systems problems, inability to use the system, loss of electronic information etc.

N.B.

- All the Bidders are required to submit the Process Compliance Statement (Annexure-II) duly signed to M/s. **e-Procurement Technology, Ahmedabad**.
- All the bidders are requested to ensure that they have a valid digital signature certificate well in advance to participate in the online event.



PROCESS COMPLIANCE STATEMENT (ANNEXURE II)

(The bidders are required to print this on their company's letter head and sign, stamp before emailing)

To,
M/s. **e-Procurement Technology,**B-705, Wall Street - II, Opp. Orient Club, Ellis bridge,

Ahmedabad – 380006, State Gujarat, India

E:yashrajsinh@auctiontiger.net, sujith@eptl.in web:- https://etender.sbi

D: +91 079-40270579/580/567/596, 079-40016815, 93745197554, 9879996111

Email:

AGREEMENT TO THE PROCESS RELATED TERMS AND CONDITIONS FOR THE ONLINE E-TENDERING OF PROPOSED FURNITURE WORKS FOR STATE BANK OF INDIA RANI TOWER BRANCH, DIST: RAJKOT.

Dear sir,

This has reference to the Terms & Conditions for the E-tendering mentioned in the tender document

This letter is to confirm that:

- 1) The undersigned is authorized representative of the company.
- 2) We have studied the Commercial Terms and the Business rules governing the Etendering as mentioned in RFP of SBIIMS as well as this document and confirm our agreement to them.
- 3) We also confirm that we have taken the training on the E-tendering tool and have understood the functionality of the same thoroughly.
- 4) We confirm that SBIIMS and M/s. **e-Procurement Technology, Ahmedabad** shall not be liable & responsible in any manner whatsoever for my/our failure to access & bid on the e-E-tendering platform due to loss of internet connectivity, electricity failure, virus attack, problems with the PC, any other unforeseen circumstances etc. before or during the E- tendering event.
- 5) We confirm that we have a valid digital signature certificate issued by a valid Certifying Authority.

Ar. Devdatt M Pandya
Studio919 Architects



6)	We, hereby confirm that we will honor the Bids placed by us during the E-tendering process.
	With regards, Date:
	Signature with company seal Name:
	Company / Organization:
	Designation within Company / Organization: Address of Company / Organization:
	Scan it and send to this Document on



ARTICLES OF AGREEMENT

NOW IT IS HEREBY AGREED AS FOLLOWS

1. In consideration of the said contract amount to be paid at the time and in the manner set forth in the said conditions, the contractor shall upon and subject to the said conditions execute and complete the work shown in the said drawings and described in the said specifications and the schedule of items and quantities, as per the terms and conditions contained in the said conditions

Ar. Devdatt M Pandya Studio919 Architects



- 2. The Bank shall pay the Contractor the said contract amount, or such other sum as shall become payable, at the time and in the manner specified in the said conditions.
- 3. The Architects in the said condition shall mean the said M/s.STUDIO 919 architects, In the event of their ceasing to be the Architects for the purpose of this contract for whatever reason, such other person or persons as shall be nominated for that purpose by the Bank, provided always that no person subsequently appointed as Architects under this contract shall be entitled to disregard or over rule any previous decisions or approvals or directions given or expressed in writing by the Architects for the time being.
- 4. The said general condition, Special condition, technical drawings, Notice Inviting Tender, specifications, Guarantee, Instruction to Tenderers Price Bid (Schedule of Quantities), Correspondences, Letter of Acceptance, Agreements and Appendices there to, contained in the tendered documents/said conditions shall be read and considered as forming part of this Agreement, and the parties hereto shall respectively abide by, submit themselves to the said conditions and perform the agreements on their part respectively in the said conditions contained therein.

The plans, agreements and documents mentioned herein shall form the basis of this contract. This contract is neither a fixed Lump Sum contract but is a contract to carry out the work in respect of INTERIOR FURNISHING WORK for STATE BANK OF INDIA RANI TOWER BRANCH, DIST: RAJKOT.

As per the scope described and to be paid for according to actual measured quantities at the rates contained in the Schedule of Rates and / or negotiated rates and Probable quantities or as provided in the said condition.

- The Bank reserves to itself the rights of altering the specifications and nature of the work by adding to or omitting any items of work or having portions of the same carried out without prejudice to this contract.
- 7. (a) The Contractors represent that they have experience and competent staff which will enable them to ensure proper quality check on the materials, whether brought by the contractors or supplied by the Bank to the contractors, and which will ensure that the contractor will carry out proper tests as required by the specifications and will supervise the day to day working and execution of the contract work.
 - b. If the contractors have any doubt about the quality of the materials or any difficulty in supervision of the day to day work it shall be duty of the contractors to report the matter in writing forthwith to the Bank and for the time being suspend

Ar. Devdatt M Pandya Studio919 Architects



that portion of the work about which difficulty is experienced, and the contractors will abide by the directions given by the Bank.

- b. The contractors are aware that the Bank will not give day-to-day supervision but will periodically supervise and the contractor has to perform their obligations under the instructions given to him periodically and under sub clauses (a) and (b) above.
- b. The contractors covenant and warrant that completed items of work as well as the entire work on completion will be in conformity with the specifications and the terms and conditions contained in the said conditions and will be of contract quality and description.
- 8. Time shall be considered as the essence of this contract and the contractor hereby agrees to commence the work on the day on which he is instructed to take possession of the site or from the fourteenth day after the day of issue of formal Work Order as provided for in the said conditions whichever is later and to complete the entire work within 6 (six) months subject nevertheless to the provisions for the extension of time.
 - All payments by the Bank under this contract will be made only at Rani Tower branch, Dist: Rajkot. Any dispute arising under this Agreement shall be referred to arbitration in accordance with the stipulation laid down in the general conditions of contract.
 - 3. The contents of this agreement have been read by the contractor and fully understood by the contractor.

IN WITNESS WHEREOF the Bank and the Contractor have set their respective hands to these Presents and two duplicates hereof the day and year first herein above written (If the Contractor is a Partnership Firm or an Individual).

IN WITNESS WHEREOF the Bank has set its hands to these presents through its duly authorized official and the contractor has caused its common seal to be affixed hereunto and the said duplicates have /has caused these presents and the said two duplicates hereof to be executed on its behalf, the day and year first herein above written (If contractor is a Company).

Signature clause:	

Ar. Devdatt M Pandya Studio919 Architects



SIGNED AND DELIVERED

By the hand of ShriAsst. General Manager , of State Bank Of India (Nam and Designation)	е
In presence of	
1	
Address	
2	
Address	
(Witness)	
SIGNED AND DELIVERED by(If the Contractor is a Partnership Firm or an individual , should be signed by all partners or by duly authorized person on behalf of all partners)	,
(1)	
Address	
(2)	
Address	
(Witness)	
THE COMMON SEAL OF was hereint affixed pursuant to the resolution By Board of Directors at the Meeting hele on (If the Contractor signs under its common seal, the Signature Clause should tally with the sealing clause in the Articles of Association)	d e
SIGNED AND DELIVERED by	
(1)	

Ar. Devdatt M Pandya
Studio919 Archit€cts



(2)	Building SBI		
1)	_		
Address			
(2)			
Address			
(Witness)			
SIGNED AND DELIVERED by has signed by the hand of P Individual)			
(1)			
Address			
(2)			
Address			
(Witness)			

Ar. Devdatt M Pandya
Studio919 Architects



<u>SECTION – 1</u> <u>INSTRUCTIONS TO THE TENDERERS</u>

1.0 Scope of work

Sealed Tenders followed by e-reverse auction are invited by M/s Studio919 Architects, Ahmedabad, for and behalf of SBI / SBIIMSPL for the work of proposed furniture works for Rani Tower branch, Dist: Rajkot.

1.1 Site and its location

The proposed work is to be carried out at Rani Tower branch, Dist: Rajkot. Tender documents

2.0 The work has to be carried out strictly according to the conditions stipulated in the tender consisting of the following documents and the most workmen like manner.

Instructions to tenderers
General conditions of Contract
Special conditions of Contract
Additional Specifications
Drawings
Priced bid A

- **2.1** The above documents shall be taken as complementary and mutually explanatory of one another but in case of ambiguities or discrepancies, shall take precedence in the order given below;
- a) Price Bid
- b) Additional Specifications
- c) Technical specifications
- d) Drawings
- e) Special conditions of contract
- f) General conditions of contract
- g) Instructions to Tenderers
- **2.2** Complete set of tender documents including relative drawings can be downloaded from the website www.sbi.co.in
- **2.3** The tender documents are not transferable.

Ar. Devdatt M Pandya Studio919 Architects



3.0 Site Visit:

3.1 The tenderer must obtain himself on his own responsibility and his own expenses all information and data that may be required for the purpose of filling this tender document and enter into a contract for the satisfactory performance of the work. The tenderer is requested satisfy himself regarding the availability of water, power, transport and communication facilities, the character quality and quantity of the materials, labour, the law and order situation, climatic conditions local authorities requirement, traffic regulations etc; The tenderer will be fully responsible for considering the financial effect of any or all the factors while submitting his tender.

4.0 Earnest Money:

- 4.1 The tenderers are requested to submit the Earnest Money of Rs. 11900.00 (Rupees Eleven Thousand Nine hundred only) by means of Demand Draft / Pay Order (Valid for a period of 90 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of SBI Infra Management Solutions Pvt. Ltd. payable at Ahmedabad.
- 4.2 EMD in any other form other than as specified above will not be accepted. Tender not accompanied by the EMD in accordance with clause 4.1 above shall be rejected.
- 4.3 No interest will be paid on the EMD.
- 4.4 EMD of unsuccessful tenderer will be refunded within 30 days of award of Contract.
- 4.5 EMD of successful tenderer will be retained as a part of security deposit.
- 5.0 Initial/ Security Deposit:

The successful tenderer will have to submit a sum equivalent to 2% of accepted tender value less EMD by means of DD drawn in favor of SBI Payable at Vadavali within a period of 7 days of acceptance of tender.

6.0 Security Deposit:

Total security deposit shall be 5% of contract value. Out of this 2% of contract value is in the form of Initial Security Deposit (ISD) which includes the EMD. Balance 3% shall be deducted from the running account bill of the work at the rate of 10% of the respective running account bill i.e., deduction from each running bill account will be @ 10% till Total Security Deposit (TSD) including ISD reaches to 5% of contract value. The 50% of the Total Security Deposit shall be paid to the contract on the basis of architect's

Ar. Devdatt M Pandya
Studio919 Architects



certifying the virtual completion. The balance 50% would be paid to the contractors after the defects liability period as specified in the contract.

Additional Security Deposit:

In case L-1 bidder quotes abnormally low rates (i.e. 10% or more, below estimated project cost), the bank may ask such bidder to deposit additional security deposit (ASD) equivalent to difference of estimated cost vis-à-vis L-1 quoted amount for due fulfillment of contract. Such ASD could be in the joint name of the Bank and bidder in the form of FDR / Bank's guarantee as per format approved by the Bank. On successful completion of work ASD will be returned to the contractor. In case contractor fails to complete the work in time or as per tender specification or leave the job incomplete, the bank will be at liberty to recover the dues from ASD or to forfeit such ASD as the case may be within its sole discretion.

No interest shall be paid to the amount retained by the Bank as Security Deposit for the defect liability period of one year from the date virtual completion certificate (VCC). However, interest on FDR for additional security deposit will be received by the bidder.

Signing of contract Documents:

The successful tenderer shall be bound to implement the contract by signing an agreement and conditions of contract attached herewith within 15 days from the receipt of intimation of acceptance of the tender by the Bank. However, the written acceptance of the tenders by the Bank will constitute a binding agreement between the Bank and successful tenderer whether such formal agreement is subsequently entered in to or not.

6.0 Completion Period:

Time is essence of the contract. The work should be completed in all respect accordance with the terms of contract within a period of **45 days** from the date of award of work.

7.0 Validity of tender:

Tenders shall remain valid and open for acceptance for a period of 90 days from the date of e-reverse auction. If the tenderer withdraws his/her offer during the value period or makes modifications in his/her original offer which are not acceptable to Bank without prejudice to any other right or remedy the Bank shall be at liberty forfeit the EMD.

8.0 Liquidated Damages:

The liquidated damages shall be 0.50% per week subject to a maximum of 5% of contract value.

Ar. Devdatt M Pandya Studio919 Architects



9.0 Rate and prices:

9.0.1 In case of item rate tender:

The tenderers shall quote their rates for individual items both in words and figure. In case of discrepancy between the rate quoted in words and figures, the unit rate quantity in words will prevail. If no rate is quoted for a particular item the contractor shall not be paid for that item when it is executed. The amount of each item shall be calculated and the requisite total is given. In case of discrepancy between the unit rate and the total amount calculated from multiplication of unit rate and the quantity the unit rate quoted will govern and the amount will be corrected.

The tenderers need not quote their rates for which no quantities have been given. In case the tenderers quote their rates for such items those rates will be ignored and will not be considered during execution.

The tenderers should not change the units as specified in the tender. If any unit is changed the tenders would be evaluated as per the original unit and the contractor would be paid accordingly.

The tenderer should not change or modify or delete the description of the item. If any discrepancy is observed he should immediately bring to the knowledge of the Architect/SBIIMS each page of the BOQ shall be signed by the authorized person and cutting or over writing shall be duly attested by him.

Each page shall be totaled and the grand total shall be given.

The rate quoted shall be firm and shall include all costs, allowances, materials, labors, taxes etc. except G.S.T, which shall be payable / reimbursed at actual.

The SBIIMS reserve their rights to accept any tenders, either in whole or in part or may entrust the work in phases or may drop the part scope of work at any stage of the project within its sole discretion without assigning any reason(s) for doing so and no claim / correspondence shall be entertained in this regard.

Material having basic price: If the basic rate of any material actually used for the work is more or less then the basic rate given in schedule of quantities, in the case the difference will be calculated (either plus or minus) and shall be paid or recovered from the contractor. GST shall be excluded from the basic rate and will include all other taxes, transportation, loading, unloading, etc complete in all respect. Rates should be however, fair and competitive and verified by market enquiry by the bank and the quantity purchased in every period should be reasonable and advantageous, if any due to bulk purchase may be also taken into account.

The SBIIMS Pvt. Ltd. Reserve their rights to accept any tenders, either in whole or in part or may entrust the work in phases or may drop the part scope of work at any stage of the project within its sole discretion without assigning any reason(s) for doing so and no claim/correspondence shall be entertained in this regard.

SIGNATURE OF THE CONTRACTOR WITH SEAL

Ar. Devdatt M Pandya Studio919 Architects



GENERAL CONDITIONS OF CONTRACT

1.0 Definitions:-

"Contract means the documents forming the tender and the acceptance there of and the formal agreement executed between SBI (client) and the contractor, together with the documents referred there in including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Architects / Bank and all these documents taken together shall be deemed to form one contract and shall be complementary to one another.

In the contract the following expressions shall, unless the context otherwise requires, have the meaning hereby respectively assigned to them.

- 1.0.1 'SBIIMS' shall mean SBI Infra Management Solutions Pvt. Ltd.(Project Management Services Provider-PMS) having its Circle Office at Third Floor, SBI, LHO, Bhadra, Laldarwaja, Ahmedabad-380001 and includes the client's representatives, successors and assigns.
- 1.0.2 'Architects/ Consultants' shall mean **M/s Studio919 Architects**, Architects & Interior Designers, Ahmedabad.
- 1.0.3 'Site Engineer' shall mean an Engineer appointed by the SBIIMS at site as their representative for day-to-day supervision of work and to give instructions to the contractors.
- 1.0.4 'The Contractor' shall mean the individual or firm or company whether incorporate not, undertaking the works and shall include legal personal representative of individual or the composing the firm or company and the permitted assignees of individual or firms of company.

The expression 'works' or 'work' shall mean the permanent or temporary work description in the "Scope of work" and/or to be executed in accordance with the contract includes materials, apparatus, equipment, temporary supports, fittings and things of kinds to be provided, the obligations of the contractor hereunder and work to be done by the contractor under the contract.

- 1.0.5 'Engineer' shall mean the representative of the Architect/consultant.
- 1.0.6 'Drawings' shall mean the drawings prepared by the Architects and issued by the Engineer and refer red to in the specifications and any modifications of such drawings as may be issued by the Engineer from time to time Contract value shall mean value of the entire work as stipulated in the letter of acceptance of tender subject such additions

Ar. Devdatt M Pandya

Studio919 Architects



there to or deductions there from as may be made under the provide herein after contained.

- 1.0.7 Specifications' shall mean the specifications referred to in the tender and modifications thereof as may time to time be furnished or approved by the Architect/Consultant.
- 1.0.8 "Month" means calendar month.
- 1.0.9 "Week" means seven consecutive days.
- 1.0.10 "Day" means a calendar day beginning and ending at 00 Hrs and 24 Hrs respectively.
- 1.1.11 "SBIIMS's Engineer" shall mean The Civil/Electrical Engineer in-charge of the Project, as nominated by the Circle Head and Vice President, SBIIMS, Ahmedabad.
- 1.1.12 The following shall constitute the Joint Project Committee (herein under referred to as JPC) for assessing and reviewing the progress of the work on the project and to issue instructions or directions from time to time for being observed and followed by the Architects Site Engineer / PMC and other consultants / contractors engaged in the execution of the project.
- i) Vice President Circle Head of SBIIMS
- ii) SBIIMS Engineer (Civil and Electrical) in-charge of the Project
- iii) Concerned partner of the Architects and their Resident Architect.... Member.

CLAUSE

1a. Total Security Deposit

Total Security deposit comprise of Earnest Money Deposit, Initial security deposit and Retention Money

1 b. Earnest Money Deposit-

The tenderer shall furnish EMD of Rs. 11900.00 (Rupees Eleven Thousand Nine hundred only) in the form of Demand draft or banker's cheque drawn in favour SBI Infra Management Solutions Pvt. Ltd. at Ahmedabad. No tender shall be considered unless the EMD is so deposited in the required form. No interest shall be paid on this EMD. The EMD of the unsuccessful tenderer shall be refunded soon after the decision to award the contract is taken without interest. The EMD shall stand absolutely forfeited if the tenderer revokes his tender at any time the period when he is required to keep his tender open acceptance by the SBIIMS or after it is accepted by the SBIIMS, the contractor fails to enter into a formal agreement or fails to pay the initial security deposit as stipulated or fails to commence the commence the work within the stipulated time.

Ar. Devdatt M Pandya



1 c. Initial Security Deposit (ISD)

The amount of ISD shall be 2% of accepted value of tender including the EMD in the form of DD/Fixed Deposit Receipt (FDR) drawn on any scheduled Bank and shall be deposited within 15 days from the date of acceptance of tender.

1 d. ADDITIONAL SECURITY DEPOSIT / PERFORMANCE GUARANTEE

In case L-1 bidder quotes abnormally low rates (i.e. 10% or more, below estimated project cost), the bank may ask such bidder to deposit additional security deposit (ASD) equivalent to difference of estimated cost vis-à-vis L-1 quoted amount for due fulfillment of contract. Such ASD could be in the joint name of the Bank and bidder in the form of FDR / Bank's guarantee as per format approved by the Bank. On successful completion of work ASD will be returned to the contractor. In case contractor fails to complete the work in time or as per tender specification or leave the job in complete, the bank will be at liberty to recover the dues from ASD or to forfeit such ASD as the case may be within its sole discretion.

No interest shall be paid to the amount retained by the Bank as Security Deposit for the defect liability period of one year from the date virtual completion certificate (VCC). However, interest on FDR for additional security deposit will be received by the bidder.

1 e. Retention Money:

Besides the SD as deposited by the contractor in the above said manner, the Retention money shall be deducted from the running account bill at the rate of 10% of the gross value of work done by the contractor and claimed in each bill provided the total security deposit i.e. ISD plus EMD plus Retention Money shall both together not exceed 5% of the contract value. The 50% of the total security deposit shall be refunded to the contractor without any interest on issue of Virtual Completion certificate by the Architect/consultant. The balance 50% of the total security deposit shall be refunded to the contractors without interest within fifteen days after the end of defects liability period provided the contractor has satisfactorily attended to all defects in accordance with the conditions of contract including site clearance.

2.0 Language:

The language in which the contract documents shall be drawn shall be in English.

3.0 Errors, omissions and discrepancies:

In case of errors, omissions and/ or disagreement between written and scaled dimensions on the drawings or between the drawings and specifications etc., the following order shall apply.

i) Between scaled and written dimension (or description) on a drawing, the latter shall be adopted.

Ar. Devdatt M Pandya
Studio919 Architects



- ii) Between the written or shown description or dimensions in the drawings and the corresponding one in the specification the former shall be taken as correct.
- iii) Between written description of the item in the specifications and descriptions in bills of quantities of the same item, the former shall be adopted:
- a) In case of difference between rates written in figures and words, the rate in words shall prevail.
- b) Between the duplicate / subsequent copies of the tender, the original tender shall be taken as correct.

4.0 Scope of Work:

The contractor shall carryout complete and maintain the said work in every respect strictly accordance with this contract and with the directions of and to the satisfaction Bank to be communicated through the architect/consultant. The architect/consultant at the directions of the SBIIMS from time to time issue further drawings and / or write instructions, details directions and explanations which are here after collectively references to as Architect's / consultant's instructions in regard to the variation or modification of the design, quality or quantity of any work or the addition or omission or substitution work. Any discrepancy in the drawings or between BOQ and / or drawings and/or specifications. The removal from the site of any material brought thereon by the Contractor and any substitution of any other materials therefore the removal and/orre-executed of any work executed by him. The dismissal from the work of any person engaged the re upon.

5.0 i) Letter of Acceptance:

Within the validity period of the tender the SBIIMS shall issue a letter of acceptance directly or through the architect by registered post or otherwise depositing at the of the contractor as given in the tender to enter into a Contract for the execution of the work as per the terms of the tender. The letter of acceptance shall constitute a bind contract between the SBIIMS and the contractor.

ii) Contract Agreement:

On receipt of intimation of the acceptance of tender from the SBIIMS/Architect the successful tenderer shall be bound to implement the contract and within fifteen days there of shall sign an agreement in a non-judicial stamp paper of appropriate value.

6.0 Ownership of drawings:

All drawings, specifications and copies thereof furnished by the SBIIMS / SBI through its Architect / consultants are the properties of the SBIIMS They are not to be used on other work.

Ar. Devdatt M Pandya

Studio919 Architects



7.0 Detailed drawings and instructions:

The SBIIMS through its architects / consultants shall furnish with reasonable proper additional instructions by means of drawings or otherwise necessary for the execution of the work. All such drawings and instructions shall be consistent with contract documents, true developments thereof and reasonably inferable there.

The work shall be executed in conformity there with and the contractor prepare a detailed program schedule indicating therein the date of start and completion of various activities on receipt of the work order and submit the same to the SBIIMS through the architect/consultant.

7.1 Copies of agreement:

Two copies of agreement duly signed by both the parties with the drawings shall be handed over to the contractors.

8.0 Liquidated damages:

If the contractor fails to maintain the required progress in terms of clause 6.0 of GOC or to complete the work and clear the site including vacating their office on or before the contracted or extended date or completion, without justification in support of the cause of delay, he may be called upon without prejudice to any other right of remedy available under the law to the SBIIMS on account of such breach to pay a liquidated damages at the rate of 0.50% of the contract value which subject to a maximum of 5% of the contract value.

9.0 Materials, Appliances and Employees:

Unless or otherwise specified the contractor shall provide and pay for all materials, labor, water, power, tools, equipment transportation and any other facilities that are required for the satisfactory execution and completion of the work. Unless or otherwise specified all materials shall be new and both workmanship and materials shall be best quality. The contractor shall at all times enforce strict discipline and good order among his employees and shall not employ on the work any unfit person or anyone not skilled in the work assigned to him. Workman whose work or behavior is found to be unsatisfactory by the SBIIMS /Architect/ consultant he shall be removed from the site immediately.

10.0 Permits, Laws and Regulations:

Permits and licenses required for the execution of the work shall be obtained by the contractor at his own expenses. The contractor shall give notices and comply with the regulations, laws, and ordinances rules, applicable to the contract. If the contractor observes any discrepancy between the drawings and specifications, he shall promptly notify the SBIIMS in writing under intimation of the Architect/ Consultant. If the

Ar. Devdatt M Pandya

Studio919 Architects



contractor performs any act, which is against the law, rules and regulations he shall meet all the costs arising the reform and shall indemnify the SBIIMS any legal actions arising there from.

11.0 Setting out Work:

The contractor shall set out the work and shall be responsible for the true and perfect setting out of the same and for the correctness of the positions, levels, dimensions, and alignment of all parts thereof and get it approved by the architect / consultant before proceeding with the work. If at any time any error in this respect shall appear during the progress of the works, irrespective of the fact that the layout had been approved by, the architect / consultant the contractor shall be responsible for the same ad shall his own expenses rectify such error, if so, required to satisfaction of the SBIIMS

12.0 Protection of works and property:

The contractor shall continuously maintain adequate protection of all his work from damage and shall protect the SBI's properties from injury or loss arising in connection with contract. He shall make good any such damage, injury, loss, except due to causes beyond his control and due to his fault or negligence.

He shall take adequate care and steps for protection of the adjacent properties. The contractor shall take all precautions for safety and protections of his employees on the works and shall comply with all applicable provisions of Govt. and local bodies' safety laws and building codes to prevent accidents, or injuries to persons or property on about or adjacent to his place of work. The contractor shall take insurance covers as per clause at his own cost. The policy may be taken in joint names of the contractor and the SBIIMS and the original policy may be lodged with the SBIIMS.

13.0 Inspection of work:

The SBIIMS / Architect / Consultant or their representatives shall at all reasonable times have free access to the work site and / or to the workshop, factories, or other places where materials are lying or from where they are obtained and the contractor shall give every facility to the SBIIMS/Architect/consultant and their representatives necessary for inspection and examination and test of the materials and workmanship. No person unless authorized by the SBIIMS/ Architect

/Consultant except the representative of Public authorities shall be allowed on the work at any time. The proposed work either during its construction stage or its completion can also be inspected by the Chief Technical Examiner's Organization a wing of Central Vigilance commission.

14.0 Assignment and subletting:

The whole of work included in the contract shall be executed the contractor and he shall not directly entrust and engage or indirectly transfer, assign or underlet the contract or any part or share there of or interest therein without the written consent of the SBIIMS

Ar. Devdatt M Pandya

Studio919 Architects



through the Architect and no undertaking shall relieve the contractor from the responsibility of the contractor from active & superintendence of the work during its progress.

15.0 Quality of materials, workmanship &Test:

All materials and workmanship shall be best of the respective kinds described in the contract and in accordance with Architect/consultant instructions and shall be subject from time to time to such tests as the architect/consultant may direct at the place of manufacture or fabrication or on the site or an approved testing laboratory. The contractor shall provide such assistance, instruments, machinery, labor, and materials as are normally required for examining measuring sampling and testing any material or part of work before in corporation in the work for testing as may be selected and required by the architect/consultant.

ii) Samples:

All samples of adequate numbers, size, shades & pattern as per specifications shall be supplied by the contractor without any extra charges. If certain items proposed to be used are of such nature that samples cannot be presented or prepared at the site detailed literature / test certificate of the same shall be provided to the satisfaction of the Architect/consultant before submitting the sample/literature the contractor shall satisfy himself that the material / equipment for which he is submitting the sample / literature meet with the requirement of tender specification. Only when the samples are approved in writing by the architect/consultant the contractor shall proceed with the procurement and installation of the particular material / equipment. The approved samples shall by the signed by the Architect / Consultant for identification and shall be kept on record at site office until the completion of the work for inspection / comparison at any time. The Architect/Consultant shall take reasonable time to approve the sample. Any delay that might occur in approving the samples for reasons of its not meeting the specifications or other discrepancies inadequacy in furnishing samples of best qualities from various manufacturers and such other aspects causing delay on the approval of the materials / equipment etc. shall be to the account of the contractor.

iii) Cost of tests:

The cost of making any test shall be borne by the contractor if such test is intended by or provided for in the specification or BOQ.

iv) Costs of tests not provided for:

If any test is ordered by the Architect/ Consultant which is either

a) If so intended by or provided for or (in the cases above mentioned) is not so particularized, or though so intended or provided for but ordered by the Architect / Consultant to be carried out by an independent person at any place other than the site or the place of manufacture or fabrication of the materials tested or any Government / approved laboratory, then the cost of such test shall be borne by the contractor.

Ar. Devdatt M Pandya

Studio919 Architects



16.0 Obtaining information related to execution of work:

No claim by the contractor for additional payment shall be entertained which is consequent upon failure on his part to obtain correct information as to any matter affecting the execution of the work nor any misunderstanding or the obtaining incorrect information or the failure to obtain correct information relieve him from any risks or from the entire responsibility for the fulfillment of contract.

17.0 Contractor's superintendence:

The contractor shall give necessary personal superintendence during the execution the works and as long, thereafter, as the Architect/Consultant may consider necessary until the expiry of the defects liability period, stated hereto.

18.0 Quantities:

The bill of quantities (BOQ) unless or otherwise stated shall be deemed to have been prepared in accordance with the Indian Standard Method of Measurements and quantities. The rate quoted shall remain valid for variation of quantity against individual item to any extent. The entire amount paid under Clause 19, 20 hereof as well as amounts of prime cost and provision sums, if any, shall be excluded.

19.0 Works to be measured:

The Architect/Consultant may from time to time intimate to the contractor that he requires the work to be measured and the contractor shall forthwith attend or send a quantity representative to assist the Architect in taking such measurements and calculation and to furnish all particulars or to give all assistance required by any of them. Such measurements shall be taken in accordance with the Mode of measurements detail in the specifications. The representative of the Architect / Consultant shall take measurements with the contractor's representative and the measurements shall be entered in the measurement book. The contractor or his authorized representative shall sign all the pages of the measurement book in which the measurements have been recorded in token of his acceptance. All the corrections shall be duly attested by both representatives. No over writings shall be made in the M book should the contractor not attend or neglect or omit to depute his representative to take measurements the measurements recorded by the representative of the Architect/consultant shall be final. All authorized extra work, omissions and all variations made shall be included such measurement.

20.0 Variations:

No alteration, omission or variation ordered in writing by the Architect/consultant vitiates the contract. In case the SBIIMS/ Architect / Consultant thinks proper at any during the progress of works to make any alteration in, or additions to or omission from the works or any. Alteration in the kind or quality of the materials to be used therein, the Architect / Consultant shall give notice thereof in writing to the contractor shall confirm in writing

Ar. Devdatt M Pandya

Studio919 Architects



within seven days of giving such oral instructions the contract shall alter to, add to, or omit from as the case may be in accordance with such but the contractor shall not do any work extra to or make any alterations or additions to or omissions from the works or any deviation from any of the provisions of the contract, stipulations, specifications or contract drawings without previous consent in writing of the Architect/ Consultant and the value of such extras, alterations, additions or omissions shall in all cases be determined by the Architect / Consultant and the same shall be added to or deducted from the contract value, as the case maybe.

21.0 Valuation of Variations:

No claim for an extra shall be allowed unless it shall have been executed under the authority of the Architect / Consultant with the concurrence of the SBIIMS as herein mentioned. Any such extra is herein referred to as authorized extra and shall be made in accordance with the following provisions.

- (i) The net rates or prices in the contract shall determine the valuation of the extra work where such extra work is of similar character and executed under similar conditions as the work price herein.
- (ii) Rates for all items, wherever possible should be derived out of the rates given in the priced BOQ.

The net prices of the original tender shall determine the value of the items omitted, provided if omissions do not vary the conditions under which any remaining items of Works are carried out, otherwise the prices for the same shall be valued under sub-Clause 'c' hereunder.

Where the extra works are not of similar character and/or executed under similar conditions as aforesaid or where the omissions vary the conditions under which any remaining items or works are carried out, then the contractor shall within 7 days of the receipt of the letter of acceptance inform the Architect/ consultant of the rate which he intends to charge for such items of work, duly supported by analysis of the rate or rates claimed and the Architect/consultant shall fix such rate or prices as in the circumstances in his opinion are reasonable and proper, based on the market rate.

Where extra work cannot be properly measured or valued the contractor shall be allowed day work prices at the net rates stated in the tender, of the BOQ or, if not, so stated then in accordance with the local day work rates and wages for the district; provided that in either case, vouchers specifying the daily time (and if required by the Architect/Consultant) the workman's name and materials employed be delivered for verifications to the Architect /consultant at or before the end of the week following that in which the work has been executed.

It is further clarified that for all such authorized extra items where rates cannot be

Ar. Devdatt M Pandya

Studio919 Architects



derived from the tender, the Contractor shall submit rates duly supported by rate analysis worked on the 'market rate basis for material, labour hire / running charges of equipment and wastages etc. plus 15% towards establishment charges, contractor's overheads and profit. Such items shall, not be eligible for escalation.

22.0 Final measurement:

The measurement and valuation in respect of the contract shall be completed within two months of the virtual completion of the work.

23.0 Virtual Completion Certificate (VCC):

On successful completion of entire works covered by the contract to the full satisfaction of the SBIIMS, the contractor shall ensure that the following works have been completed the satisfaction of the SBIIMS:

Clear the site of all scaffolding, wiring, pipes, surplus materials, contractor's labor equipment and machinery.

Demolish, dismantle and remove the contractor's site office, temporary works, structure including labor sheds/camps and constructions and other items and things whatsoever brought upon or erected at the site or any land allotted to the contractor by the SBIIMS not incorporated in the permanent works.

Remove all rubbish, debris etc. from the site and the land allotted to the contractor by the SBIIMS and shall clear, level and dress, compact the site as required by the SBIIMS

Shall put the SBIIMS in undisputed custody and possession of the site and all land allot by the SBIIMS

Shall hand over the work in a peaceful manner to the SBIIMS

All defects / imperfections have been attended and rectified as pointed out by the Architects to the full satisfaction of SBIIMS

Upon the satisfactory fulfillment by the contractor as stated above, the contractor is entitled to apply to the Architect / consultant is satisfied of the completion of work. Relative to which the completion certificate has been sought, the Architect/ consultant shall within fourteen (14) days of the receipt of the application for completion certificate, issue a VCC in respect of the work for which the VCC has applied.

This issuance of a VCC shall not be without prejudice to the SBIIMS's rights and contractor liabilities under the contract including the contractor's liability for defects liability nor shall the issuance of VCC in respect of the works or work at any site be construction as a waiver of any right or claim of the SBIIMS against the contractor in

Ar. Devdatt M Pandya

Studio919 Architects



respect of or work at the site and in respect of which the VCC has been issued.

24.0 Work by other agencies:

The SBIIMS / Architect / consultant reserves the rights to use premises and any portion the site for execution of any work not included in the scope of this contract which it may desire to have carried out by other persons simultaneously and the contractor shall not only allow but also extend reasonable facilities for the execution of such work. The contractor however shall not be required to provide any plant or material for the execution of such work except by special arrangement with the SBI. Such work shall be carried out in such manner as not to impede the progress of the works included in the contract.

25.0 Insurance of works:

Without limiting his obligations and responsibilities under the contract the contractor shall insure in the joint names of the SBIIMS And the contractor against all loss of damages from whatever cause arising other than the excepted risks, for which he is responsible under the terms of contract and in such a manner that the SBIIMS and contractor are covered for the period stipulated I clause of GCC and are also covered during the period of maintenance for loss or damage arising from a cause, occurring prior to the commencement of the period of maintenance and for any loss or damage occasioned by the contractor in the course of any operations carried out by him for the purpose of complying with his obligations under clause.

The Works for the time being executed to the estimated current Contract value thereof, or such additional sum as may be specified together with the materials for incorporation in the works at their replacement value.

The constructional plant and other things brought on to the site by the contractor to the replacement value of such constructional plant and other things.

Such insurance shall be effected with an insurer and in terms approved by the SBIIMS which approval shall not be unreasonably withheld and the contractor shall whenever required produce to the Architect / consultant the policy if insurance and the receipts for payment of the current premiums.

26.0 Damage to persons and property:

The contractor shall, except if and so far as the contract provides otherwise indemnify the SBI against all losses and claims in respect of injuries or damages to any person or material or physical damage to any property whatsoever which may arise out of or in consequence of the execution and maintenance of the works and against all claims proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto except any compensation of damages for or with respect to:

Ar. Devdatt M Pandya
Studio919 Architects



- a) The permanent use or occupation of land by or any part thereof.
- b) The right of SBIIMS to execute the works or any part thereof on, over, under, in or through any lands.
- c) Injuries or damages to persons or properties which are unavoidable result of the execution or maintenance of the works in accordance with the contract.
- d) Injuries or damage to persons or property resulting from any act or neglect of the SBIIMS their agents, employees or other contractors not being employed by the contractor or for or in respect of any claims, proceedings, damages, costs, charges and expenses in respect thereof or in relation thereto or where the injury or damage was contributed to by the contractor, his servants or agents such part of the compensation as may be just and equitable having regard to the extent of the responsibility of the SBIIMS, their employees, or agents or other employees, or agents or other contractors for the damage or injury.

27.0 Contractor to indemnify SBIIMS:

The contractor shall indemnify the SBIIMS against all claims, proceedings, damages, costs, charges and expenses in respect of the matters referred to in the provision subclause 26.0 of this clause.

28.0 Contractor's superintendence:

The contractor shall fully indemnify and keep indemnified the SBIIMS against any action, claim, or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect to any article or part thereof included in the contract. In the event of any claim made under or action brought against SBIIMS in respect of such matters as aforesaid the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his own expenses to settle any dispute or to conduct any litigation that may arise there from, provided that the contractor shall not be liable to indemnify the SBIIMS if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the Architect / consultant in this behalf.

29.0 Third Party Insurance:

Before commencing the execution of the work the contractor but without limiting his obligations and responsibilities under clause 25.0 of GCC shall insure against his liability for any material or physical damage, loss, or injury which may occur to any property including that of SBIIMS, or to any person, including any employee of the SBIIMS, by or arising out of the execution of the works or in the carrying out of the contract, otherwise than due to the matters referred to in the provision to clause 25.0 thereof.

30.0 Minimum amount of Third Party Insurance:

Such insurance shall be affected with an insurer and in terms approved by the SBIIMS

Ar. Devdatt M Pandya

Studio919 Architects



which approval shall not be reasonably withheld and for at least the amount stated below. The contractor shall, whenever required, produce to the. Architect / consultant the policy or policies of insurance cover and receipts for payment of the current premiums.

The minimum insurance cover for physical property, injury, and death is Rs.5 Lakh per occurrence with the number of occurrences limited to four. After each occurrence contractor will pay additional premium necessary to make insurance valid for four occurrences always.

31.0 Accident or Injury to workman:

The SBIIMS Shall not be liable for or in respect to any damages or compensation payable at law in respect or inconsequence of any accident or injury to any workmen or other person in the employment of the contractor or any sub-contractor, save and except an accident or injury resulting from any act or default of the SBIIMS or their agents, or employees. The contractor shall indemnify and keep indemnified SBIIMS against all such damages and compensation, save and except as aforesaid, and against all claims, proceedings, costs, charges and expenses whatsoever in respect thereof or in relation thereto.

32.0 Insurance against accidents etc. to workmen:

The contractor shall insure against such liability with an insurer approved by the SBIIMS During the whole of the time that any persons are employed by him on the works and shall, when required, produce to the architect / consultant such policy of insurance and receipt for payment of the current premium. Provided always that, in respect of any persons employed by any sub-contractor the contractor's obligation to insured as aforesaid under this sub-clause shall be satisfied if the sub-contractor shall have insured against the liability in respect of such persons in such manner that SBIIMS is indemnified under the policy but the contractor shall require such sub-contractor to produce to the Architect /consultant when such policy of insurance and the receipt for the payment of the current premium.

33.0 Remedy on contractor's failure to insure:

If the contractor fails to effect and keep in force the insurance referred to above or any other insurance which he may be required to effect under the terms of contract, then and in any such case the SBIIMS may effect and keep in force any such insurance and pay such premium or premiums as may be necessary for that purpose and from time to time deduct the amount so paid by the SBIIMS as aforesaid from any amount due or which may become due to the contractor, or recover the same as debt from the contractor.

Without prejudice to the others rights of the SBIIMS against contractors. In respect of such default, the employer shall be entitled to deduct from any sums payable to the

Ar. Devdatt M Pandya
Studio919 Architects



contractor the amount of any damages costs, charges, and other expenses paid by the SBIIMS And which are payable by the contractors under this clause. The contractor shall upon settlement by the Insurer of any claim made against the insurer pursuant to a policy taken under this clause, proceed with due diligence to rebuild or repair the works destroyed or damaged. In this event all the monies received from the Insurer in respect of such damage shall be paid to the contractor and the Contractor shall not be entitled to any further payment in respect of the expenditure incurred for rebuilding or repairing of the materials or goods destroyed or damaged.

34.0 Commencement of Works:

The date of commencement of the work will be reckoned from the date of award of letter by the SBIIMS

35.0 Time for completion:

Time is essence of the contract and shall be strictly observed by the contractor. The entire work shall be completed within a period of <u>45 days</u> from the date of commencement. If required in the contract or as directed by the Architect / consultant. The contractor shall complete certain portions of work before completion of the entire work. However, the completion date shall be reckoned as the date by which the whole work is completed as per the terms of the contract.

36.0 Extension of time:

If, in the opinion of the Architect/consultant, the work be delayed for reasons beyond the control of the contractor, the Architect/consultant may submit a recommendation to the SBIIMS to grant a fair and reasonable extension of time for completion of work as per the terms of contract. If the contractor needs an extension of time for the completion of work or if the completion of work is likely to be delayed for any reasons beyond the due date of completion as stipulated in the contract, the contractor shall apply to the SBIIMS Through the Architect' Consultant in writing at least 30 Days before the expiry of the scheduled time and while applying for extension of time he shall furnish the reason in detail and his justification if an', for the delays. The architect/consultant shall submit their recommendations to the SBIIMS in the prescribed format for granting extension of time. While granting extension of time the contractor shall be informed the period extended time which will qualify for levy of liquidated damages. For the balance period in excess of original stipulated period and duly sanctioned extension of time by the provision of liquidated damages as stated under clause 10.0 shall become applicable. Further the contract shall remain in force even for the period beyond the due date of completion irrespective whether the extension is granted or not.

37.0 Rate of progress:

Whole of the materials, plant and labour to be provided by the contractor and the mode, manner and speed of execution and maintenance of the works are to be of a kind and

Ar. Devdatt M Pandya

Studio919 Architects



conducted in a manner to the satisfaction of the Architect/consultant should the rate of progress of the work or any part thereof be at any time be in the opinion the. Architect / consultant too Slow to ensure the completion of the whole of the work the prescribed time or extended time for completion the Architect/consultant shall the re upon take such steps as considered necessary by the Architect / consultant to expedite progress so as to complete the works by the prescribed time or extended time. Such communications from the Architect / consultant neither shall relieve. The contractor from fulfilling obligations under the contract nor he will be entitled to raise any claims arising out of such directions.

38.0 Work during nights and holidays:

Subject to any provision to the contrary contained in the contract no permanent work shall save as herein provided be carried on during the night or on holidays without the permission in writing of the Architect/consultant, save when the work is unavoidable or absolutely necessary for the saving of life or property or for the safety of the work in which case the contractor shall immediately advise the Architect / consultant. However the provisions of the clause shall not be applicable in the case of any work which becomes essential to carry by rotary or double shifts in order to achieve the progress and quality of the part of the works being technically required / continued with the prior approval of the Architect / consultant at no extra cost to the SBIIMS.

All work at night after obtaining approval from competent authorities shall be carried out without unreasonable noise and disturbance.

39.0 No compensation or restrictions of work:

If at any time after acceptance of the tender SBIIMS shall decide to abandon or reduce the scope of work for any reason whatsoever and hence not required the whole or any part of the work to be carried out. The Architect / consultant shall give notice in writing that effect to the contractor and the contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise what so ever on account of any profit or advantage which he might have derived from the execution of the Work fully but which he did not derive in consequence of the fore closure of the whole or part of the work.

Provided that the contractor shall be paid the charges on the cartage only of materials actually and bonafide brought to the site of the work by the contractor and rendered surplus as a result of the abandonment, curtailment of the work or any portion thereof and then taken back by the contractor, provided however that the Architect/Consultant shall have in such cases the option of taking over all or any such materials at their purchase price or a local current rate whichever is less.

In case of such stores having been issued from SBIIMS stores and returned by the contractor to stores, credit shall be given to him at the rates not exceeding those at

Ar. Devdatt M Pandya

Studio919 Architects



which were originally issued to the contractor after taking into consideration and deduction for claims on account of any deterioration or damage while in the custody of the contractor and in this respect the decision of Architect / consultant shall be final.

40.0 Suspension of work:

The contractor shall, on receipt of the order in writing of the Architect / consultant (whose decision shall be final and binding on the contractor) suspend the progress of works or any part the offer such time and in such manner as Architect/consultant may consider necessary so as not to cause any damage or injury to the work already done or endanger the safety thereof for any of following reasons:

- a) On account any default on the part of the contractor, or
- b) For proper execution of the works or part thereof for reasons other than the default the contractor, or
- c) For safety of the works or part thereof.

The contractor shall, during such suspension, properly protect and secure the works the extent necessary and carry out the instructions given in that behalf by the Architect / consultant.

i)If the suspension is ordered for reasons (b) and (c) in sub-para (i) above:

The contractor shall be entitled to an extension of time equal to the period of every such suspension. No compensation whatsoever shall be paid on this account.

41.0 Action when the whole security deposit is forfeited:

In any case in which under any clause or clauses of this contract, the Contractor shall have rendered himself liable to pay compensation amounting to the whole of his security deposit the Architect / consultant shall have the power to adopt any of the following course as they may deem best suited to the interest of the SBIIMS:

To rescind the contract (of which rescission notice in writing to the contractor by - Architect / consultant shall be conclusive evidence) and in which case the security, deposit of the contractor shall be forfeited and be absolutely at the disposal of SBIIMS.

To employ labor paid by the SBIIMS and to supply materials to carry out the work, or part of the work, debiting the contractor with the cost of the labor and materials cost of such labor and materials as worked out by the Architect / consultant shall final and conclusive against the contractor) and crediting him with the value of the work done, in all respects in the same manner and at the same manner and at the same rates as if it had been carried out by the contractor under the terms of this contract certificate of architect /consultant as to the value of work done shall be final conclusive against the contractor.

To measure up the work of the contractor, and to take such part thereof as shall

Ar. Devdatt M Pandya

Studio919 Architects



unexecuted, out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor, if the whole work had been executed by him (The amount of which excess the certificates in writing of the Architects / consultant shall final and conclusive) shall be borne by original contractor and may be deducted any money due to him by SBIIMS under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or sufficient part thereof.

In the event of any of above courses being adopted by the SBIIMS the contractor shall have no claim to compensation for any loss sustained by him by reasons of his having purchased or procured any material or entered into any engagements or make any advances on account of, or with a view to the execution of the work or the performance of the contract and incase the contract shall be rescind under the provision aforesaid, the contractor shall not be entitled to recover or to be paid any sum or any work thereto for actually performed under this contract, unless, and until the Architect / consultant will have certified in writing the performance of such work and the value payable in respect thereof, and he shall only been titled to be paid the value so certified.

42.0 Owner's right to terminate the contract:

If the contractor being an individual or a firm commit any 'Act of insolvency' or shall be adjusted an insolvent or being an incorporated company shall have an order for compulsory winding up voluntarily or subject to the supervision of Govt. and of the Official Assignee of the liquidator in such acts of insolvency or winding up shall be unable within seven days after notice to him to do so, to show to the reasonable satisfaction of the Architect / Consultant that he is able to carry out and fulfill the contract, and to dye security therefore if so required by the Architect / Consultant.

Or if the contractor (whether an individual firm or incorporated Company) shall suffer execution to be issued or shall suffer any payment under this contract to be attached by or on behalf of any of the creditors of the contractor.

Or shall assign or sublet this contract without the consent in writing of the SBIIMS through the Architect/Consultant or shall charge or encumber this contract or any payment due to which may become due to the contractor there under:

has abandoned the contract; or

has failed to commence the works, or has without any lawful excuse under these conditions suspended the progress of the works for 14 days after receiving from the SBIIMS through the Architect / consultant written notice to proceed, or

has failed to proceed with the works with such diligence and failed to make such due progress as would enable the works to be completed within the time agreed upon, or

Ar. Devdatt M Pandya

Studio919 Architects



has failed to remove the materials from the site or to pull down and replace work within seven days after written notice from the SBIIMS through the Architect / Consultant that the said materials were condemned and rejected by the Architect/consultant these conditions; or has neglected or failed persistently to observe and perform all or any of the acts matters or things by this contract to be observed and performed by the contactor for seven days after written notice shall have been given to the contractor to observe or perform the same or has to the detriment of good workmanship or in defiance of the SBIIMS or Architect's / consultant's instructions to the contrary subject any part of the contract. Then and in any of said cases the SBIIMS and or the Architect / consultant, may not withstanding any previous waiver, after giving seven days' notice in writing to the contractor, determine the contract, but without thereby affecting the powers of the SBIIMS or the Architect/consultant or the obligation and liabilities of the contractor the whole of which shall continue in force as fully as if the contract had not been determined and as if the works subsequently had been executed by or on behalf of the contractor. And, further the SBIIMS through the Architect / consultant their agents or employees may enter upon and take possession of the work and all plants, took scaffoldings, materials, sheds, machineries lying upon the premises or on the adjoining lands or roads use the same by means of their own employees or workmen in carrying on and completing the work or by engaging any other contractors or persons to the work and the contractor shall not in any was interrupt or do any act, matter or thing to prevent or hinder such other contractor or other persons employed for complement and finishing or using the materials and plant for the works.

When the works shall be completed or as soon thereafter as convenient the SBIIMS Or architect/consultant shall give a notice in writing to the contractor to remove his surplus materials and plants and should the contractor fail to do so within 14 days after receive thereof by him the SBIIMS sell the same by publication, and after due publication, and shall, adjust the amount realized by such auction. The contractor shall have no right to question any of the act of the SBIIMS incidental to the sale of the materials etc.

43.0 Certificate of payment:

The contractor shall be entitled under the certificates to be issued by the Architect / consultant to the contractor within 10 working days from the date of certificate to payment from SBIIMS From time to time SBIIMS shall recover the statutory recovering other dues including the retention amount from the certificate of payment. Provided always that the issue of any certificate by the Architect / consultant during progress of works or completion shall not have effect as certificate of satisfaction relieve the contractor from his liability under clause.

The Architect / consultant shall have power to withhold the certificate if the work or in part thereof is not carried out to their satisfaction. The Architect/consultant may by any certificate make any corrections required previous certificate.

The SBIIMS shall modify the certificate of payment as issued by the architect/

Ar. Devdatt M Pandya

Studio919 Architects



consultant from time to time while making the payment

The contractor shall submit interim bills only after taking actual measurements and properly recorded in the Measurement books.

The final bill may be submitted by contractor within a period of one month from the date of virtual completion and Architect / consultant shall issue the certificate of payment within a period of two months. The SBIIMS Shall pay the amount within a period of three months from the date of issue of certificate provided there is no dispute in respect of rates and quantities.

The contractor shall submit the interim bills in the prescribed format with all details.

<u>44.0</u>

A. Settlement of Disputes and Arbitration:

Except where otherwise provided in the contract all questions and disputes to the meaning of the specifications, design, drawings and instructions herein before mentioned and as to the quality of workmanship or materials used on the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings specifications, estimates, instructions orders or these conditions or otherwise concerning the work or the execution or failure to execute the same whether arising during the progress of the work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned hereinafter:

If the contractor considers that he is entitled to any extra payment or compensation in respect of the works over and above the amounts admitted as payable by the Architect or in case the contractor wants to dispute the validity of any deductions or recoveries made or proposed to be made from the contractor raise any dispute, the contractor shall forthwith give notice in writing of his claim, or dispute to The Senior Vice President. SBIIMS, Head Office, Mumbai and endorse a copy of the same to the Architect, within 30 days from the date of disallowance thereof or the date of deduction or recovery. The said notice shall give full particulars of the claim, grounds on which it is based and detailed calculations of the amount claimed and the contractor shall not be entitled to raise any claim nor shall the SBIIMS be in any way liable in respect of any claim by the contractor unless notice of such claim shall have been given by the contractor to the Senior Vice President, SBIIMS, Head Office, Mumbai in the manner and within the time as aforesaid. The Contractor shall be deemed to have waived and extinguished all his rights in respect of any claim not notified to the Senior Vice President, Head Office, Mumbai in writing in the manner and within the time aforesaid.

B. Settlement of Disputes and Arbitration:

The Senior Vice President, Head Office, Mumbai shall give his decision in writing on the claims notified by the receipt of the contractor may within 30 days of the receipt of the

Ar. Devdatt M Pandya

Studio919 Architects



decision of the Sr. V.P., Head Office / Submit his claims to the conciliating authority namely the M.D. & C.E.O., SBIIMSPL, Head Office, Mumbai for conciliation along with all details and copies of correspondence exchanged between him and the SBIIMS

If the conciliation proceedings are terminated without settlement of the disputes, the contractor shall, within a period of 30 days of termination thereof shall give a notice to the concerned M.D. & C.E.O. of the SBIIMS for appointment of an arbitrator to adjudicate the notified claims falling which the claims of the contractor shall be deemed to have been considered absolutely barred and waived.

Except where the decision has become final, binding and conclusive in terms of the contract, all disputes or differences arising out of the notified claims of the contractor as aforesaid and all claims of the SBIIMS shall be referred for adjudication through arbitration by the Sole Arbitrator appointed by the M.D. & C.E.O. and who will be of Deputy General Manager rank. It will also be no objection to any such appointment that the Arbitrator so appointed is a SBIIMS, Officer and that he had to deal with the matters to which the Contract relates in the course of his duties as SBIIMS, Officer. If the arbitrator so appointed is unable or unwilling to act or resigns his appointment or vacates his office due to any reason whatsoever another sole arbitrator shall be appointed in the manner aforesaid by the said M.D. & C.E.O. of the SBIIMS Such person shall be entitled to proceed with the reference from the stage at which it was let by his predecessor.

It is a term of this contract that the party invoking arbitration shall give a list of disputes with amounts claimed in respect of each dispute along with the notice for appointment of arbitrator.

It is also a term of this contract that no person other than a person appointed by such Chief General Manager as aforesaid should act as arbitrator. The conciliation and arbitration shall be conducted in accordance with the provisions of the Arbitration & Conciliation Act 1996 or any or any accordance modification or reenactment thereof and the rules made there under.

It is also a term of the contract that if any fees are payable to the Arbitrator these shall be paid equally by both the parties. However, no fees will be payable to the arbitrator if he is a SBIIMS Officer.

It is also a term of the contract that the Arbitrator shall be deemed to have entered on the reference on the date he issues notice to both the parties calling them to submit their statement of claims and counter statement of claims. The venue of the arbitration shall be such place as may be fixed by the arbitrator in his sole discretion. The fees, if any of the arbitrators shall, if required to be paid before the award is made and published, be paid half and half by each of the parties. The Cost of the reference and of the award (including the fees, if any of the arbitrator) shall be in the discretion of the

Ar. Devdatt M Pandya

Studio919 Architects



arbitrator who may direct to any by whom and din what manner, such costs or any part thereof, shall be paid and fix or settle the amount of costs to be so paid.

45.0 Water supply:

The contractor shall make his own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following condition.

- i) That the water used by the contractor shall be fit for construction purposes to the satisfaction of the Architect /consultant's.
- ii) The contractor shall make alternative arrangements for the supply of water if the arrangement made by the contractor for procurement of water in the opinion of the Architect / consultant is unsatisfactory.
- iii) In case contractor is permitted to use SBIIMS's source of water i.e. Municipal connection, Bore well (existing or new) etc., the SBIIMS will recover @ 0.25% of contract amount form the final bill of contractor.

The contractor shall construct temporary well / tube well in SBIIMS land for taking water for construction purposes only after obtaining permission in writing from the SBIIMS The contractor has to make his own arrangements for drawing and distributing the water at his own cost. He has to make necessary arrangements. To avoid any accidents or damages caused due to construction and subsequent maintenance of the wells. He has to obtain necessary approvals from local authorities, if required, at his own cost. He shall restore the ground to its original condition after wells are dismantled on completion of work or hand over the well to the SBIIMS without any compensation as directed by the architect /consultant.

46.0 Power supply:

The contractor shall make his own arrangements for power and supply / distribution system for driving plant or machinery for the work and for lighting purpose at his own cost, the cost of running and maintenance of the plants are to be included in his tender prices, He shall pay all fees and charges required, by the power supply and include the same in his tendered rates and hold the owner free from all such costs. He has to obtain necessary approval from the appropriate authorities, if required.

In case contractor is permitted to use Bank's source of power supply provided at one point, the SBIIMS will recover @ 0.25% of contract amount from the bill of contractor.

47.0 Treasure trove etc.

Any treasure trove, coin or object antique which may be found on the site shall be the property of SBIIMS and shall be handed over to the bank immediately.

Ar. Devdatt M Pandya
Studio919 Architects



48.0 Method of measurement:

Unless otherwise mentioned in the schedule of quantities or in mode of measurement, the measurement will be on the net quantities or work produced in accordance with up to date rules laid down by the Bureau of Indian Standards. In the event any dispute/disagreement the decision of the Architect / consultant shall be final and binding on the corrector.

49.0 Maintenance of registers:

The contractor shall maintain the following registers as per the enclosed perform at site of work and should produce the same for inspection of SBIIMS /Architect / consultant whenever desired by them. The contractor shall also maintain the records / registers as required by the local authorities / Govt. from time to time.

- i) Register for secured advance
- ii) Register for hindrance to work
- iii) Register for running account bill
- iv) Register for labor

50.0 Force Majeure:

Neither contractor nor SBIIMS shall be considered in default in performance of the obligations if such performance is prevented or delayed by events such as but not war, hostilities revolution, riots, civil commotion, strikes, lockout, conflagrations, epidemics, accidents, fire, storms, floods, droughts, earthquakes or ordinances or any act of or for any other cause beyond the reasonable control of the party affected or prevents or delayed. However, a notice is required to be given within 30 days from the happening of the event with complete details, to the other party to the contract, if it is not possible to serve a notice, within the shortest possible period without delay.

As soon as the cause of force majeure has been removed the party whose ability perform its obligations has been affected, shall notify the other of such cessation and the actual delay incurred in such affected activity adducing necessary evidence in support thereof.

From the date of occurrence of a case off or force majeure obligations of the party affected.

51.0 Water power and other facilities:

The rate quoted by the contractor shall include all expenses that are required for providing all the water required for the work and the contractor shall make his own arrangements for the supply of good quality water suitable for the construction and good quality drinking water for their workers If necessary the contractor has to sink a tube well

/ open well and bring water by means of tankers at his own cost for the purpose The SBIIMS will not be liable to pay any charges in connection with the above

Ar. Devdatt M Pandya
Studio919 Architects



The rate quoted in the tender shall include the expenses for obtaining and maintaining power connections and shall pay for the consumption charges

The contractors for other trades directly appointed by the SBIIMS shall be entitled to take power and water connections from the temporary water and power supply obtained by the contractor However, the concerned contractor shall make their own arrangements to draw the supply and pay directly the actual consumption charges at mutually agreed rates between them. All municipal charges for drainage and water connection for Construction purposes shall be borne by the contactor and charges payable for permanent connections, if any, shall be initially paid by the contactor and the SBIIMS will reimburse the amount on production of receipts.

The SBIIMS as well as the Architect / consultant shall give all possible assistance to the Contractor's to obtain the requisite Permission from the various authorities, but the responsibility for obtaining the same in time shall be of the contractor.

In case contractor is permitted to use Bank's source of water and power supply provided at one point, the SBIIMS will recover @ 0.5% of contract amount for water and electricity separately from the bill of contractor.

51.0 Facilities for contractor's employees:

The contractor shall make his own arrangement for the housing and welfare of his staff and workmen including adequate drinking water facilities. The contractor shall also make the arrangements at his own cost for transport where necessary for his staff and workmen to and from site of work at his own cost.

52.0 Lighting of works:

The contractor shall at all times provide adequate and approved lighting as required for the proper execution and supervision and inspection of work.

53.0 Firefighting arrangements:

The contractor shall provide suitable arrangement for firefighting at his own cost. This purpose he shall provide requisite number of fire extinguishers and adequate number of buckets, some of which are to be always kept filled with sand and some with water these equipment shall be provided at suitable prominent and easily accessible place and shall be properly maintained.

Any deficiency in the fire safety or unsafe conditions shall be corrected by the contractor at his own cost and, to the approval of the relevant authorities. The contractor makes the following arrangements at his own cost but not limited the following:

- a) Proper handling, storage and disposal of combustible materials and waste.
- b) Work operations which can create fire hazards.

Ar. Devdatt M Pandya

Studio919 Architects



- c) Access for fire-fighting equipment.
- d) Type, number and location of containers for the removal of surplus materials and rubbish.
- e) Type, size, number and location of fire extinguishers or other tire fighting equipment.
- f) General housekeeping.

54.0 Site order book:

A site order book shall be maintained at site for the purpose of quick communication between the Architect / Consultant. Any communication relating to the work may be conveyed through records in the site order book. Such a communication from one party to the other shall be deemed to have been adequately served in terms of contract Each site order book shall have machine numbered pages in triplicate and shall carefully maintained and preserved by the contractor and shall be made available to the architect /consultant as and when demanded- Any instruction which the architect/consultant may like to issue to the contractor or the contractor may like to bring to the architect / consultant two copies of such instructions shall be taken from the site order book and one copy will be handed over to the party against proper acknowledgment and the second copy will be retained for their record.

55.0 Temporary fencing/barricading:

The contractor shall provide and maintain a suitable temporary fencing/barricading and gates at his cost to adequately enclose all boundaries of the site for the protection of the public and for the proper execution and security of the work and in accordance with the requirement of the architect/consultant and regulations of local authorities. These shall be altered, relocated and adopted from time to time as necessary and removed on completion of the work.

56.0 Site meetings:

Site meetings will be held to review the progress and quality evaluation. The contractor shall depute a senior representative along with the site representative and other staff of approved sub-contractors and suppliers as required to the site meetings and ensure all follow up actions. Any additional review meetings shall he held if required by the architect/ consultant.-

57.0 Disposal of refuse:

The contractor shall cart away all debris, refuse etc. arising from the work from the site and deposit the same as directed by the architect / consultant at his own cost. It is the responsibility of the contractor to obtain from the local authorities concerned to the effect that all rubbish arising out of contractor's activities at the construction site or any other off-site activities borrow pits has been properly disposed off.

58.0 Contractor to verify site measurement:

The contractor shall check and verify all site measurements whenever requested other

Ar. Devdatt M Pandya

Studio919 Architects



specialists contractors or other sub-contractors to enable them to prepare the own shop drawing and pass on the information with sufficient promptness as will in any way delay the works.

59.0 Displaying the name of the work:

The contractor shall put up a name board of suitable size as directed by the architect/consultant indicating there in the name of the project and other details as given by the architect/consultant at his own cost and remove the same on completion of work.

60.0 As built drawings:

For the drawings issued to the contractor by the Architect / Consultant. The architect Consultant will issue two sets of drawings to the Contractor for the items for some changes have been made. From the approved drawings as instructed by the SBIIMS / Architect / Consultant. The contractor will make the changes made on these copies and return these copies to the architect / Consultant for their approval. In cases revision is required or the corrections are not properly marked the architect/Consultant will point out the discrepancies to the contractor. The contractor will have to incorporated these corrections and / or attend to discrepancies either on copies as directed by the architect / consultant and resubmit to him for approval. The architect / consultant will return one copy duly approved by him.

For the drawings prepared by the contractor:

The contractor will modify the drawing prepared by him wherever the changes made by the SBIIMS / architect / consultant. And submit two copies of such modified drawings to the architect/ consultant for approval. The architect / consultant will return one copy of the approved drawing to the contractor.

61.0 Approved make:

The contractor shall provide all materials from the list of approved makes at his own cost and also appoint the specialized agency for the waterproofing, anti-termite treatment, aluminum doors and windows and any other item as specified in the tender. The architect/consultant may approve any make / agency within the approved list as given in the tender after inspection of the sample/mockup.

62.0 Procurement of materials:

The contractor shall make his own arrangements to procure all the required materials for the work. All wastages and losses in weight shall be to the contractors account

63.0 Excise duty, taxes, levies etc.;

The contractor shall pay and be responsible for payment of all taxes, duties, levies, royalties, fees, cess or charges in respect of the works including but not limited to sales tax, tax on works contract excise duty, and Octroi, payable in respect of materials,

Ar. Devdatt M Pandya

Studio919 Architects



equipment plant and other things required for the contact. All of the aforesaid taxes, duties, levies, fees and charges shall be to the contractor's account and the SBIIMS Shall not be required to pay any additional or extra amount on this account. Variation of taxes, duties, fees, levies etc. if any, till completion of work shall be deemed to be included in the quoted rates and no extra amount on this account. Variation of taxes, duties, fees, levies etc. if any, till completion of work shall be deemed to be included in the quoted rates and no extra claim on this account will in any case be entertained. If a new tax or duty or levy or cess or royalty or Octroi is imposed under as statutory law during the currency of contract the same shall be borne by the contractor. However, GST will be paid extra.

64.0 Acceptance of tender:

The SBIIMS shall have the right to reject any or all tenders without assigning any reason. They are not to bind to accept the lowest or any tender and the tenderer or tenderers shall have no right to question the acts of the SBIIMS However adequate transparency would be maintained by the SBIIMS

65.0 Photographs:

The Contractor shall at his own expense supply to the Architects with duplicate hard copies of large photographs not less than 25 cm. x 20 cm. (10" x 8") of the works, taken from two approved portions of each building, at intervals of not more than one months during the progress of the work or at every important stage of construction.

In addition to above, the contractor shall be bound to submit adequate no. of site photographs along with each Running Bill for the project clearing showing major progress of work measured and claimed therein failing which the Architect/ SBIIMS may consider returning the Bill to the contractor and no claim for delay on this account will be entertained.

66.0 Safety Codes:

- 1. First aid appliances including adequate supply of sterilized dressing and cotton wool shall be kept in a readily accessible place.
- 2. An injured person shall be taken to a public hospital without loss of time, in cases when the injury necessitates hospitalization.
- 3. Suitable and strong scaffolds should be provided for workmen for all works that cannot safely be done from the ground.
- 4. No portable single ladder shall be over 8 meters in length. The width between the side rails shall not be less than 30 cm. (clear) and the distance between two adjacent

Ar. Devdatt M Pandya Studio919 Architects



- running's shall not be more than 30 cm. When a ladder is used an extra labour shall be engaged for holding ladder.
- 5. The excavated material shall not be placed within 1.5 meters of the edge of the trench half of the depth of trench whichever is more. All trenches and excavations shall be provided with necessary fencing and lighting.
- 6. Every opening in the floor of a building or in a working platform be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be one meter.
- 7. No floor, roof or other part of the structure shall be so overloaded with debris or material as to render it unsafe.
- 8. Workers employed on mixing and handling material such as asphalt, cement, mortar, concrete and lime shall be provided with protective footwear and rubber hand gloves.
- 9 Those engaged in welding works shall be provided with welders' protective eye shield and gloves.
- 10. (i) No paint containing lead or lead products shall be used except in the form of paste readymade paint.
- (ii)Suitable face masks should be supplied for use by the workers when the paint applied in the form of spray or surface having lead paint dry rubbed and scrapped.
- 11. Overalls shall be supplied by the contractor to the painters and adequate facilities shall be provided to enable the working painters to wash during cessation of work.
- 12 Hoisting machines and tackle used in the works including their attachments anchor and supports shall be in perfect condition.
- 13. The ropes used in hoisting or lowering material or as a means of suspension shall be durable quality and adequate strength and free form defects.

Ar. Devdatt M Pandya
Studio919 Architects



APPENDIX HEREIN BEFORE REFERRED TO

SBIIMS, Circle Office, SBI, LHO, Bh	•
,	evdatt M Pandya
3) Site Address : SBI Rani Tower 4) Scope of Work : Proposed Furnit	idio919 Architects r branch, Dist: Rajkot. rure works for Rani Tower branch, Dist: Rajkot.
3)5) Name of the Contractor	:
6) Address of the Contractor	:
7) Period of Completion	45 days from the date ofIssue of work order.
period of 90 Days from the last date	: Rs. 11900.00 (Rupees Eleven means of Demand Draft / Pay Order (Valid for a e of submission of the tender) from any scheduled r of SBI Infra Management Solutions Pvt. Ltd.
9) Retention Money	: As per clause no. 1 e of general Conditions
10) Defects Liability Period	 Twelve Months from the date of Virtual Completion.
11) Insurance to be undertaken by the Contractor at his cost (Contractor's all risk policy)	ne : 125% of Contract Value
12) Liquidated damages	: 0.5% of the Contract amount shown in the tender per week subject to max. 5% of the contract value or actual final bill value.
13) Value of Interim Bill (Min.)	: No interim will be paid. No
Ar. Devdatt M Pandya	
Studio919 Architects	Signature & Seal of Tenderer



advance on materials / plant / machinery or mobilization advance shall be paid	Ł
under any circumstances	

14) Date of Commencement : From the date of work order issued to the Contractor/ or the day on which the Contractor is instructed to take possession of the site whichever is earlier.

15) Period of Final Measurement : 2 Months from the date of Virtual

Completion.

16) Initial Security Deposit : 2% of the Accepted Value of the

Tender.

17) Total Security Deposit : 5% of the final bill amount including

ISD.

18) Refund of initial Security Deposit

Comprising of EMD and ISD. : 50% of the Security Deposit

Shall be refunded to the Contractor on completion of the work and balance refunded only after the Defect Liability Period is over.

19) Period for Honoring Certificate : One Month for R.A. Bills

20) The final bill will be submitted by the Contractor within one month of the date fixed for completion work and the Bill shall be certified within 3 months from the date of receipt of final bill provided the bills are submitted with all pre-requisite documents/test reports etc. prescribed in the tender.

Signature of Tenderer.

Date:

Ar. Devdatt M Pandya
Studio919 Architects



LETTER OF DECLARATION

To, The C.H. &V.P., Circle Office, SBI Infra Management Solutions Pvt. Ltd., Third Floor, SBI, LHO, Bhadra, Laldarwaja, Ahmedabad-1

Dear Sir,

PROPOSED FURNITURE WORKS FOR RANI TOWER BRANCH, DIST: RAJKOT.

Having examined the terms & conditions, drawings, specifications, design relating to the works specified in the memorandum hereinafter set out and having visited and examined the site of the works specified in the said memorandum and having acquired the requisite information relating thereto and affecting the quotation, I/We hereby offer to execute the works specified in the said memorandum within the time specified in the said memorandum on the item rate basis mentioned in the attached schedule and in accordance in all respect with the specifications, design, drawings and instructions in writing referred to in conditions of Tender, the articles of agreement, conditions of contract and with such conditions so far as they may be applicable.

MEMORANDUM

(a)	Description of work	Proposed Furniture works for Rani Tower branch, Dist: Rajkot
(b)	Earnest Money	Rs. 11900.00 (Rupees Eleven Thousand Nine hundred only) by means of Demand Draft / Pay Order (Valid for a period of 90 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of SBI Infra Management Solutions Pvt. Ltd. at Ahmedabad.
(c)	Time allowed for completion work from the date of issue work order.	of 45 days from the date of commencement as of per tender.

Ar. Devdatt M Pandya
Studio919 Architects



Should this tender be accepted, I/we hereby agree to abide by and fulfill the terms and provisions of the said conditions of Contract annexed hereto so far as they may be applicable or in default thereof to forfeit and pay to SBIIMS, the amount mentioned in the said conditions.

I/we have deposited Demand Draft / Banker's Cheque / FDR for a sum of Rs. 11900.00 (Rupees Eleven Thousand Nine hundred only) as Earnest money deposit with the SBI Infra Management Solutions Pvt. Ltd. Should I/we do fail to execute the contract when called upon to do so, I/we hereby agree that this sum shall be forfeited by me/us to SBI Infra Management Solutions Pvt. Ltd.

We understand that as per terms of this tender, the SBIIMS may consider accepting our tender in part or whole or may entrust the work of various buildings proposed (i.e. Institute Building, Staff Qtrs. And Director's Bungalow/Interior work) in phases. We, therefore, undertake that we shall not raise any claim/compensation in the eventuality of Bank deciding to drop any of the building/buildings from the scope of work of this tender at any stage during the contract period. Further, we also undertake to execute the work entrusted to us in phases on our approved rates and within the stipulated time limit without any extra claim for price escalation as provided for in Clause 9.0.1 "Instructions to Tenderers" of this tender.

We, hereby, also undertake that, we will not raise any claim for any escalation in the prices of any of the material during the currency of contract/execution/completion period.

Yours faithfully,

Signature of contractor With Seal



PROFORMA FOR RUNNING A/C BILL TABLE - XIII

:	Name of Contractor/ Agency	
l.	Name of Contractor Agency	

ii. Name of Work :

iii. Sr. No. of this Bill:

iv. No. & Date of previous Bill:

v. Reference to Agreement No. :

vi. Date of Written order to commence:

vii. Date of Completion as per Agreement :

S R. N o	Item Descripti on	Un it	Rat e (Rs.)		Amou nt (Rs.)	Pro	Jp to evious A. Bill Amou nt (Rs.)	Up Dat (Gr Qt y	oss)	Pres Bill Qty	Amou nt (Rs.)	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13

Note:

1.	If part rate is allowed for any items, it should be indicated with reasons for allowing such a rate.	
		Net Value since previous bill
2.	If ad-hoc payment is made, it should be mentioned specifically.	

CERTIFICATE

The measuremen	nts on t	the bas	is of w	hich th	e abov	e entrie	s fo	the Running Bill No.		
	were	made	have	been	taken	jointly	on		and	are

recorded at pages	Building SBI	 to	 of
measurement book No			

Signature and date of Contractor	Signature and date of Architects Representative (Seal)	Signature and date of Site Engineer

The work recorded in the above-mentioned measurements has been done at the site satisfactorily as per tender drawings, conditions and specifications.

Architect	Signature and date of Site Engineer

TABLE - XV

MEMORANDUM FOR PAYMENT

R/A BILL NO.

1.	Total value of work done since previous bill (A)	Rs
2.	Total amount of secured advance due since Previous Bill (B)	Rs
3.	Total amount due since Previous Bill (C) (A+B)	Rs



4.	PVA on account of declaration in price of Steel, Cement and other materials and labour as detailed in separate statements enclosed.	Rs
5.	Total amount due to the Contractor	Rs
	OBJECTIONS:	
i)	Secured Advance paid in the previous R/A	Rs
ii)	Retention money on value of works as per accepted tenders up to date amount Rs.	Rs
	Less already recovered	Rs
	Balance to be recovered	Rs
iii)	Mobilization Advance, if any	Rs
(a)	Outstanding amount (principal + interest) as on date	Rs
(b)	To be recovered in this bill	Rs
iii.	Any other Departmental materials cost to be recovered as per contract, if any	Rs
iv.	Any other Departmental service charges to be recovered if any, as per contract (water, power etc.) enclose Statement.	Rs
	mount to Rs (both figures checking of the measurements of work	

The bill amount to Rs (both figures a after due checking of the measurements of work payment.	
Date:	Signature of Architect with Seal
The bill amount to Rscertified by Consudue test checking of measurements of works as requfor an amount of Rs	ıltants has been scrutinized by me after
Date :	

Ar. Devdatt M.Pandya	STATUTORY DEDUCTION:	
M/s Studio919 Architects	OTATOTON I DEDUCTION.	Signature & Seal of Tenderer
W/S Oldalos 15 7 Horntoolo		orginataro a ocar or romación

i)	Total Amount due (E)	Rs
ii)	Less I.T. Payable	Rs
iii)	Less S.T. Payable	Rs
	Net Payable	Rs

Signature of Banks/ SBIIMS Engineer

This figures given in the Memorandum for payable has	•
Date:	
Signature of the Circle Head & VP	

SPECIFICATIONS FOR MATERIALS

MATERIAL-1: TEAK WOOD

The teakwood shall be of good quality as required for the item to be executed. When the kind of

Wood is not specifically specified, Indian teakwood as approved by the Architect/Engineer-In-charge shall be used.

Teak wood shall be generally be free from large, loose, dead or clustered knots, flows. Shakes, Warps, twists, bends or any other defects. The teakwood shall generally be uniform in substance and having straight fiber as far as possible. It shall be free from rot, decay, harmful fungi and other damage of harmful nature which will affect the strength, durability or its usefulness for the purpose for which it is required. The color of the teakwood shall be uniform. Any effort like pointing, using any adhesive or reasons

materials made to hide the be rejected by the Architect. The teaseasoned. Green and wet timber shall be rejected.

defects shall render the pieces liable to teak wood shall be dry and kiln

All scaffoldings, planks, etc. shall be sown in straight lines and planed in the direction of the grains in uniform thickness to the size specified. Under no circumstances roughly worked or pieces damaged while being sawed or planed shall be accepted. The tolerance for the dimensions shall be allowed at the ratio 1.50 mm. per face to be planed.

Teak wood brought from the timber mart/ prepared at site shall be stored as per category size on Successive cross layers as directed by the Engineer-in-charge. In no case the stacking shall be done so as to result in bending of teak wood members. The bottom most members shall not be directly be rested on ground but kept raised from floor in leveled manner so as not to be affected by moisture and insects. In case if the prepared teak wood members are to be stored for a period of more than 10 days the same shall be applied with approved quality anti termite liquid. The prepared timber shall be stored in shade in dry condition. Under no circumstance the prepared timber shall be tied with rope or hemp string to avoid rope burns. The area where such prepared fiber is stored shall be adequately being protected against fire hazards.

MATERIAL-2: PLYWOOD

The plywood to be used shall be of approved make as shown in the appendix. All plywood should confirm with respective I.S. standard code. Plywood shall be used in one piece only joining of pieces to form one single piece shall not be permitted except in exceptional case where architect's written permission shall be necessary. All exposed edges of plywood shall be finished with T.W. lapping of appropriate size as shown in the drawings and as instructed by the Architect.

MATERIAL-3: LAMINATES

Laminates shall be of approved make in order of preference shown in the list of approved makes. The laminates used shall be of approved type, finish etc. and shall not be less than 1.00 mm in thickness. The colour, shade & luster finish of laminates shall have to be approved by the Bank as well the Architect, The contractor shall deposit samples of approved laminates with the Bank & the Architect and shall keep a set on display at site of work till completion of work.

Laminates shall be stored flat and so covered as not to damage their surface. Damaged, dented, cracked & warped laminates shall to be used. Whenever patterned or wood grained laminates to be used care shall be taken to match the pattern & grains in all directions. Laminates shall be used in single pieces only. In case of surface larger/longer than standard size of 1220 x 2400 mm where joint is unavoidable the same must be worked fine and finished such that if is not noticeable to casual vision.

Laminate shall be pressed to fit using glue of approved make. Extreme care shall be used to eliminate bubble formation. Laminate must be securely, evenly and properly be press fitted so as not to leave any portion loose, bubbled, curled, cracked, or with broken edges. Such defective laminated article shall be summarily rejected and shall have to be made anew.

Surface of the laminate shall not be damaged in process of press fitting otherwise the same shall be summarily rejected. Wherever so directed by the Architect the contractor shall chamfer the edges of laminates to create apparently sharp seamless joint without any extra cost. Extra care shall be taken to fix laminates on curved surface and it must be ensured that the such press fitting. If required the such press fitting. If required the such press fitting. If required the such produced by approved make which permits such flexible press fitting without charging any extra cost. After the laminate is press fitted its edges shall be finished smooth, complete surface of the laminate shall be first cleaned completely to remove all temporary marks, adhesive stains etc. and shall be suitably covered to protect the surface from any accidental damage. If any accidental damage is caused prior to handling over of the finished article to the owner the same shall to be replaced completely without any extra cost.

M-4: LIPPING A MOULDINGS

All exposed edged of plywood shall be finished with lapping by means of fitting seasoned superior quality teakwood [Ghana Teak] batten made from seasoned superior quality teakwood free from bends, twists, cracks, splits, knots, and decay of any kind and shall be of width matching to that of plywood and thickness as specified in the Architects drawing but not less than 6 mm thickness in any case. The T. W. batten to be used for lapping shall not have any knots in its lengthy as far as possible the T.W. batten shall be used in single piece for given length, however for length beyond 2400 mm a joint may be permitted which must be in form of a mitered butt joint. Battens with bend, cracks, twists, splintered ends & Knots shall not be permitted to be used for lapping. The lapping shall be carried out by applying glue of approved quality on surface of the ply wood as well the T.W. batten being used for lapping and fixed tight by using headless nails driven deep so as to permit minimal planning it required. Where indicated the batten for tipping shall project beyond the surface to be lipped as shown in the Architects drawing; no extra charge of any kind shall be admissible for lapping of any kind.

Teakwood moldings shall be made from seasoned superior quality teakwood [Ghana Teak) free from bends, twists, cracks, splits, knots, and decay of any kind. The width and thickness of the teakwood moldings shall be as specified in the Architects drawing and suitably over sized T.W. shall be used so as to finally confirm to the finished dimensions shown in the Architects drawing. Special care shall be taken in making of curved moldings, which shall be carried out in such a manner so as not to have more than 3 segments per one half round; joints occurring due to use of such segments shall not be visible to casual observer. When molding is to be used injux1apose with wood grained veneer or laminate the teakwood selected for moldings must be of even color matching to that at veneer/laminate. Teakwood molding shall be fixed tight to the given edge by applying approved quality glue to both the contact edges and then fixing with headless nails driven deep enough to permit smooth finishing at the surface. The molding shall be held tight for not less than 6 hours before any finishing process is carried out on it.

IMPORTANT NOTE: all furniture items shall be treated with approved quality anti-termite treatment which shall be applied to all sides of finished timber including inside of joints, exteriors etc. which must have effect for not less than five years and shall be suitable for their final finishes.

M-5: GLASS

All glass stroll be of the smokes, veins, air holes, blisters best quality, free from specks, bubbles, and other defects. The kind of glass to be used shall be as mentioned in the item or specification or in the special provision or as shown in detailed drawings. Thickness of glass panels shall be uniform. The specification of different kind of glasses shall be as under.

FLOAT GLASS:

In absence of any specified thickness of float glass in term of weight in item or detailed specification of the item of work the same shall be assumed to be 5mm.

Float glass if not specified otherwise shall mean plain, transparent float glass without dry tint or shade.

TOUGHENED GLASS

Glass to be toughened shall be 1st quality float glass free from any defect like waves, bubbles, crack, flacks & shall be of true surface. The glass to be toughened shall be of specified thickness. All the required cuts, holes, beveling, chamfering creation of slots, polishing of edges etc. shall be carried out prior to commencement of toughening process. Toughening process shall be carried out by experienced company and the glass shall be "oven baked" to required temperature which is sustained for specified period. Cooling of glass shall be carried out in proper medium in gradual manner only. Weight of 12mm thick toughened glass shall be @30 Kg/m2. All toughened glass shall carry toughening process applicator's logo label of permanent nature on one of the corner edge.

PAINTED GLASS:

When painted glass is specified, it is shall be "painted glass" of best quality. It shall have one surfaces painted & other surface clear. The painted glass shall be of the approved shade mentioned in the item or as shown in the detailed drawing or as specified. In absence of any specified shade, the shade of painted glass to be supplied "White paint" shall be used.

BEND GLASS:

This type of glass shall be treated in machine. The glass shall be bending as may be specified or required. This type of glass shall be supplied as detailed on drawings or as specified or as directed by the Architect.

MATERIAL-6: FIXTURE AND FASTENINGS

GENERAL: The fixtures and fastenings that is but hinges, tees and strap hinges, sliding door bolts, tower bolts, door latch, bath-room latch, handles, door stoppers, casement window fasteners, casement stays, and ventilators catch shall be made of the metal as specified in the item or its specification.

They shall be of Stainless Steel as specified. The fixtures shall be heavy, medium or light type as specified. The fixtures and fastenings shall be smooth satin finished and shall be such as will ensure ease of operations

The samples at fixtures and fastenings shall be got approved as regards quality and shape before providing then in position.

Their sizes shall conform to those prescribed in C-13(B) in respect of other dimensions not specified they shall conform in relevant I.S.

Brass and stainless Steel fixtures and fastenings shall be bright finished / malt finished as specified.

Ar. Devdatt M.Pandya M/s Studio919 Architects



HOLDFASTS:

Holdfast shall be made from mild steel flat 50mm. thick at one end the holdfast shall be bent at right angle and two no. of 6mm. diameter holes shall be made in it for fixing it to the frame with screws. At the other end the holdfast, shall be forked and bent at right angles in opposite directions.

HINGES:

All butt hinges shall be of stainless steel material with its pin also of stainless steel. Standard heavy type hinges shall be used when so specified.

TOWER BOLTS (BARREL TYPE):

Mild steel door bolts shall be made in one piece. Knobs of the tower bolts shall be cast and knob fixed in the bolt. In case of brass and aluminum tower bolts, steel spring and ball shall be provided between bolt and the barrel.

DOOR LATCH:

The size of door latch shall be taken as the length at latch.

BATHROOM LATCH:

Bathroom latch shall be similar to tower bolt. The inside grip length of the handles shall determine the size of the handles. Handles shall have a base plate of length 50mm.

DOOR STOPPERS:

Doorstopper shall be either floor doorstopper type or door catch type. Floor doorstopper shall be of overall size as specified shall have rubber cushion.

DOOR CATCH:

Door catch shall be fixed at a height of about 900mm. from the floor level such that one part of the catch is fitted on the inside of the shutter and the other part is fixed in the wall with necessary wooden plug arrangements for approximate fixity. The catch shall be fixed 20mm. inside the face of the door for easy operation of catch.

WOODEN DOOR STOP WITH HINGES:

Wooden doorstop of size 100mm x 60mm x 40mm. shall be fixed on the door frame with a hinge of 75mm. size and at a height of 900mm. from the floor level. The wooden doorstop shall be provided with 3 coats of approved all point.

CASEMENT WINDOW FASTNER:

Casement window fastener for single leaf window shutter shall be left or right handed as directed.

CASEMENT STAYS (STRAIGHT PEG STAY):

The stays shall be made from a channel section having three holes at appropriate position so that the window can be opened either fully or partially as directed. Size of the stays shall be 250mm. to 300mm as directed.

VANTILATOR CATCH:



catch shall be as approved.

DRAWER SLIDES:

The drawer slides shall be of specified make and of slide type. The Drawer slide shall be such as to permit full drawer pull open. The drawer slide shall be fixed in proper line and level and shall operate smoothly.

CABLE MANAGER:

The cable manager shall be of specified make and size. The cable manager shall be having powder coated finish. The cable manager shall be fixed at designated place.

MATERIAL-7: PAINTS:

(A) OIL PAINTS:

Oil paint shall be of the specified colour and shade, and approved by the Architect/Engineer-in-charge. The ready mixed paints shall only be used. However, if ready mixed paint of specified shade or tint is not available, while ready mixed paint with approved strainer will be allowed. In such a case the contractor shall ensure that the shade of the paint so allowed shall be uniform.

All the paints shall meet with the following general requirements:

- Paint shall not show excessive setting in a freshly opened full tin and shall easily be mixed with a paddle to a smooth homogeneous state. The paint shall show not cording; livening, caking or colour separation and the same shall be free from lumps and skins.
- II. The paint as received shall brush easily, possess good leveling properties and show no running or sagging tendencies.
- III. The paint shall not skin wittin.48hours in a three-quartered filled closed container.
- IV. The paint shall dry to a smooth uniform finish free from roughness, grit, unevenness and other imperfections.

Ready mixed paint shall be used exactly as received from the manufactures and generally according to their instruction and without any admixtures, whatsoever.

(B) SYNTHETIC ENAMEL PAINTS:

The enamel paint shall satisfy in general requirements as mentioned in specification of oil points. Enamel paint stroll conform to I.S.520/1954 or as revised from time to time.

MATRIAL-8: LAQURE POLISH

The Laqure polish of required tint and shade shall be prepared with the below mentioned ingredients and other necessary materials.

- I. Denatured spirit or approved quality.
- II. Chandras
- III. Shellac
- IV. pigment

The Laqure polish so prepared shall conform to I.S. 1954 or as revised from time to time.

MATERIAL-9: FOAM FOR UPHOLSTRY WORK

Foam for upholstery work shall be procured from approved make only and shall be or thickness and density as specified. The Foam shall be of fresh stock free from stains,

tear, holes, indentation marks and loss of shape and shall be with smooth straight edges. Damaged foam shall be rejected. Use of second hand foam is prohibited. Foam shall be cut by expert workers using suitable tools so as to produce smooth edges free from any jiggered appearance. Foam shall be joined using rubber solution of appropriate grade only. As far as possible foam shall be used in single piece only unless a special shape is required to be formed by joining of foam. All foam work shall be protected from damage till suitably covered with grey lining cloth.

MATERIAL-10: TAPESTRY

All tapestry shall be of approved make, shade, pattern and finish. Tapestry shall be selected in close consultation with the architect, engineer and the owner. When pattern is apparent in any given tapestry core shall be taken to ensure that the pattern matches at crucial junctions and that direction of pattern is not vitiated. The chosen tapestry shall be well protected throughout its use and after the sum is used for upholstery work shall be coated with a fabric protection spray as per manufacturer's specifications and guidelines.

MATERIAL-10: VENEER

How to Apply Polyurethane to Veneer

- 1. Sand the veneer by hand with 220-grit sandpaper, going with the grain of the wood. This removes spots of dirt and old finish that may still be on the surface. Wipe off the sanding dust with a damp rag.
- 2. Seal the wood grain by wiping on shellac or a 50-50 solution of polyurethane varnish and mineral spirits with a rag. Let the sealer dry, and then sand the surface again by hand with 220-grit sandpaper. Wipe off the sanding dust. If you're applying a stain, it will seal the wood, so you can omit sealing with shellac or thinned polyurethane.
- 3. Apply a thin, wet coat of polyurethane, either by brushing or spraying. If you're brushing, deposit material onto a dry surface and brush it with even strokes into one that has already been painted. If you're spraying, move the gun steadily, keeping a uniform distance between the spray tip and the surface. Don't arc it away at the edges.
- 4. Pop any bubbles that appear with the tip of your paintbrush. They are more likely to appear when you're brushing, especially if you're using a waterborne finish, and you may be able to prevent them by moving your brush more slowly.
- 5. Let the surface dry until it is no longer sticky, then lightly sand it with 400-grit sandpaper and apply another thin coat. Don't wait more than 24 hours to recoat or the bottom layer may cure. If it does, the fresh polyurethane won't adhere properly.
- 6. Sand the second coat with 400-grit paper and apply a third. You seldom have to apply more than three coats of polyurethane, but some burl veneers that accept finish unevenly may require more.
- 7. Give the final coat between 24 to 48 hours to cure, and then rub it down with 0000 steel wool. Spread polishing powder and polish the surface with a coarse rag. Finish up by spreading a coat of wax and buffing it up with a rag, if desired.



STANDARD SPECIFICATIONS

Unless otherwise specified elsewhere in this contract, all work under this contract shall be carried out in accordance with the technical specification and the latest issue of the Indian standard specification applicable to the particular class of work, the relevant British standard specification shall apply. Relevant issue I.S. specifications applicable to the particular work have been described along with specification for the respective works. In case of my confusion of dispute regarding the meaning and interpretation of any specification for the respective works, the decision of the Architects shall be final and binding on the contractor.

LIST OF MATERIALS FOR APPROVED BRAND AND / OR MANUFACTURE

SR.N O	DISCRIPTION	APPROVED BRAND / MANUFACTURER
Α	INTERIOR WORK	
1	Vitrified floor tiles(600mm x 600mm)	Johnson / Somani / AGL
2	Adhesive	Favicol SH / Blue coat / Royel bond / Mevicol
	Sealant	Pidilite / Roaper
3	Paint on Wall & Ceiling	Asian Paint / Nerolac
4	Paint on Wood: Polyurethane systems (PU)	Sirca Paint / Asian paint
5	Ply wood (Commercial grade)	Green / Century / Ancher / Archid
6	Laminate	Green / Formica / Sunmica / Marino / Bloom
7	MDF	Newwood / Action tesla / Dura turff
8	Bison board	Hilux/NCL Industries
9	Timber for lipping, moulding & when furniture is to be finished in polish	Superior quality seasoned Ghana teak.
10	Timber for all other type of furniture work	First class seasoned C.P. Teak.



11	Decorative laminate (1.0mm)	Marino / Green / Sunmica / Formica
12	Exterior Grade Compact Laminate	Clads (Greenlam) / Staylam
	(5mm,6mm)	
13	Veneer	Green ply nature max / Century / Lignin
14	Hardware	
	a) Latches	Ebco / Hafele / Hettich
	b) Locks	Ebco / Hafele / Hettich / Godrej
	c) Screw	Nettle fold / GKW / Hafele
	d) Floor Spring	Doorset / Dorma / Ozone / Godrej
	e) Patch Fitting	Dorma / Haffle / Ozone
	f) Handles	Doorset / Ozone / Godrej
	g) Drawer slides telescopic	Ebco / Hafele / Hettich
	h) Key board trey	Ebco/ Hettich / Innofit
	i) CPU trolley	Ebco/ Hettich / Innofit
	j) Door Closer	Ozone / Dorma / Hafele / Godrej
_	k) Cable Manger	Ebco / Easy
	I) Glass Bracket	Flora / Riddhi
	m) Magnet	Suprime / Bentex / Honda
	n) Tower Bolt	Rolex / Flora / Riddhi
	o) Hinge	Suzu matt / Gary premium
	p) Nails	Mehta / chakra / Sun
	q) L & key	Riddhi / Prince
15	Glazing, Lacquered glass	Tata / Modi guard / Saint gobain
16	Vinyl & Glass film	3M India / Avery Dennison
17	Roller Blinds	Vista wall fashion / Mac
18	Fabric	Masper / D Décor
19	Calcium silicate board	Saint Gobain / Usg boral / Hilux
20	Mineral fiber ceiling tiles tabulated profile	Armstrong / USG / Usg boral / AMF
21 22	Fire proof pvc sheet	Vardhman wonder boards / Hilux LG / Samsung / Neonex
23	Corian (Solid Surfaces) Solid hardwood floor	Vista / Armstrong / Squarfoot
24	ACP	Aludecore / Armstrong / Urobond
25	Aluminum skirting	Ozone
26	Aluminum Section	Jindal / Hindustan / Hindalco
27	Modular items like chairs, storage units,	Featherlite/ godrej / wipro
	drawer units	· ·
28	Wall Putty	Birla white / J.K. white
29	Texture paint	Asian / Nerolac
30	Sanitary Fixture	Hindware / Jaquare / Grobe / Kohler
31 32	Sanitary Fittings Wall paper	Hindware / Jaquare / Grohe / Kohler Green / Asian
32	vvali papei	Oreen / Asian

Note: 1) Architects reserves the right to insist contractor for use of any specific brand / make etc.

2) In case any materials are not available from the above brands, Architect will suggest names of other brands / manufacturers and will have to abide by the

Building SB	

	Sai	HE				
Date:			 	 		

cama

Caution Note:

Bidders are advised to quote their rates after due Consideration of the following pertinent:

- Bank reserve the right to Insist on selection of material, workmanship, detailing & finishes, which they consider as appropriate & suitable for intended Use. The contractor is not eligible for extra on this account.
- Bank will require the contractor to produce samples of all materials, accessories & finished prior to use in the site. There by submitting the list of selected material approved by Bank's Engineer from the sample & then after the material can brought to site for carry out the work. Failure to comply with these instructions will result in rejection of work. All materials specified above shall be used only after quality check/ inspection/approved by EIC.
- Whenever decoration ply wood veneer/ Laminate are specified, it must be ensured that the specified veneer or laminate shall be matching veneer/laminate as directed. The grains of veneer & the colors of laminate are as per the approved shade. Bank have right to reject of above specification is not adhered to. Whenever polishing is specified, it should be high quality melamine sprayed or hand applied to high gloss or matt as directed at site & strictly be carried out as per manufactured specification.
- The dimension provide in the drawing as in schedule are likely vary slightly according to the size available in the premise are where they are to provided or placed. Bank has the right to slightly modify the dimensions of items to suit the site & no claim therefore shall be made by the contractor.
- In all cases of measurement will be made on net items as supplied & installed in site. Wherever areas are furnished in square meter for items, such as carpet, vertical blinds, curtains etc, payment will be made on actual area laid to suit the shape & size of the room, the renderer should note that all cutting wastages, stitching, jointing & several special features such as pleats, overlap, hem etc shall be absorbed by them within the quoted rates & no separate payment will be made for above & similar items. The partitions will be measured in visible area (below false ceiling)

SR NO	BOQ OF FURNITURE WORKS DESCRIPTION OF ITEMS	QTY	UNIT
SK NO	DESCRIPTION OF ITEMS	QII	UNII
1	TABLES AND CREDENZA		
a	Branch manager table with credenza	1.00	NOS
-	Table size: 1700mm(L) x 850mm(W) x 750mm(H)		
	Credenza size: 1050mm(L) x 400mm(W) x 750mm(H)		
	Providing & fixing of Branch Manager's Table, made of 18mm commercial plywood of approved make on Table top & 12mm thick plywood all outer sides & surfaces shall be finished with 4mm thick teak veneer with high gloss PU coat. Modesty panel shall be provided with 12mm thick commercial ply shall be finished with 4mm thick teak veneer & high gloss PU coat. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. Telescopic metal keyboard tray, S.S. cable manager, 1st drawer shall be 100mm thick pencil drawer & other 3 numbers shall be equal size drawers with telescopic channels with self-closing locks of approved make shall be provided. Fixed Footrest shall be made of 75mm x 50mm teak wood with C.P.U stand of wooden box bellow. Total work including veneer & PU coating shall to be carried out such as to appear as single work & steps suggested in the notes. All the inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured per unit & shall be paid for include of all materials, labour, transportation, taxes of all kind etc. complete. As per		
	approved hardware list. Approved veneer of basic rate of Rs. 1075 per Providing & fixing of Credenza, made of 18mm thick commercial plywood of approved make on Top, Sides & bottom. Back side shall be made of 6mm thick plywood shall be finished with 4mm thick teak veneer & high gloss PU coat. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. Intermediate shelf shall be made of 18mm thick plywood. Self top & bottom surface shall be finished with French polish. The cabinet have group locks, hinges, stopper, magnate, handles of approved make & quality & provide S.S. satin finished handle of approved shape & size Complete. All the inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured base on area of front elevation of each storage unit. The rate to include all materials, labour, transport, taxes, delivered and placed in position at site of work. As per approved hardware list. Veneer of approved of Basic rate of Rs. 1075 per sq.mt.		
b	Transaction Table with Credenza	3.00	NOS
	Table size: 1500mm(L) X 850mm(W) X 750mm(H)	3.00	
	Credenza size: 910mm(L) X 400mm(W) X 750mm(H)		

SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
	Providing & fixing of Transaction Table made of 18mm commercial		
	plywood of approved make on Table top & 12mm thick ply front & side		
	faces shall be finished with 6mm thick corian on top & only curve part.		
	Top is extended with curve in vertical surface up to 450mm shall be		
	made of 18mm ply plus curve part made of 6mm thick flexi ply of 3		
	layers. Top of the counter & curve part shall be finished with 6mm thick		
	corian. Other visible surface shall be finished with 1mm thick laminate.		
	Table front shall be provided 6mm thick blue lacquered Toughen glass		
	panel of approved make & colour to be fixed with neutral silicon as per		
	brand specification. Transaction front shall be provided 12mm thick		
	toughen float glass panel @ 1500mm x 750mm as shown in the		
	drawing. All the circular cutting in the glass shall be diamond machine		
	cut. All other finishes shall be done as per detail drawings and as per		
	instructions of architect / bank's engineer. Telescopic metal keyboard		
	tray, S.S. cable manager, 3 nos shall be equal size drawers & 1 pencil		
	drawer with telescopic channels with self-closing locks of approved		
	make shall be provided. Fixed Footrest shall be made of 75mm x		
	50mm Teak Wood with C.P.U stand of wooden box bellow. Total work		
	Providing & fixing of Credenza, made of 18mm thick Commercial		
	plywood of approved make on Credenza top shall be finished with 4mm		
	thick teak veneer & high gloss PU coat. Made of 12mm thick plywood		
	all outer sides & surfaces shall be finished 1mm thick laminate		
	approved make & colour. All other finishes shall be done as per detail		
	drawings and as per instructions of architect / bank's engineer. Sides &		
	bottom shall be made of 18 mm thick plywood & back side shall be		
	made of 6mm thick plywood, intermediate shelf shall be made of 18mm		
	thick plywood. Self top & bottom surface shall be finished with French		
	polish. The cabinet have group locks, hinges, stopper, magnate,		
	handles of approved make & quality, Provided S.S. satin finished		
	handle of approved shape & size Complete. All the inside surfaces		
	shall be finished with enamel paint of approved make and colour. The		
	work shall be measured base on area of front elevation of each storage		
	unit. The rate to include all materials, labour, transport, taxes, delivered		
	and placed in position at site of work. As per approved hardware list.		
	Veneer of approved of Basic rate of Rs. 1075 per sq.mt.		
С	Officer's Table		
i	Sales manager's table with credenza		
•	Table size: 1500mm(L) x 750mm(W) x 750mm(H)	2.00	NOS
	Credenza size: 910mm(L) x 400mm(W) x 750mm(H)		
ii	Service manager's table with credenza		
	Table size: 1650mm(L) x 750mm(W) x 750mm(H)	1.00	NOS
	Credenza size: 910mm(L) x 400mm(W) x 750mm(H)		

SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
5	Providing & fixing of Officer's Table, made of 18mm thick commercial		<u> </u>
	plywood of approved make on Table top shall be finished with 4mm		
	thick teak veneer & high gloss PU coat. Made of 12mm thick plywood		
	all outer sides & surfaces shall be finished 1mm thick frosty white		
	laminate approved make & colour. Modesty panel shall be provided		
	with 12mm thick commercial ply finished with 1mm thick frost white		
	laminate. All other finishes shall be done as per detail drawings and as		
	per instructions of architect / bank's engineer. Telescopic metal		
	keyboard tray, S.S. cable manager, 1st drawer shall be 100mm thick		
	pencil drawer & other 3 shall be equal size drawers with telescopic		
	channels with self-closing locks of approved make shall be provided.		
	Fixed Footrest shall be made of 75mm x 50mm Teak Wood with C.P.U		
	stand of wooden box bellow. Total work including Veneer & PU shall to		
	be carried out such as to appear as single work & steps suggested in		
	the notes. All the inside surfaces shall be finished with enamel paint of		
]	approved make and colour. The work shall be measured per unit &		
	shall be paid for incl. of all materials, labour, transportation, taxes of all		
	kind etc. complete. As per approved hardware list. Veneer of approved		
	Providing & fixing of Credenza, made of 18mm thick Commercial		
	plywood of approved make Storage top shall be finished with 4mm		
	thick teak veneer & high gloss PU coat. Made of 12mm thick plywood		
	all outer sides & surfaces shall be finished 1mm thick frosty white		
	laminate approved make & colour. All other finishes shall be done as		
	per detail drawings and as per instructions of architect / bank's		
	engineer. Sides & bottom shall be made of 18 mm thick plywood &		
	back side shall be made of 6mm thick plywood, intermediate shelf shall		
	be made of 18mm thick plywood. Self top & bottom surface shall be		
	finished with French polish. The cabinet have group locks, hinges,		
	,		
	stopper, magnate, handles of approved make & quality & provide S.S.		
	satin finished handle of approved shape & size Complete. All the inside		
	surfaces shall be finished with enamel paint of approved make and		
	colour. The work shall be measured base on area of front elevation of		
	each storage unit. The rate to include all materials, labour, transport,		
	taxes, delivered and placed in position at site of work. As per approved		
	hardware list. Veneer of approved of Basic rate of Rs. 1075 per sq.mt.		
<u> </u>		4.00	NOO
d	Grahak mirta table Table circ: 1350mm/(L) x 750mm/(W) x 1300mm/(H)	1.00	NOS
<u> </u>	Table size: 1350mm(L) x 750mm(W) x 1200mm(H)		
	Providing and fixing of Grahak mitra table made of 18mm thick		
	commercial plywood of approved make on table top & 12mm thick all		
]	outer sides & surfaces shall be fixed 4mm thick MDF finished with high		
	gloss PU coat. Front shall be provided 6mm thick toughen blue		
	lacquered glass panel of approved make & colour to be fixed with		
	neutral silicon as per brand specification. Telescopic metal keyboard		
	tray, S.S. cable manager, 1st drawer shall be 4" thick pencil drawer &		
	other 3 shall be equal size drawers with telescopic channels with self-		
	closing locks of approved make shall be provided. Fixed Footrest shall		
	be made of 75mm x 50mm Teak Wood with C.P.U stand of wooden		
	box bellow. Total work including PU paint shall to be carried out such		
	as to appear as single work & steps suggested in the notes. All the		
	as to appear as single work & steps suggested in the notes. All the inside surfaces shall be finished with enamel paint of approved make		
	inside surfaces shall be finished with enamel paint of approved make		
	inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured per unit & shall be paid for		
	inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured per unit & shall be paid for incl. of all materials, labour, transportation, taxes of all kind etc.		
	inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured per unit & shall be paid for		
	inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured per unit & shall be paid for incl. of all materials, labour, transportation, taxes of all kind etc.		
e	inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured per unit & shall be paid for incl. of all materials, labour, transportation, taxes of all kind etc.	1.60	RMT

SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
3K NO	Providing & fixing of server table, made of 18 mm thick Commercial Plywood of approved make on Table top & 12mm thick ply all outer sides & surfaces shall be finished 1mm thick laminate approved make & colour. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. Telescopic metal keyboard tray, S.S. cable manager, 1 no drawer shall be 200mm x 375mm with telescopic channels of approved make shall be provided. Fixed Footrest shall be made of 75mm x 50mm Teak Wood with C.P.U stand of wooden box bellow. All the inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured per RMT. & shall be paid for incl. of all materials, labour, transportation, taxes of all kind etc. complete.		ONII
2 a	STORAGE CABINATE Storage Cabinate with veneer	2.20	SQMT
	Providing & fixing of Storage cabinet, made of 18mm thick commercial plywood of approved make on Storage top & made of 12mm thick plywood all outer sides & surfaces shall be finished with 4mm thick teak veneer & high gloss PU coat approved make & colour. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. Sides & bottom shall be made of 18 mm thick plywood & back side shall be made of 6mm thick plywood, intermediate shelf shall be made of 18mm thick plywood. Self top & bottom surface shall be finished with French polish. The cabinet have group locks, hinges, stopper, magnate, handles of approved make & quality & provide S.S. satin finished handle of approved shape & size Complete. All the inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured base on area of front elevation of each storage unit. The rate to include all materials, labour, transport, taxes, delivered and placed in position at site of work. As per approved hardware list. Veneer of approved of Basic rate of Rs. 1075 per sq.mt.		
b	Storage Cabinate veneer + laminate Providing & fixing of Storage cabinet, made of 18mm thick commercial plywood of approved make on Storage top shall be finished with 4mm thick teak veneer & high gloss PU coat & made of 12mm thick plywood all outer sides & surfaces shall be finished 1mm thick frosty white laminate approved make & colour. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. Sides & bottom shall be made of 18 mm thick plywood & back side shall be made of 6mm thick plywood, intermediate shelf shall be made of 18mm thick plywood. Self top & bottom surface shall be finished with French polish. The cabinet have group locks, hinges, stopper, magnate, handles of approved make & quality & provide S.S. satin finished handle of approved shape & size Complete. All the inside surfaces shall be finished with enamel paint of approved make and colour. The work shall be measured base on area of front elevation of each storage unit. The rate to include all materials, labour, transport, e. As per approved hardware list.shall be measured per unit & shall be paid for incl. of all materials, labour, transportation, taxes of all ki		SQMT
3	CABINET SHUTTERS & SHELVES	1.30	SQMT

SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
JK NO	Providing & fixing of cabinet shutters made of 50 x 38 mm teak wood frame and equal size waterproof plywood shutter. Shutters to be made from 18mm thick BWP ply with 6mm teakwood lapping all around & finished with 1mm thick laminate of approved make & shade. Provided C.P. perforated vent for each shutter. Shutters shall have concealed type self closing hinges of make & to be approved S.S. satin finished handle of approved shape & size. Provided 1 intermediate shelf made from 19mm thick ply with 6mm thick T.W. battens. Whole unit to be polished / painted from inside directed. Only single front elevation measurement in sqmt. Shall be recorded for purpose of payment of this item. Rate to include all material, labour, transport, taxes etc. complete. As per approved hardware list.		ONLI
4	PARTITIONS		
- т	Semi glazed wooden partition	27.40	SQMT
	providing & fixing of double skin full height semi glazed partition. All visible outer frames shall be made of Ghana teak wood/ steam beach wood size:75 x 38mm & outer frame shall be finished with duco paint/melamine polish. All inside frame shall be made of aluminum member size of 50 x 50 x 1.6mm thick section at maximum 600mm c/c bothways. 6mm thick plywood on both side shall be finished with 1mm thick superior grade laminate of appoved make & shade. 12mm thick toughen glass shall be fixed with necessary patch fittings. Glass edges shall be machine polished & round smoothenend edges. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete.		
h	Colid wooden nortition	F 25	TMOS
b	Solid wooden partition Providing and fixing of double skin solid wooden/ply partition. All visible outer frames shall be made of steam beach wood, outer frame size 75x38mm finished with lequired polish as directed. All inside frame shall be made of aluminum member's size of 50mm x 50mm x 1.6mm thick section at maximum 2'-0" c/c bothways. 6mm thick plywood on both sides shall be finished with 1mm thick laminate of appoved make & shade. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. Rate to include cost of all materials, labour, trasport, taxes of all kind, etc complete. Partition should be fixed up to ceiling & wall properly only visible area below false ceiling will be considered for measurements. As per approved hardwere list.		SQMT
С	12mm thick Toughen glass partition	14.00	SQMT
J	Providing and fixing of fully glazed 12mm thick toughened glass partition. Glass partition fixed with necessary patch fittings of approved make. All the edge of the glass shall be machine polished. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, delivered and placed in position at site of work. Partition should be fixed up to ceiling & wall properly for the fixing of the glass only visible area below false ceiling will be considered for measurements. As per approved hardwere list.		54,711
	12mm thick Toughan glass for transaction portition	1 50	SON4T
d	12mm thick Toughen glass for transaction partition	1.50	SQMT

Providing & fixing of double skin low height partly glazed partition. All visible outer frames shall be made of steam beach wood size: 75mm x 38mm & outer frame shall be finished with lequired polish. All inside frame shall be made of aluminum member size of 50 x 50 x 1.6mm thick section at maximum 600mm c/c bothways. 6 mm thick plywood on both sides shall be finished with 1mm thick superior grade laminate of appoved make & shade. 12mm thick blue transperent toughen glass shall be fixed with necessary fittings. Glass edges shall be machine polished & round smoothenend edges. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list. The complete of the complet		UNIT
Providing & fixing of double skin low height partly glazed partition. All visible outer frames shall be made of steam beach wood size: 75mm x 38mm & outer frame shall be finished with lequired polish. All inside frame shall be made of aluminum member size of 50 x 50 x 1.6mm thick section at maximum 600mm c/c bothways. 6 mm thick plywood on both sides shall be finished with 1mm thick superior grade laminate of appoved make & shade. 12mm thick blue transperent toughen glass shall be fixed with necessary fittings. Glass edges shall be machine polished & round smoothenend edges. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list. f Low height partition near salse & service table Providing & fixing of double skin low height partly glazed partition. All visible outer frames shall be made of steam beach wood size: 75mm x 38mm & outer frame shall be finished with lequired polish. All inside frame shall be made of aluminum member size of 50mm x 50mm x 1.6mm thick section at maximum 600mm c/c bothways. 6mm thick plywood on both sides shall be finished with 1mm thick laminate of appoved make & shade. 12mm thick clear float glass shall be fixed with necessary fittings. Glass edges shall be machine polished & round smoothenend edges. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per		
Providing & fixing of double skin low height partly glazed partition. All visible outer frames shall be made of steam beach wood size: 75mm x 38mm & outer frame shall be finished with lequired polish. All inside frame shall be made of aluminum member size of 50 x 50 x 1.6mm thick section at maximum 600mm c/c bothways. 6 mm thick plywood on both sides shall be finished with 1mm thick superior grade laminate of appoved make & shade. 12mm thick blue transperent toughen glass shall be fixed with necessary fittings. Glass edges shall be machine polished & round smoothenend edges. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list. f Low height partition near salse & service table Providing & fixing of double skin low height partly glazed partition. All visible outer frames shall be made of steam beach wood size: 75mm x 38mm & outer frame shall be finished with lequired polish. All inside frame shall be made of aluminum member size of 50mm x 50mm x 1.6mm thick section at maximum 600mm c/c bothways. 6mm thick plywood on both sides shall be finished with 1mm thick laminate of appoved make & shade. 12mm thick clear float glass shall be fixed with necessary fittings. Glass edges shall be machine polished & round smoothenend edges. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per	9.00 S	SQMT
Providing & fixing of double skin low height partly glazed partition. All visible outer frames shall be made of steam beach wood size: 75mm x 38mm & outer frame shall be finished with lequired polish. All inside frame shall be made of aluminum member size of 50mm x 50mm x 1.6mm thick section at maximum 600mm c/c bothways. 6mm thick plywood on both sides shall be finished with 1mm thick laminate of appoved make & shade. 12mm thick clear float glass shall be fixed with necessary fittings. Glass edges shall be machine polished & round smoothenend edges. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per		
Providing & fixing of double skin low height partly glazed partition. All visible outer frames shall be made of steam beach wood size: 75mm x 38mm & outer frame shall be finished with lequired polish. All inside frame shall be made of aluminum member size of 50mm x 50mm x 1.6mm thick section at maximum 600mm c/c bothways. 6mm thick plywood on both sides shall be finished with 1mm thick laminate of appoved make & shade. 12mm thick clear float glass shall be fixed with necessary fittings. Glass edges shall be machine polished & round smoothenend edges. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per	6.40 S	SQMT
approved hardwere list. As per approved hardwere list.	0.40 3	<u>SQIVIT</u>
5 PANELING		
	5.60 S	SQMT
Providing & fixing of Paneling on walls, made of 8mm thick MDF paneling shall be finished with blue shade high gloss PU coat. All inside frame shall be made of aluminum member's size of 50mm x 25mm x 1.6mm thick section at maximum 600mm c/c. icluding all necessary hardware fittings. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to		
include all materials, labour, transport, taxes, etc complete. As per approved hardwere list.		


SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
	Providing & fixing of Paneling on walls, made of 6mm thick commercial plywood of approved make. 6mm thick plywood paneling shall be finished with 4mm thick teak veneer & high gloss PU coat. All inside frame shall be made of aluminum member's size of 50 x 25 x 1.6mm thick section at maximum 600mm c/c. icluding all necessary hardware fittings. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list.		
С	Box paneling	11.50	SQMT
	Providing & fixing wooden/ply of box panelling, made of 12mm thick plywood paneling shall be finished with 1mm thick superior grade laminate of appoved make & shade. All inside frame shall be made of aluminum member's size of 50 x 25 x 1.6mm thick section at maximum 600mm c/c. icluding all necessary hardware fittings. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. Paneling should be fixed up to ceiling & wall properly only visible area below false ceiling will be considered for measurements. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list.		
d	Paneling with laminate without framing	2.15	SQMT
	Providing & fixing of Paneling on walls, made of 12mm thick commercial plywood of approved make. 12mm thick plywood paneling shall be finished with 1mm thick laminate without framing icluding all necessary hardware fittings. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list.		
е	MDF cutwork paneling with Duco paint	7.00	SQMT
	Providing & fixing of Paneling on columns, made of 12mm thick commercial ply with 1mm thick glossy laminate. 8mm thick external MDF with CNC cutwork as per design finish with duco paint only on side finished at workshop and to be nailed and finish at the site. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list.		
f	Paneling with 3M film	3.00	SQMT
	Providing & fixing of Paneling on walls, made of 12mm thick commercial plywood of approved make. 18mm thick plywood paneling along with 1mm laminate and finished with 3M Scotchal Glass Decorative Films and graphics patten as given by Architect. All inside frame shall be made of aluminum member's size of 50 x 25 x 1.6mm thick section at maximum 2'-0" c/c. icluding all necessary hardware fittings. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list.		
	ACP short papaling	42.00	CON#T
g	ACP sheet paneling	43.20	SQMT


SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
	Providing & fixing of Paneling on facad, made of 3mm thick ACP sheet of approved make & shade. All inside frame shall be made of aluminum member's size of 50 x 25 x 1.6mm thick section at maximum 2'-0" c/c. icluding all necessary hardware fittings. The balance surface of the façade is treated with Blue shade of ACP, around fixed glass panels. All other finishes shall be done as per detail drawings and as per instructions of architect / bank's engineer. The rate to include all materials, labour, transport, taxes, etc complete. As per approved hardwere list.		· · · · · · · · · · · · · · · · · · ·
6	DOORS WITH FRAME		
a	12mm thk toughen glass doors	6.35	SQMT
	Providing & fixing of fully glazed 12 mm thick toughened glass with top & bottom corner patch pivot, floor spring, glass locks & Handle with installation (Archie/Ozone/Godrej Everite make) of approve make as directed by Architect. All the edge of the glass shall be machine polished. 300mm "C" shaped s.s handle of appoved make & design on both side. Including providing "PUSH" * "PULL" sticker lables of approved design & make. The rate to include all materials, labour, transport, taxes, delivered and placed in position at site of work.		
b	Semi glazed wooden doors with frame	7.00	SQMT
	Providing & fixing of 35mm thick semi glazed flush type doors. Doors shall be finished with 1mm thick laminate of approved colour & make with 35 x 5mm steam beach wood beading on edges of door. The glass shall be 8mm thick clear float glass with edge polishing & round smoothenend exposed edges All accessories like the door stopper, heavy duty brass hinges, latch, door closer, handle, lock etc shall be part of the job. All teak wood members to have melamine spray polish finish. Rate to include cost of conveyance of all materials, labour charges etc. complete as directed. As per approved hardwere list.		
	Fire Peterdunt deer with frame	3.15	SQMT
С	Fire Retardunt door with frame Providing & fixing of 42mm thick Fire Retardunt door, made of 8mm thick bison panel both side for shutter. External side shall be finished with 1 mm thick laminate & internal side shall be finished with polishing/painting. All accessories like door stopper, brass hinges, latch, door closer, handle, lock etc shall be part of the job. All internal frames 50mm x 25mm x 1.6mm thick section at maximum 2'-0" c/c. Measurement shall be based on area of front elevation. The rate to include all materials, labour, transport, taxes, etc complete as directed. As per approved hardwere list.		SQIVII
d	Wicket door with frame	1.40	SQMT
	Providing & Fixing of 35mm thick wicket door shall be flush type door finished with 1mm thick laminate. All accessories shall be provided like the door stopper, brass hinges, latch, handle, lock etc shall be part of the job. All 35 x 5mm steam beach wood beading members to have lequired polish finish. Rate to include cost of conveyance of all materials, labour charges etc. complete as directed. As per approved hardwere list.		
7	ELECTRICAL CUPBOARD	4.15	SQMT
<u> </u>		1.10	O GIVII


SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
SK NO	Providing & fixing of Electrical panel cabinate, made of 8mm thick bison panel both side for shutter. External side shall be finished with 1mm thick laminate & internal side shall be finished with polishing/painting. All accessories like ball catches, ss handle, Fixing MS powder cotted perforeted jali shall be provided in shutter top & bottom etc. All internal frames 50mm x 25mm x 1.6mm thick section at maximum 2'-0" c/c. Complete as directed depth of cup board 1'-6". Measurement shall be based on area of front elevation of cupboard. The rate to include all materials, labour, transport, taxes, etc complete as directed. As per approved hardwere list.	QIY	UNII
8	RECTANGULAR WRITING DESK WITH STORAGE	1.00	NOS
	Providing & fixing of cicular writing desk, made of 18mm thick commercial plywood finished with 4mm thick teak veneer & high gloss pu coat on all sides including inside divisions. 12mm thick toughen glass Shelf shall be fixed of desk with bevelled and polished edges making different divisions by 12mm thick toughen glass for slips or forms as per detail drawing directed complete. The rate to include all materials, labour, transport, taxes, etc complete as directed. (Size: 4'-0" X 1'-0" X 3'-6"ht.)	1.00	1100
9	SOFT BOARD	1.10	SQMT
9	Providing & Fixing of soft board, made of moulded stram beach frame size of 25 x 12 x 6mm thick shall be finished with malemine polish. 6mm thick commercial plywood on back side & 12mm thick soft board shall be fixed on front. Fixing cloth of selected design of Basic rate of Rs. 270 per sq.mt.	1.10	SQIVII
10	WALL PAPER	9.30	SQMT
	Providing & Applying of wall paper on the finished surfaces. The surfaces shall be thoroughly cleaned, line and level on all sides, dried and made free of all loose dirt, chalk, grease, fungus and alage, wax or flanking paint. Unwanted elements, hardware, clamps etc. shall be removed to make surface clean. The item also includes doing necessary touching work wherever required, by pop/putty for application. To shape actual areas on site will be considered for the measurement purpose. Wall paper of selected design of Basic rate of Rs. 1500 per sq.mt.		
11	FALSE CEILING		
а	Grid false ceiling	34.20	SQMT


SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
SR NO	Providing & fixing of modular grid type false ceilings at all heights of 600 x 600 x 15mm grid mineral fiber ceiling tiles 0f type dune supreme ml edge in-99% laid on armstrong silhouetle 15mm black reveal grid systems or eq the trains work comprise of main runner of size 15 x 42 x 3000 mm spaced at 600 mm centers securely fixed to the structural sotfit by approved hangers at 1200 min maximum centers hangers (BUITERFYLY CUP) to be fixed by approved roof plug, level adjusters, screws etc the last hanger at the end of each main runner should not be greater than 450mm from the adjacent wall, 600mm x 600mm modules to be formed by fitting 600mm long flush fitfing cross tees of size 15 x 42 x 600mm centrally between the main runners Penmeter wall angle of size 19 x 19 x 3000mm secured to walls at 450mm maximum centers finally dune supreme ml edge rh – 99% 15 mm thick (nrc-0.50,light reffectance > 85%. Can-34 db, k value = 0.052 to 0.057 w/m k) micro look edge has to be laid on the 600 mm x 600 mm module (the same ceiling shall be fixed by using full size files only & shall be fixed to the gypsum false ceiling) Ties: mineral fiber acoustical tiles shall be of grid adria micro lock	QTY	UNIT
	edges with standed backing & finished with a reinforced scratch resistance coating on the face side suitable lor grids of nominal sizes 600mm x 600mm as per the specification. Type: dune supreme ml edge rh- 95% tile thickness: a5mm humidity resistance: rh 99%, fire performance class O/class1 (BS - 476), noise reduction coefficient (nrc). 0.50 (average), sound attenuation: 34 db, light reflectance 85% thermal conductivity 0.052-0.057 ml k		
	Suspension system: suspension system shall be 5 mm white reveal suspension system (hot dipped galvanized steel) section consisting of the following members. Main runner: main runner shall be t-shaped section with rotary stitch of size 15 x 42 x 3000 mm long. Cross runners: size 15 x 42 x 600 mm long wall angle ol size 19 x 19 x 3000 mm long colour white.		
	The area of the ceiling where full tile size light fixtures are installed will be NOT dededucted from the total quantity executed however the cost ol tiles will be deducted from the bill amount. The work shall be executed through authorized applicator of Armstrong the contractor has to submit the certificate from the company for the use of company sections & boards along with the final bill.		
b	Gypsum Celing	82.50	SQMT
	Providing & fixing suspended gypsum (Saint Gobin) Plain false ceiling by using standerd company sections (GYPSTEEL ULTRA). This includes providing and fixing g.i perimeter chennels of size 0.55 mm thick having one flange of 20 mm and another flange of nylon sleeves and screws at 610 mm Centers. Then suspending g.i. from the soits at 1220mm centres with ceiling angle of width 25mm x 10mm x 0.55 mm thick fixed to soffits with g.i. cleat and steel expansion fasteners. Ceiling section of 0.55 mm thickness having knurled web of 51.5mm and tow flanges of 26mm each with lips of 10.5mm area then.		
	Fixed to intermediate channel with the help connecting clips and in direction perpendiclar to the intermediate channel at 457 mm centers.		
	12.5 mm tapered edge gyp board (conforming to is – 2095-4982) is then screw fixed to ceiling section with 25 mm drywall screws at 230 mm centers screws fixing is done mechanically either with screwdriver or drilling machine with suitable attchment.		


SR NO	DESCRIPTION OF ITEMS	QTY	UNIT
	Standard company manufactured sections (GYPSTEEL ULTRA) should be used for the entire framework. Finally the board ol size 6'-0" x 4'-0" are to be jointed and finished so as to have a flush look this includes filling and finishing the tapered and square. Edges of the boards with jointing compound, paper tape only and two coats of primer suitable for gypboard (as per recommended practices of India gypsum / Saint Gobin). General notes tor the item rate include. The job includes applying two		
	or more coats of acrylic emulsion paint in the standard procedure of the painting job as per shade and finish suggested by the architect the cut outs tor variety of light fixtures and other equipments etc. and the same have to be made with the frame of perimeter channels of size.		
	20 mm x 27 mm x 35 mm 0. 55 mm. thick supported suitably no extra will be paid for this edge beed has to be used to protect the exposed gypsum core i.e. cut edges of opening for light fixtures. "V" grooves should be cut at every square edge joinls and filled with jointing compound and paper tape additional g.i or c.p teakwood supports shall be provided tor fixing of variety of light fixtures. A.c continues grill diflusers etc.		
	The contractor must co-ordinate with electrical & AC contractor for working out various levels for the false ceiling & make the marking on the walls / columns before starting the false ceiling work.		
	All sections Visible from the ac grill shall be painted in back color. The final visible plan and elevation area will be considered for the measurement purpose The work shall be executed through authorized applicator of gypsum india (Saint Gobin) The contractor has to submit the certificate from gypsum india for the use at company sections (all) & boards along with the final bill. The contractor must get the work checked from the company's representative -one on completion of framing work & second on completion oi boarding but before putting top coat. The unit measurement will be considered as the sq.mt. Only No RMT (Running length) measurement will be considered.		
•	Wooden coiling	3.65	SQMT
С	Wooden ceiling Providing and fixing of hanging wooden/ply ceiling made out of 18mm thick plywood & 4mm thick MDF to be fixed with 16mm dia, 300mm length S.S. studes as per detail drawing. Including primer coat, putty coat and other locations as desired after making surface good to receive paint on it without spots or colour difference at any place and providing smooth surface. The rates includes all matrial labour, wasteges, hanging arrangements, all finishes etc. complete but excluding the LED lights.	0.00	SQIVIT
	TOTAL (A)		


















SALES AREA PARTITION DETAIL

STATE BANK OF INDIA



DEVDATT PANDYA

+91 9879 234 919

SHAILESH

