

SBI INFRA MANAGEMENT SOLUTIONS PVT.LTD.

CIRCLE OFFICE, THIRD FLOOR, STATE BANK OF INDIA, SYNERGY BUILDING, C-6, G-BLOCK, BANDRA KURLA COMPLEX, BANDRA EAST, MUMBAI-400051

PART - B: FINANCIAL BID

TENDER FOR:

TENDER ID MUM202007004

DATE: 02.07.2020

PROPOSED FURNITURE WORK FOR TREASURY AKOLA BRANCH

TENDER SUBMITTED BY:

| NAME : | | | |
|----------|--|--|--|
| ADDRESS: | | | |
| | | | |
| | | | |
| DATE: | | | |

TENDER INVITED BY:

Vice President & Circle Head,

SBI Infra Management Solutions Pvt. Ltd; 3rd floor, Circle Office, State Bank of India, Synergy building, C-6, G Block,

Bandra -Kurla complex, Bandra East, Mumbai-400051.

ARCHITECT:

S. NANDEDKAR & ASSOCIATES

ARCHITECT, INTERIOR, FURNITURE & CIVIL DESIGNER

103, `UTKARSHA UMANG', BESIDE MT. CARMEL SCHOOL, AJNI SQUARE, NAGPUR – 440015

Tel: 0712 2252945, Fax-0712 2243921,

MOB: +91 9823294893, 9823040281, E-mail:- officesna@gmail.com

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|-------|--|------|------|------|--------|
| | | | | | |
| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
| 1 | Providing & fixing in position table for Branch Manager (size- 1800X750X750mm) to be made out of 18/19 mm | Nos. | 1 | | |
| | thk. IS:303 Grade BWR Plywood finished with approved | | | | |
| | 4mm thk. high end TW Vineer with polycoat polish at top, | | | | |
| | and 4mm thk TW Vineer with melamine polish for all other | | | | |
| | exposed surfaces. The top of the table to have TW | | | | |
| | moulding all around. The rate shall be inclusive of providing a keyboard tray on sliding telescopic channels & | | | | |
| | a pedestal drawer unit made out of 16mm thk. IS: 303 | | | | |
| | grade BWR Plywood on side with 02 nos. of equal sized | | | | |
| | drawers on sliding channels & openable shutter below. | | | | |
| | The side credenza shall be on other side and shall be paid | | | | |
| | for seperately under the relevant item. All internal surfaces | | | | |
| | to be finished in approve 0.80mm thk laminate. All the | | | | |
| | external surfaces shall be finished with 4mm thk approved | | | | |
| | high end TW Vineer with melamine polish including the | | | | |
| | pedestal drawer unit. The table shall have 12mm thk clear | | | | |
| | glass on top with bevelled edges & necessary holes & | | | | |
| | provision of 12mm glass at front side for modesty panel. | | | | |
| | The rate also include PU trolley of reputed manufacturer, keyboard tray as per approved make which shall be heavy | | | | |
| | duty. The necessary hardware such as automatic locking, | | | | |
| | ball catches, wire managers, etc. to be provided as per | | | | |
| | the instructions of the SBI-INFRA/BANK/Architect. The | | | | |
| | Elevation of the table shall be as directed by the Engineer | | | | |
| | on site. Design & detail of the table shall be as per the | | | | |
| | Bank's new uniform colour, layout & elevation policy | | | | |
| | available with Bank's Engineer. | | | | |
| 2 | Officer & Staff Tables: Providing & fixing in position | | | | |
| | tables made of 18/19mm MR grade ply at top, side & | | | | |
| | front, support along with drawer unit & keyboard tray with | | | | |
| | telescopic arrangement & CPU base resting on footrest of TW member-75X40mm, including 19mm MR grade ply | | | | |
| | Modesty panel. All external surfaces to be finished with | | | | |
| | 1mm thk Laminate & internal surfaces finished with | | | | |
| | 0.80mm laminate of approved shade & make, including | | | | |
| | powder coated fittings like sliding channel for keyboard & | | | | |
| | drawers, medium duty hinges for shutter, cable manager, | | | | |
| | S.S.handles in approved design & size and locks | | | | |
| | wherever directed in approved make. All exposed plywood | | | | |
| | edges to be finished with 6mm thk. TW Beading having 03 | | | | |
| | coats of French polish in approved shade and necessary | | | | |
| | locks to shutters etc. complete in all respects. Design & detail of the table shall be as per the Bank's new uniform | | | | |
| | colour, layout & elevation policy available with Bank's | | | | |
| | Engineer. | | | | |
| а | 1500 x 750 x 760 mm (Officer Table) | Nos. | 2 | | |
| C | 1200 x 750 x 760 mm-Assistant/Clerical Tables | Nos. | 3 | | |
| | | | | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|-------|--|--------------|--------------|---------|--------|
| J | 17 INTI OURTHO | 9.411 | ≪ .1. | 1W 11 L | , |
| 3 | Providing and Supplying Grahak Mitra/Tech Mitra table of size 1350 x 675 x 750 mm made of 18 mm MR grade ply at top, side & front, support along with drawer unit & Keyboard tray with telescopic arrangement & CPU base rsting on footrest. 18mm MR grade ply Modesty panel with fixing blue glass. All external surfaces to be finished with 1mm thk. Laminate & internal surfaces with 0.80mm thk Laminate of approved shade & make, including powder coated fitings like sliding channels, for keyboard & drawers, medium duty hinges for shutter, cable manager. S.S Handles in approved design & size and locks wherever directed in approved make. All exposed plywood edges to be finished with 6mm thk. TW Beading having 03 coats of French polish in appoved shade and necessary | Nos. | 1 | | |
| 4 | locks to shutters etc. complete in all respects. Same as above size but without front blue glass - System Room table(two computers)-size - 910X600X760mm | Rmt | 1 | | |
| 5 | Providing & fixing side table of 910 x 400 x 760 mm size for Officer & Assistant, made of 18 mm thick ply for all top, support and side with 6 mm thick ply at back externally finished with 1.0 mm thick laminate and internal surface shall be finished with 0.8 mm thk. laminate, both of approved make including brush finish SS handles, shutters hinges with necessary teak wood beading including three coats of French polish to teak wood member and necessary locks to drawer/ shutters etc. all required surface. | Nos. | 6 | | |
| 6 | Providing & fixing side table of 1050 x 450 x 760 mm size for Br. Manager , made of 18 mm thick ply for all top, support and side with 6 mm thick ply at back externally finished with 4.0 mm thick vineer laminate and internal surface shall be finished with 0.8 mm thk. laminate, both of approved make including brush finish SS handles, shutters hinges with necessary teak wood beading including three coats of French polish to teak wood member and necessary locks to drawer/ shutters etc. all required surface. | Nos. | 1 | | |
| 7 | Providing & Fixing Writing desk as per drawing out of 18 mm thick comm. ply and 1.0mm thick laminate on external & internal surfaces, T.W. beading to all edges of ply with three coats of French polish & 8 mm thk. Glass for separation of slips with polished edges etc. complete. | Nos. | 1 | | |
| 8 | Providing & fixing Lockable Notice Boards 900 x 750 mm size x 50mm deep, made up of 12 mm soft board fully covered by approved colour upholstery & fixed on 12 mm commercial ply backing & with sliding shutters out of 5mm thk. Clear glass with locking arrangement and running within required size T.W beading including three coats of French polish of approved shade to T.W. beading and necessary hinges, fixtures & fastenings etc. complete. | Nos. | 2 | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|--------|--|-------|--------------|------|--------|
| 5.110. | IARIICOLARO | 01411 | α 11. | NAIL | AMOUN |
| 9 | Providing and fixing 425mm deep File Storage Cabinets out of 18 mm thick commercial ply with T.W. beading on edges, 6 mm thick commercial ply on back with one coat of wooden primer, 1 mm thick laminate (multi colour and grooves in laminate as per drawing) on all external surfaces & 0.8 mm thk. laminate on all internal surfaces, 4" long brush finished stainless steel handles, locks, magnets for shutters and three coats of French polish to T.W. beading/ T.W. members as per drawing. | Sqm | 18 | | |
| 10 | Providing and fixing 425mm deep File Storage Cabinets For BR. Manager out of 18 mm thick commercial ply with T.W. beading on edges, 6 mm thick commercial ply on back with one coat of wooden primer, 4 mm thick vineer (multi colour and grooves in vineer as per drawing) on all external surfaces & 0.8 mm thk. laminate on all internal surfaces, 4" long brush finished stainless steel handles, locks, magnets for shutters and three coats of French polish to T.W. beading/ T.W. members as per drawing. | Sqm | 3 | | |
| 10 | Providing & fixing 68mm thick full ht. Full ht. Dead/Partially Glazed partition with 6mm thick MR grade Comm. ply to either side of frame of 50 mm x 50 mm x 1mm Aluminium sections at 610 mm c/c in both direction with 1.0 mm thick laminate (in multi colour) of approved shade and make on both side including partially glazed door shutter out of BWR solid core flush door panel, fixing 8 mm thick glass with etching, S.S. handles, Mortised lock, door closer (OZONE make), door stopper and three coats of French polish of approved shade to TW beading as per drawing. The item also includes grouting frame in wall/ floor & ceiling etc. complete. (Al. sections shall carry up to slab soffit. Measurement up to ceiling only will be paid.) | Sq.m | 8 | | |
| 11 | Providing & fixing 68mm thick full ht. Full ht. Dead/Partially Glazed partition with 6mm thick MR grade Comm. ply to either side of frame of 50 mm x 50 mm x 1mm Aluminium sections at 610 mm c/c in both direction with 1.0 mm thick laminate (in multi colour) of approved shade and make on one side & 4mm thick high end T.W.Vineer of approved shade and make on other side including partially glazed door shutter out of BWR solid core flush door panel, fixing 8 mm thick glass with etching, S.S. handles, Mortised lock, door closer (OZONE make), door stopper and three coats of French polish of approved shade to TW beading as per drawing. The item also includes grouting frame in wall/ floor & ceiling etc. complete. (Al. sections shall carry up to slab soffit. Measurement up to ceiling only will be paid.) | Sq.m | 20 | | |
| 12 | ACP paneling to Existing partition for system room:Providing and fixing in position 6mm MR grade ply and 3 mm thick ACP Panels of white shade fixed with necessary adhesive/silicon sealant, hardware with finishing etc. complete, including existing door shutter as per requirement and instructions of SBI-Infra/Bank/Architect. | Sq.m | 30 | | |

| S.NO. | PARTICULARS | UNIT | QTY. | RATE | AMOUNT |
|-------|---|--------|----------|------|--|
| | | | | | |
| 13 | Providing and fixing in position low/medium height | Sq.m | 25 | | |
| | partitions made of 50 x 50 x 1 aluminium square section | | | | |
| | framed at 0.6m to 0.45mm c/c both ways covered with 6 | | | | |
| | mm ply and 1.0 mm laminate (in multi colour) of approved shade & make both sides, including all | | | | |
| | necessary openings/cutting for cheques & other papers & | | | | |
| | to receive 10mm thick Float glass including all necessary | | | | |
| | openings for electric / telephonic conduits etc. as per | | | | |
| | requirement (Glass area in the partition will be deducted | | | | |
| | from the partition measurement). | | | | |
| 14 | Providing and fixing 10mm thick Float glass with etching | Sq.m | 2.5 | | |
| | as per design for low ht. partitions , held with SS clits (`D' | | | | |
| | brackets). All exposed glass with rounded moulding and | | | | |
| | crystal polish. All exposed woodwork to be finished with 03 coats of melamine polish. | | | | |
| 15 | Providing & fixing Aluminium Composite panels 4 mm | Sq.m | 48.00 | | |
| | thk. Of exterior grade with 50 x 25 mm size aluminium | Oq.iii | 40.00 | | |
| | frame section. Filling joints with silicon sealant, cleaning, | | | | |
| | scaffolding etc. complete. | | | | |
| 16 | Providing & supplying Chairs having minimum following | | | | |
| | specifications:- | | | | |
| | Aesthetic & ergonomically contoured backrest. | | | | |
| | High resilience seat foam with waterfall edge. Personalized seating adjustments (Class 3 HPGL) | | | | |
| | Superior PU Castors. | | | | |
| | Synchronized mechanism with intuitive controls. | | | | |
| | Durability, comfort & user safety. | | | | |
| | , | | | | |
| | | | | | |
| | | | | | |
| а | High Back (Basic Rate Rs. 5500/ Unit) | No. | 1 | | |
| b | Medium Back (Basic Rate Rs. 4000/ Unit) | No. | 13 | | |
| С | Visitor's Chair revolving type (Basic Rate Rs. 3000/ Unit) | No. | 6 | | |
| 11 | Providing and fixing cushion Sofa with handles out of 18 | Rmt | 1.8 | | |
| | mm thick comm. ply structure as per drawing with 100 mm | | | | |
| | thick high-density foam and upholstery of approved shade | | | | |
| | and make including three coats of melamine polish to | | | | |
| | T.W. members (wherever exposed). Basic Rate of Upholstery. Rs.500.00/Sq.m. | | | | |
| | Ophidistery. No.300.00/34.III. | | <u> </u> | I | |
| | | | | | |

| Total Amount | |
|--------------------------------|--------|
| Rupees in words : | |
| | |
| Signature & Seal of Contractor | Date : |
| | |