

SBI INFRA MANAGEMENT SOLUTIONS PVT. LTD.

(wholly owned subsidiary of SBI)

INVITES ONLINE TENDERON BEHALF

OF

STATE BANK OF INDIA

FOR

STANDARDIZATION OF UNIT RATE OF VARIOUS ITEMSINVOLVED IN THE CIVIL WORK FOR ALLBRANCHES AND OFFICESINAHMEDABAD CIRCLE

FROM

THE SBIIMS AHMEDABAD EMPANELLED CIVIL CONTRACTORS UNDER THE CATEGORY

OF 5.00 LAKHS AND UP TO 100 LAKHS AS PER THE LIST ENCLOSED

THE LAST DATE OF SUBMISSION OF TECHNICAL BID: 15.05.2020 UP TO 3.00 PM

NO PHYSICAL SUBMISSION OF ANY DOCUMENT

Tenders To Be Dropped In The Tender Box Kept In The Chamber of

Circle Head & Vice President (Civil)

SBI Infra Management Solutions Pvt. Ltd.

3rd Floor, SBI LHO Building Bhadra, Lal Darwaza, Ahmedabad-380001

Architect:

M/s. Vijay Sahijwani& Associates
Consulting Architect. Engineers, Interior Designers &
Govt. Approval Valuers
55,Sahyadri Apartment, Near Stadium Circle.
Navrangpura, Ahmedabad – 380 009



NOTICE INVITING TENDERS

SBIIMS on behalf of SBI through its Architect <u>M/s.Vijay Sahijwani</u>, <u>Ahmedabad</u> invites "Online e-tender (on percentage basis)" from the SBIIMS Empanelled CIVIL contractors of Ahmedabad Circle for standardization of unit rate of various items involving in the civil work for All Branches and Offices.

The details of tender are as under:

S.No.	Description	
1.	Name of work	Standardization of Unit Rate Of Various Civil Works In Furnishing Of Branches for All Branches and offices Of State Bank Of India Ahmedabad Circle
2.	Nature of Work	Civil work as per layout of the Bank / civil repairs/renovation Work
3.	Time allowed for completion	Work Completion Period will be given to contractors in accordance with the volume of work awarded after standardization of unit rate.
4.	Tender Fees	Rs 5,000 /- (Rupees FiveThousand Only) NON REFUNDABLE TENDER FEES AMOUNT TO BE PAID ONLY THROUGH SB COLLECT PAYMENT PORTAL AVAILABLE IN SBI sitehttps://www.onlinesbi.com)
		GUIDELINES TO MAKE ONLINE TENDER FEES Go to SBI Internet Banking websitehttps:// www.onlinesbi.com/
		Select SBI Collect from Top Menu
		Click Check box to Proceed ↓
		Select "All India " in state Corporate/Institution and "Commercial Services" in type of Corporate / Institution after that click go
		Select " SBI INFRA MANAGEMENT SOLUTIONS PVT. LTD." IN Commercial Services Name and Submit
		Select "Tender Application Fee" in Payment category and Enter "Tender ID " and Submit
		The purchaser will have to fill up the fields properly and submit, upon making the payment a receipt will be generated with a reference no. The purchaser has to enclose the receipt along with EMD in Technical Bid.
5.	Earnest Money Deposit	EMD amount is waived because of Lockdown. Wherever EMD amount is mentioned in Technical Bid should be treated as cancelled



6.	Initial Security Deposit	NIL	
7.	Total Security Deposit		it shall be 5% of contract value. (5% of the be deducted from each Branch).
8.		05-05-2020 to 15.0 news> <link/> procure	25.2020at <u>www.sbi.co.in</u> under <sbi ement="" in="" news.<="" td="" the=""></sbi>
9.	Last date & time for submission of on line Technical bid with receipt of cost of tender document and Sealed Bid		PM
10.		SBI Infra Manageme	ent Solutions Pvt. Ltd. O, Bhadra, Laldarwaja
11.	Date and time of on line opening of Technical bid at SBIIMS, Circle Office address mentioned at Sr. No.10		PM
12.		Numbers Sujith Nair Jaymeet Rathod Vinayak Khambe Nadeem Mansuri Nandan Valera Hemangi Patel Kanchan Kumari Deepak Narekar Anshul Juneja Salina Motani Devang Patel	9081000427, 9904407997 079-68136857, sujith@eptl.in 079-68136829,jaymeet.rathod@eptl.in 079-68136835, vinayak.k@eptl.in 079-68136853, nadeem@eptl.in 079-68136843, nandan.v@eptl.in 079-68136852, hemangi@eptl.in 079-68136820, kanchan.k@eptl.in 079-68136863, deepak@eptl.in 079-68136840, anshul.juneja@eptl.in 079-68136859, devang@eptl.in 079-68136859, devang@eptl.in Ms. Priyanka Acharya:- 079-68136856, +916354919566, priyanka@auctiontiger.net
13.	Date & time for submission of Sealed price bid.		15.05.2020 @ 3 PM
14.	Date & time for opening ofSealed price bid.		15.05.2020 @ 4 PM



15.	Date & time for e-reverse auction	NO REVERSE AUCTION, ONLY FINAL PRICE BID TO BE SUBMITTED, % ABOVE / BELOW OF ESTIMATED AMOUNT.
		ocsimires, whose person of committee handsitt.
16.	Liquidated Damages	0.50% of contract amount per weeks subject to max. 5% of contract value or final bill value.
17.	Rates	UnitRates quoted shall be inclusive of all existing & future (including variation) taxes, duties, levies, royalties, transportation, other incidental charges, WCT etc. PVA & PVA Clause shall not be applicable. Note: GST will be paid Extra as per Applicable norms. If any tenderers puts any condition/anything/any taxes extra over and above their quoted rates the tender shall be summarily rejected.
18.	Defects Liability Period	12 Months from the date of Virtual Completion
19.	Validity of offer	90 days from the date of finalization of Tender. Which can be extended by further 90 days.
20.	Value of Interim Certificate	extended by further 90 days. Will be decided after standardization of unit rate.
21.	Insurance	The contractor shall obtain all necessary insurance policies as per the governing laws applicable at the centre& shall required to produce the original policy of Insurance& receipt of the premium as applicable in the matter to the Architect/Bank.
22.	Water and Electricity	If contractor is permitted to use SBIIMS's source of water & electricity, the SBIIMS Pvt. Ltd will recover @ 0.5% of contract amount from the final bill of contractor. However further distribution & extension & light fixtures etc. with required MCB switches, switch boards, lamp, tube etc. shall be arranged by the contractor at their own cost within the accepted tender amount. Bank will recover 0.5% of the final bill amount towards consumption of water & electricity.



23. Award of Work

This is a unit rate tender. The rates of individual items have been fixed by the Bank. Bank's authorized e-procurement agency will conduct FINAL PRICE BID TENDERING (on percentage basis) e-reverse auction considering estimated cost as a base price after deducting buy-back value.

"K" factor / percentage quoted by L-1 bidder (above/ below) would uniformly apply to all individual estimated rates. After online tendering (on percentage basis), contractors will be identified as L1, & work will be distributed L-1 to L-25 (if L-2 & above agrees to execute the work at L-1 Rates) as per the table given below. Initially the Branches will be allotted as per Bank's requirement and availability of site. Subsequently works will be awarded on performance basis wherein contractor's efficiency and satisfactory completion of the awarded works will be seen. SBIIMS reserves the right to allot/ distribute works as per its discretion. He should also execute all works within the given time schedule as time is the essence of the contract.

unic sc	nedule as time is the essence of the contract.
L1	Maximum 20 Branches OR at a total cost of work not exceeding `80 Lakhs
L2	Maximum 17 Branches OR at a total cost of work not exceeding `68 Lakhs
L3	Maximum 15 Branches OR at a total cost of work not exceeding ` 60 Lakhs
L4	Maximum 14 Branches OR at a total cost of work not exceeding `56 Lakhs
L5	Maximum 13 Branches OR at a total cost of work not exceeding `52 Lakhs
L6	Maximum 12 Branches OR at a total cost of work not exceeding `48 Lakhs
L7	Maximum 10 Branches OR at a total cost of work not exceeding ` 40 Lakhs
L8	Maximum 9 Branches OR at a total cost of work not exceeding ` 36 Lakhs
L9	Maximum 8 Branches OR at a total cost of work not exceeding ` 32 Lakhs
L10	Maximum 7 Branches OR at a total cost of work not exceeding ` 28 Lakhs
L11 TO L25	Maximum 5 Branches each OR at a total cost of work not exceeding ` 20 Lakhs

Notes: a) If the estimated cost of work is more than Rs. 5 Lakh in one branch then the contractors empanelled under the category up to Rs. 5 Lakh will not be eligible.

- b) SBIIMS reserves its right to distribute or redistribute the work to achieve the target in time bound manner.
- c) "K" Factor/ percentage quoted:- Lowest bid amount (after buy back) after e reverse auction divided by estimated cost after buy back. "K"- factor The quoted percentage will apply on each item of estimate (including buy back) to derive the final lowest rates i.e. Standard Rate



24	Validity Of Standard Rates 90 days from the date of finalization of Tender. Which can be extended by further period of 90 days
25	Tenders can be downloaded from the bank's website <u>www.sbi.co.in</u> (link) <sbi in="" news="" the=""><procurement news="">. It shall be responsibility of the contractor to arrange and ensure that all pages of technical and financial bid are properly bound separately. Tenders in loose pages may be disqualified.</procurement></sbi>
26	The contractor shall sign and stamp each page of the tender document thereby ensuring the number and sequence of all pages.
27.	No conditions other than mentioned in the tender will be considered, and if given they will have to be withdrawn before online submission of Price Bid (on percentage basis).
28.	The SBIIMS reserve their rights to accept or reject any or all the tenders, either in whole or in part without assigning any reason(s) for doing so and no claim / correspondence shall be entertained in this regard.
29.	Tenders received without EMD and online receipt of tender fees shall be summarily rejected and such tenders shall not be allowed to participate in the online Price Bid submission.
30.	In case the date of opening of tenders is declared as a holiday, the tenders will be opened on the next working day at the same time.
31.	SBIIMS has the right to accept / reject any / all tenders without assigning any reasons and no correspondence shall be entertained in this regard.
32.	The all Branches / offices of Ahmedabad Circle
33.	The order will be placed as aforesaid after Standardization of Rates amongst the number of contractors participate in the online tendering process.
34.	The Bank will place order as per its requirement and quoting minimum rate for any category does not provide any guarantee for receiving order for that item by the firm who quotes lowest rates.
35.	Bankreservesrighttocancelany/alltendersatanystagewithoutassigninganyreasons.
36.	The Bank reserves the right to accept the tender in full or in part and the tenderer shall have no claim for revision of rates or other condition if his tender isaccepted in parts.
37.	In case the date of online tendering is declared as a holiday, the online tendering will be conducted on the next working day at the same time.
38.	SBIIMS reserves the right to accept or reject any or all the tenders without assigning any reason whatsoever. For any clarification regarding E-Tendering procedure, System requirements etc please contact M/s E-Procurement Technologies Limited, Ahmedabad, whose address is mentioned in the NIT.
39.	It is vendor's/supplier's responsibility to be well prepared and get ready with E-Tendering procedures & well equipped with all requirements. SBIIMS will not take any responsibility of delay in submission of EMD, slow internet connectivity, system failures etc.
40.	Maximum amount equal to 70 % of bill amount (Certified by Architect) will be given as ad-hoc payment on recommendation of SBIIMS.

Yours Faithfully,

Circle Head & Vice President SBI Infra Management Solutions Pvt. Ltd. Third Floor, SBI, LHO, Bhadra, Laldarwaja Ahmedabad-380001



LIST OF EMPANELLED CIVIL CONTRACTORS

Worl	ks Up to Rs. 100 Lakh (C-4)
1	M/s Tez Corporation
	(Proprietor)
	PAN NOACRPM2702Q
	GST NO24ACRPM2702Q1Z6
	A/55, Akruti Society, Ajay Tenaments-5, Vastral Road, Ahmedabad
	(9426020113)
2	M/s Shree Sai Construction
	(Partnership)
	PAN NO ACMFS7571C
	GST NO 24ACMFS7571C1ZY
	E-402, Shikhar-1, Near Abhaynagar Society, Near Arunachal Char Rasta, Subhanpura,
	Vadodara
	(9426007886)
3	M/s RadheStructorepair Pvt. Ltd.
	(Private Limited)
	PAN NO AAECR1193E
	GST NO 24AAECR1193E1ZN
	SF/12-13, Yogeshwar Complex, Gulab tower Road Corner, Below Sola Over Bridge, Thaltej,
	Ahmedabad
	(9825609931)
4	M/s Mangalam Construction Co.
	(Partnership)
	PAN: AAGFM2977C
	GST: 24AAGFM2977C1ZE
	303, Vishram Avenue, Opp. GEB Sub Station, Gotri Road, Vadodara
	(9426081997)
5	M/s Patel Construction Co.,
	(Proprietor)
	PAN:AHGPP4429H
	GST: 24AHGPP4429H1ZB
	18/ Sanket Complex, N. H. No08, Near Gagan Guest House, Naroda
6	(9427007484)
6	M/s Bhavani construction Co.
	(Partnership) PAN:AAMFB3466H
	GST: 24AAMFB3466H1ZF
	212, 2 nd floor, Ratandeep Complex, Near Central Salt, Waghawadi Road, Bhavnagar
	(9427262860)
7	M/s Nageshwar Enterprise
	(Proprietor)
	PAN:AABPU8984G
	GST: 24AABPU8984G1Z7
	GF-8, Anannya Complex, Akshar Chowk, Old Padra Road, Vadodara



	(9825801447)
8	M/s Y. M. Infra Co.
	(Partnership)
	PAN: AABFY0450H,
	GST: 24AABFY0450H1ZH,
	A-104, Rudra Apartment, Nanbhawadi, Nr. Takhteshwar Temple, Bhavnagar
	(9825498095)
9	M/s J.A.S. Gandhi & Co.
	(Partnership)
	PAN NO AAAFJ7163P
	GST NO 24AAAFJ7163P1ZO
	811, Mahakant, Opp. V. S. Hospital, Ellisbridge, Ahmedabad
	(9824268188)
10	M/s N. K. Associates
	(Proprietor)
	PAN: AFOPK6104N
	GST: 24AFOPK6104N1Z7
	13, Kamla Park Society, main Rander Road, Surat-9
	(9824199146)
11	RajalInfracon
	(Proprietor)
	PAN NO AASFR3892B
	GST NO 24AASFR3892B1ZZ
	C/O Neeraj N. Mehta, Sanskruti Flat noB, Opp. Bhulaka Bhavan School, B/H
	Sandhyadarshan, Nr. Reid & Tailor Showroom
	(9898544404)
Work	ks Up to Rs. 50 Lakh (C-3)
1	M/s Nishant Enterprise
	(Proprietor)
	PAN NO AHUPT3936H
	GST NO 24AHUPT3936H1ZR
	8, Gajendra Nagar, Ajay Tenaments-5, Near New RTO, Vastral, Ahmedabad
	(9427016941)
2	M/s J. P. Corporation
	(Proprietor)
	PAN: AOGPP1875G
	GST: 24AOGPP1875G1ZU
	Plot No 1055/1, Sector- 13/C, Gandhidham
	(9998691809)
3	M/s Somaiya Engineers
	(Partnership)
	PAN: AAHFS2770A
	GST: 24AAHFS2770A1ZK
	Plot No 34, Sector-10/A, Behind Gandhidham, Kutch
	(9825228390)



4 M/s Vardhan Construction

(Proprietor)

PAN: AFOPS7872P,

GST: 24AFOPS7872P1ZA

B-51/52, Tulsi Township, Opp. Vallabh Vatika Society, Nr. GIDC-Vadsar railway overbridge,

Vadsar Road, Vadodara

(9825533571)

Works Up to Rs. 20 Lakh (C-2)

1 M/s Deepani Builders

(Proprietor)

PAN: ABOPP6954D

GST: 24ABOPP6954D1ZD

E/60, Ayojannagar Society, Nr. Shreyas Crossing, Paldi, Ahmedabad

(9426526627)

2 M/s Daulat D. Sahijwani

(Proprietor)

PAN: AELPS4864B

GST: 24AELPS4864B1ZE

601, A-1, Anmol Towers, Naranpura, Ahmedabad

(9825023051)

3 M/s J. D. Mistry

(Proprietor)

PAN: ADUPM1360J.

GST: 24ADUPM1360J1ZB

42, Swaminarayan Park, Near Smruti mandir, Nigam society Road, Ghodasar, Ahmedabad

(9328273542)

4 M/s J. C. Builders

(Proprietor)

PAN: AAYPB9021E

GST: 24AAYPB9021E1ZT

54, J. C. House, Punitnagar Part-3, Nr. Umiyavijay Society, Satellite, Ahmedabad

(9825008268)

Works Up to Rs. 5 Lakh (C-1)

1 M/s Yogesh VitthalbhaiChudasama

(Proprietor)

PAN NO.- AAVPC6053E

GST NO.- 24AAVPC6053E1ZT

403, Nakshatra Heights, Opp. Raiya Telephone Exchange, 150' Ring Road, Rajkot

(9824241348)

2 M/s Devi Krupa

(Partnership)

PAN NO.- AAJFD4903A

GST NO.- 24AAJFD4903A1Z2

26/A, Jivaraj Park Society, B/h Sahajanand Tower, Nr. Jivaraj Park Char Rasta, Post-Vejalpur,

Ahmedabad



	(9925039223)
3	M/s Decora
	(Proprietor)
	PAN: ARPPS6536B
	GST: 24ARPPS6536B1ZM
	40, Mahavirnagar Society, Nr. L. J. College, Vastrapur
	(9825073947)
4	M/s Prakash Furniture
	(Proprietor)
	PAN: ABJPP8234H
	GST: 24ABJPP8234H2ZG
	4, Laxmi Estate, B/h Navneet Press, Uttam Dairy Road, Rakhial, Ahmedabad
	(9824021498)
5	M/s Jay Engineers
	(Proprietor)
	PAN: ALTPR5807N
	GST: 24ALTPR5807N1ZA
	F/5, Mansi Appartment, B/h Galaxy Cinema, Naroda, Ahmedabad
	(9426852617)
6	M/s Nilesh V. Joshi
	(Proprietor)
	PAN: ADZPJ1744N,
	PAN: 24ADZPJ1744N1ZX
	11-Shivaji Park, Raiya Road, Rajkot
	(9106209270)



FORM TENDER

To, The Circle Head & VP (Civil), Circle Office, SBI Infra Management Solutions Pvt. Ltd., Ahmedabad- 380001.

Dear Sir,

Having examined the drawings, specification, design and schedule of quantities relating to the works specified in the memorandum hereinafter set out and having visited and examined the site of the works specified in the said memorandum and having acquired the requisite information relating thereto as affecting the tender, I/We hereby offer to execute the works specified in the said memorandum at the rates mentioned in the attached Schedule of Quantities and in accordance in all respects with the specifications, design, drawings and instructions in writing referred to in conditions of tender, the Articles of Agreement, Special Conditions, Schedule of Quantities and Conditions of Contract and with such materials as are provided for by, and in all other respects in accordance with such conditions so far as they may be applicable.

MEMORANDUM

•	Proposed Civil works inallBranches and Offices. In Ahmedabad Circle
Earnest Money	25,000/ (Rupees Twenty Five Thousand only) by means of Demand Draft / Pay Order (Valid for a period of 90 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of SBI Infra Management Solutions Pvt. Ltd. at Ahmedabad.
Percentage, if any, to be deducted from Bills and total amount to be retained	10 % from Running Bills, subject to maximum Total 5% of contract amount or actual Final Bill value.
	Work Completion Period will be allotted to contractors in accordance with the volume of work after standardization of unit rate.

I/We have deposited a sum of ~25,000/-(Rupees Twenty FiveThopusand Only) of the total tender amount as Earnest Money with the State Bank of India which is not to bear any interest. Should I / We fail to execute the Contract when called upon to do so I/ We do hereby agree that this sum shall be forfeited by me/us to SBI Infra Management Solutions Pvt. Ltd.

1) Our Bankers are: i)	ii)
The names of partners of our firm are: i)	ii)



Name of the partner of the firm Authorized to sign

Or

(Name of person having Power of Attorney to sign the Contract.)
(Certified true copy of the Power of Attorney should be attached)

Yours faithfully,

Signature of Contractors.

Signature and addresses of Witnesses i)

ii)



SAMPLE BUISNESS RULE DOCUMENT

ONLINE E-TENDERING FOR PROPOSED CIVIL WORKS IN ALL BRANCHES AND OFFICESIN AHMEDABAD CIRCLE

(A) Business rules for E-tendering:

- 1. Only SBIIMS AHMEDABAD CIRCLE empanelledCIVILcontractors with SBI under appropriate category who are invited by the project Architect/SBIIMS shall only be eligible to participate.
- 2. SBIIMS will engage the services of an E-tendering service provider who will provide necessary training and assistance before commencement of online bidding on Internet.
- 3. In case of e-tendering, SBIIMS will inform the vendor in writing, the details of service provider to enable them to contact and get trained.
- 4. Business rules like event date, closing and opening time etc. also will be communicated through service provider for compliance.
- 5. Contractors have to send by email, the compliance form in the prescribed format (provided by service provider), before start of E-tendering. Without this the vendor will not be eligible to participate in the event.
- 6. The Contractors will be required to submit the various documents in sealed Envelope to the office of SBI Infra Solutions Pvt Ltd. at the address mentioned hereinbefore by the stipulated date i.e. (1) Hard Copy of Technical Bid duly signed and stamped on each page (2) Demand Draft of specified amount of EMD (3) Online Tender Fees receipt. Contractors not submitting any one or more documents shall not be eligible to participate in the on-line price bidding.
- 7. E-tendering will be conducted on schedule date &time.
- 8. The e-tendering will be treated as closed only when the bidding process gets closed in all respects for the item listed in the tender.

(B) Terms & conditions of E-tendering:

SBIIMS shall finalize the Tender through e-tendering mode for which M/s. e-Procurement Technology, Ahmedabad has been engaged by SBIIMS an authorized service provider. Please go through the guidelines given below and submit your acceptance to the same along with your Commercial Bid.

E-tendering shall be conducted by SBIIMS through M/s. e-Procurement Technology, Ahmedabad., on
pre-specified date. While the Contractors shall be quoting from their own offices/ place of their choice,
Internet connectivity and other paraphernalia requirements shall have to be ensured by Contractors
themselves. In the event of failure of their Internet connectivity,(due to any reason whatsoever it may be) it
is the bidders' responsibility.



In order to ward-off such contingent situation bidders are requested to make all thenecessaryarrangements/alternativessuchasback—uppowersupplywhateverrequiredso that they are able to circumvent such situation and still be able to participate in theE-tendering successfully. Failure of power at the premises of Contractors during the E-tenderingcannotbethecausefornotparticipatingintheE-tendering.OnaccountofthisthetimefortheE-tenderingcannotbeextendedandSBIIMSisnotresponsiblefor sucheventualities.

- 2. M/s.e-Procurement Technology, Ahmedabad.,shallarrangetotrainyournominatedperson(s),without anycosttoyou. They shall also explainyou all the Rules related to the E-tendering. You are required to give your compliance on it before start of bidprocess.
- 3. BIDDING CURRENCY AND UNIT OF MEASUREMENT: Bidding will be conducted in Indian currency & Unit of Measurement will be displayed in OnlineE-tendering.
- 4. BID PRICE: The Bidder has to quote the rate as per the Tender Document provided by SBIIMS their appointedArchitects.
- 5. VALIDITY OF BIDS: The Bid price shall be firm for a period specified in the tender document and shall not be subjected to any changewhatsoever.
- 6. Procedure of E-tendering:

i. OnlineE-tendering:

- (a) Thehardcopy of the Technical as well as Price Bid isavailableontheBank's website during the period specified in theNIT.
- (b) Onlinee-tenderingisopentotheempanelledbidderswhoreceiveNITfromthe Architect and qualified for participating in the price bidding as provisions mentioned hereinabove through SBIIMS approved ServiceProvider.
- (c) The Price-Bid shall be made available online by the Service Provider wherein the contractors will be required to fill-in their Item-wise unit rates for eachitem.
- (d) TheContractorsareadvisednottowaittillthelastminutetosubmittheironline item-wise quote in the price bid to avoid complications related with internet connectivity, network problems, system crash down, power failure,etc.
- (e) It is mandatory to all the bidders participating in the price bid to quote their rates for each and every item.
- (f) In case, contractor fails to quote their rates for any one or more tender items, their tender shall be treated as "Incomplete Tender" and shall be liable for rejection.



- 7. LOG IN NAME & PASSWORD: Each Bidder is assigned a Unique User Name & Password by M/s. e-Procurement Technology, Ahmedabad. The Bidders are requested to change the Password after the receipt of initial Password from M/s. e-Procurement Technology, Ahmedabad. All bids made from the Login ID given to the bidder will be deemed to have been made by the bidder.
- 8. BIDS PLACED BY BIDDER: Bids will be taken as an offer to execute the work as specified. Bids once made, cannot be cancelled / withdrawn and the Bidder shall be bound to execute the work at the quoted bid price. In case the Bidder backs out or fail to complete the work AFTER ACCEPTING THE STANDARD UNIT RATE, SBIIMS shall have the liberty to take action as deemed necessary including de-paneling such contractors and forfeiting theirEMD and imposing heavy penalty to contractor to recover the losses occurred to the Bank.
- 9. AttheendoftheE-tendering,SBIIMSwilldecideuponthewinner.SBIIMS decision on award of Contract shall be final and binding on all the Bidders.
- 10. SBIIMSshallbeatlibertytocanceltheE-tenderingprocess/tenderatanytime,before ordering, without assigning any reason.
- 11. SBIIMS shall not have any liability to bidders for any interruption or delay in access to the site irrespective of thecause.
- 12. Other terms and conditions shall be as per your techno-commercial offers and other correspondences till date.

13. OTHER TERMS & CONDITIONS:

- The Bidder shall not involve himself or any of his representatives in Price manipulation of any kind directly or indirectly by communicating with other suppliers/ bidders.
- The Bidder shall not divulge either his Bids or any other exclusive details of SBIIMS to any other party.
- SBIIMS decision on award of Contract shall be final and binding on all the Bidders.
- SBIIMS reservetheirrightstoextend,rescheduleorcancelanyE-tendering within its sole discretion.
- SBIIMS or its authorized service provider M/s. e-Procurement Technology, Ahmedabad shall not have any liability to Bidders for any interruption or delay in access to the site irrespective of the cause.
- SBIIMS or its authorized service provider M/s. e-Procurement Technology, Ahmedabad is not responsibleforanydamages,includingdamagesthatresultfrom,butarenotlimited tonegligence.
- SBIIMS or its authorized service M/s. e-Procurement Technology, Ahmedabad will not be held



responsible for consequential damages, including but not limited to systems problems, inability to use the system, loss of electronic informationetc.

<u>N.B.</u>

- All the Bidders are required to submit the Process Compliance Statement(Annexure-II) duly signed to M/s. e-Procurement Technology, Ahmedabad.
- All the bidders are requested to ensure that they have a valid digital signature certificate well in advance to participate in the onlineevent.



PROCESS COMPLIANCE STATEMENT (ANNEXURE II)

(The bidders are required to print this on their company's letter head and sign, stamp beforeemailing)

To, M/s. e-Procurement Technology, B-705, Wall Street - II, Opp. Orient Club, Ellisbridge, Ahmedabad – 380006, State Gujarat, India

E:yashrajsinh@auctiontiger.net

D: +91 79 40016815/6824

Email:

AGREEMENT TO THE PROCESS RELATED TERMS AND CONDITIONS FOR THEONLINEE-TENDERINGFOR STANDARDIZATION OF UNIT RATE OF VARIOUS ITEMS INVOLVING IN THECIVIL WORKS OF ALL BRANCHES AND OFFICES, IN AHMEDABAD CIRCLE

Dear Sir.

This has reference to the Terms & Conditions for the E-tendering mentioned in the Tender document This letter is to confirm that:

- 1) The undersigned is authorized representative of the company.
- 2) We have studied the Commercial Terms and the Business rules governing the E-tendering as mentioned in RFP of SBIIMS as well as this document and confirm our agreement to them.
- 3) We also confirm that we have taken the training on the E-tendering tool and have understood the functionality of the same thoroughly.
- 4) We confirm that SBIIMS and M/s. e-Procurement Technology, Ahmedabad shall not be liable & responsible in any manner whatsoever for my/our failure to access & bid on the e-E-tendering platform due to loss of internet connectivity, electricity failure, virus attack, problems with the PC, any other unforeseen circumstances etc. before or during the E- tendering event.
- 5) We confirm that we have a valid digital signature certificate issued by a valid Certifying Authority.
- 6) We,herebyconfirmthatwewillhonortheBidsplacedbyusduringtheE-tenderingprocess.

With regards, Date:
Signature with company seal Name:
Company / Organization:
Designation within Company / Organization: Address of Company / Organization:
Scan it and send to this Document on



ARTICLES OF AGREEMENT

(On non-judicial Stamp Paper of Rs. 500/- or as per latest Govt. Rules)

ARTICLES OF AGREEMENTmadethe	dateofbetween
SBIIMS,onbehalfofSBI,havingitsofficeatMumbaihereinafte	ercalled"theServiceProvider" oftheOnePartand
WHEREAS the SBIIMS is desirou and has caused drawings and specifications describi	
ANDWHEREASthesaidDrawings numbered	
AND WHEREAS the Contractor has agreed to executively herein and to the Conditions of Contract (all of which are collectively he works shown upon the said Drawings and / or describes Schedule of Quantities at the respective rates therein secur such other sum as shall become payable there un Amount.)	cialConditionsandintheSchedule of Quantities ar reinafter referred to as "the said conditions") the ed in the said Specifications and included in the et forth amounting to the sum as therein arrived
NOW IT IS HEREBY AGREED AS FOLLOWS: In consideration of the said Contract Amount to be paid a Conditions, the Contractor shall upon and subject to the shown upon the said Drawings and described in the Quantities. The Employer shall pay to the Contractor the said Con	e said Conditions execute and complete the wo said Specifications and the priced Schedule tract Amount, or such other sum as shall becom
cayable, at the times and in the manner specified in the solution. The term "the Architects" in the said Conditions shall me event of their ceasing to be the Architects for the purpose person or persons as shall be nominated for that purpose Contractor shall object for reasons considered to be sufficient operson or persons subsequently appointed to be Arch entitled to disregard or overrule any previous decisions or	ean the M/s, or in the e of this Contract for whatever reason, such other by the Employer, not being a person to whom the cient by the Employer, PROVIDED ALWAYS that itects under this Contract shall be
by the outgoing Architects for the time being.	application and accounting from on outprocood in the

tothe

themselves

this Agreement, and the parties here to shall respectively abide by submit



saidConditionsandperformtheAgreementsontheir part respectively inthesaidConditions contained.

- 4) The Plans, Agreements and Documents mentioned herein shall form the basis of this Contract.
- 5) This Contract is neither a fixed lump-sum contract nor a piece work contract but a contract to carry out the work in respect of the entire building complex to be paid for according to actual measured quantities at the rates contained in the Schedule of Quantities and Rates or as provided in the said Conditions.
- 6) TheContractorshallaffordeveryreasonablefacilityforthecarryingoutofallworksrelating to civil works, installation of lifts, Telephone, electrical installations, fittings air-conditioning and other ancillary works in the manner laid down in the said Conditions, and shall make good any damages done to walls, floors, etc. after the completion of his work.
- 7) The SBIIMS reserves to itself the right of altering the drawings and nature of the work by adding to or omitting any items of work or having portions of the same carried out without prejudice to this Contract.
- 8) TimeshallbeconsideredastheessenceofthisContractandtheContractorherebyagrees to commence the work soon after the Site is handed over to him or from the date of issue of formal work order as provided for in the said Conditions whichever is later and to complete the entire work within the specified time subject to nevertheless the provisions for extension of time.
- 9) All payments by the SBI under this contract will be made only atAhmedabad.
- 10) All disputes arising out of or in any way connected with this agreement shall be deemed to have arisen at Ahmedabad and only the courts in Ahmedabad i shall have jurisdiction to determine the same.
- 11) That the several parts of this Contract have been read by the Contractor and fully understood by the Contractor.

IN WITNESS WHEREOF THE SBIIMS and the Contractor have set their respective hands to these presents and two duplicates hereof the day and year first hereinabove written.

	SIGNATURE CLAUSE		
	SIGNED AND DELIVERED by the		
		By the (Employer)	
	hand of Shri		
	(Name and Designation) In thepresence of	- f:	(Signature of Employer)
1)	Shri /Smt.		



(Signature of Witness)		
Address		
(Witness)		
SIGNED AND DELIVERED by the		
(Contractor)	Bythe	(Signature of Contractors
in the presence of:		
Shri/ Smt		(Signature ofWitness)
Address		
(Witnes		



SECTION - 1

INSTRUCTIONS TO THE TENDERERS

1.0 Scope of work

Sealed Tender followed by price bidding (on percentage basis) are invited by M/s. Vijay Sahijwani & Associates, Ahmedabad for and behalf of SBI / SBIIMSPL for standardization of unit rate of various items involving in the Proposed civil works of All Branches and Offices In Ahmedabad Circle

- 1.1 Site and its location as mentioned in the NIT SI. No. 32
- 2.0 Tender Documents
- 2.1 The work has to be carried out strictly according to the conditions stipulated in the tender consisting of the following documents and the most workmen like manner.

Instructions to tenderers

General conditions of Contract

Special conditions of Contract

Additional Specifications

Drawings

Priced bid A

- 2.2 The above documents shall be taken as complementary and mutually explanatory of one another but in case of ambiguities or discrepancies, shall take precedence in the order given below;
 - a) Price Bid
 - b) Additional Specifications
 - c) Technical specifications
 - d) Drawings
 - e) Special conditions of contract
 - f) General conditions of contract
 - g) Instructions to Tenderers
- 2.3 Complete set of tender documents including relative drawings can be downloaded from the website www.sbi.co.in
- 2.4 The tender documents are not transferable.



3.0 Site Visit:

3.1 The tenderer must obtain himself on his own responsibility and his own expenses all information and data that may be required for the purpose of filling this tender document and enter into a contract for the satisfactory performance of the work. The tenderer is requested satisfy himself regarding the availability of water, power, transport and communication facilities, the character quality and quantity of the materials, labour, the law and order situation, climatic conditions local authorities requirement, traffic regulations etc; The tenderer will be fully responsible for considering the financial effect of any or all the factors while submitting his tender.

4.0 Earnest Money:

The tenderers are requested to submit the Earnest Money of `25000/- (Rupees Twenty Five Thousand Only) by means of Demand Draft / Pay Order (Valid for a period of 90 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of SBI Infra Management Solutions Pvt. Ltd. atAhmedabad.

- 4.1 EMD in any other form other than as specified above will not be accepted. Tender not accompanied by the EMD in accordance with clause 4.1 above shall be rejected.
- 4.2 No interest will be paid on the EMD.

5.0 Initial Security Deposit:NIL

5.1 Security Deposit:

Total security deposit shall be 5% of contract value. Deduction from each running bill account will be @ 10% till Total Security Deposit (TSD) reaches to 5% of contract value. The 50% of the Total Security Deposit shall be paid to the contract on the basis of architect's certifying the virtual completion. The balance 50% would be paid to the contractors after completion Defects Liability Period as specified in the contract/WORK ORDER.

5.2Signing of contract Documents:

The contractor who accept the standard rates shall be bound to implement the contract by signing an agreement and conditions of contract attached herewith within 15 days from the receipt of intimation of acceptance of the tender by the Bank. However, the written acceptance of the bidder by the Bank will constitute a binding agreement between the Bank and contractor who accept the L-1 rates (Standard Rates) whether such formal agreement is subsequently entered in to or not.

6.0 Completion Period:

Time is essence of the contract. The work should be completed in all respect accordance with the terms of contract within the stipulated period from the date of award of work.



7.0 Validity of Standard Rate: As per NIT

If the tenderer withdraws his/her offer during the value period or makes modifications in his/her original offer which are not acceptable to Bank without prejudice to any other right or remedy the Bank shall be at liberty to forfeit the EMD.

8.0 Liquidated Damages:

The liquidated damages shall be 0.50% per week subject to a maximum of 5% of contract value.

9.0 Rate and Prices:

9.0.1 In case of item rate tender:

The bidder should be signed each page of the estimated BOQ by the authorized person and cutting or over writing shall be duly attested by him. Each page shall be totaled and the grand total shall be given The tenderers should not change the units as specified in the tender. If any unit is changed the tenders would be evaluated as per the original unit and the contractor would be paid accordingly. The tenderer should not change or modify or delete the description of the item. If any discrepancy is observed he should immediately bring to the knowledge of the Architect/ SBIIMS each page of the BOQ shall be signed by the authorized person and cutting or over writing shall be duly attested by him. Each page shall be totaled and the grand total shall be given.

The rate quoted shall be firm and shall include all costs, allowances, materials, labours, taxes etc. except G.S.T, which shall be payable / reimbursed as per actual as applicable.

The SBIIMS reserve their rights to accept any tenders, either in whole or in part or may entrust the work in phases or may drop the part scope of work at any stage of the project within its sole discretion without assigning any reason(s) for doing so and no claim / correspondence shall be entertained in this regard.

Signature Of The Contractor With Seal



GENERAL & IMPORTANT NOTES

1 GENERAL NOTES:

- (i) Unless otherwise specified in these tender documents mode of measurements specifications etc. shall be as per relevant IS codes.
- (ii) Source of materials / samples / brands / makes etc. shall be got approved from the Architects / Bank before using. In case of deviations, decision of the Bank shall be final and binding and shall not be open for arbitration.
- (iii) The Architects have their specific role / duties / rights as defined in these tender documents. However in the event of any dispute arising out of differences between the opinions of the Architects and also their role/ duties/rights, the Banks' decision shall be final & binding on the Architects and the Contractor and shall not be open to arbitration.
- (vi) The Contractor will extend full co-operation, support and all required assistance to Architect / Bank for discharging their duties and responsibilities efficiently and effectively.
- (vii) The contractor has to supply and adhere to the specific makes and specifications of all the items, which are mentioned in the separate list of approved makes. Any work found not as per the tender specifications and list of approved the contractor has to replace the same without any delay. The contractor is instructed of get approval of all the materials to be used on this site before starting the work. He should provide different sample of material for approval, before execution of work.
- (viii) All quantities indicated in the tender are approximate & are likely to change. The contractor must take actual measurement at site and billing shall be done as per the actual measurement of the work done at site.
- (ix) Work has to be got executed at site in coordination with various agencies working at site.
- (x) The contractor is instructed to get the approval of the materials to be used on this site before starting the work. He shall provide different sample of materials for approval before execution of the work
- (xi) All material have to be used in full size/length only. Joints should be avoided as far as possible.
- (xii) Any item mentioned in the BOQ with "TO THE SHAPE" will have measurement of onsite executed to the shape area only.
- (xiii) Making various levels & line out for total layout on site for the items in scope of the work shall be done by the contractor at his own cost.
- (xiv) MTC (Manufacturer Test certificate) Where ever applicable shall be arranged & submitted by the contractor. Testing of wood for moisture, knot % etc. shall be carried out by the contractor at his own cost.

2. IMPORTANT NOTES:



- (i) The contractor's qualified & authorized representative shall remain on site during the entire execution process for coordination with various agencies / Architect / Bank & execution of work.
- (ii) If the assigned work is in running/working Branch, the contractor should have execute the site erection work in odd hours, Holidays and Sundays.
- (iii) The contractor shall prepare all loose furniture items at his workshop only & deliver the same to the site atappropriate time as instructed by the Architect/BMs/Bank Officials.
- (iv) The site shall be cleaned on day-to-day basis & all debris shall be disposed away at the location beyond the limit as approved by the local authority.
- (v) Hidden measurements:- It is contractor's responsibility to get the measurement checked immediatelyon completion of such items. This shall be done before finishing the same The Architect shall be provided with such details well in advance so that the other work is not held up due to last moment action.
- (vi) Before starting the work at site, the contractor shall mark out the plan & levels of the false ceiling, partitions etc. in coordination with other agencies on site.
- vii) The rates quoted shall be inclusive of all taxes, Duties, Octroi, Transportation, Delivery, Installation, Testing, Commissioning etc. complete at the site. No extra will be paid for any kind of taxes. However the GST will be paid extra as applicable as per actual.
- viii) The entire job shall be executed in total coordination with the other agencies working on the project & also with landlord, Branch Manager and Bank officials etc.
- ix) Architect of the project shall be kept informed about the progress of the work at various stages.
- x) The contractor shall arrange on his own for lighting & plug point with socket & electrical wiring, DB's etc. required during entire execution process. However supply at point shall be provided by the bank / landlord
- (xi) Any Hidden item MUST be photographed and need to be sent via e- mail or CD to Architect / Bank

xii) BILLING PROCESS:

The contractor/Architect should take care of the following while submitting the final Bill



The Final Bill Should Contain:-

- a) Abstract in tender BOQ format only.
- b) Schedules for detailed measurement sheet for all items (in detailed break up).
- c) Original insurance policies as per tender terms and conditions.
- d) Completion certificate issued by the concerned Architect.
- e) Inspection & completion certificates for all types of false ceiling.
- f) Test report for Toughened Glass.
- g) Copy of LOA etc.
- h) All documents shall carry contractor's signature & seal with address. All documents shall be submitted in 1 + 1 copies.
- i) The contractor shall also provide all measurement sheet in soft copy (in Excel format).
- j) The contractor shall submit the purchase bill copy of major items used in the project.
- k)That extension of time, if any, beyond scheduled date of completion has been granted by the Competent Authority.
- I) Original receipt of purchase of Corian/plywood/Gypboard and other major materials used in the work from the original manufacturer/authorized dealers/distributors.
- m) If any advances paid during the execution of the work.
- n) Acceptances form the contractor that "Accepted as full and final settlement of all claims"
- o) The total cost of work should be within the sanction amount, If not, revised sanction taken from the Competent Authority to be attached with the Final Bill

IMPORTANT: ALL DOCUMENTS SHALL BE SUBMITTED AT ONCE (NOT IN PIECEMEAL MANNER) ALONG WITH FULL&FINAL BILL &SHALL BE DULY SIGNED BY PUTTING COMPANY'S ADDRESS SEAL



GENERAL CONDITIONS OF CONTRACT

1.0 Definitions:-

"Contract means the documents forming the tender and the acceptance thereof and the formal agreement executed between SBI/SBIIMS (client) and the contractor, together with the documents referred there in including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Architects / Bank and all these documents taken together shall be deemed to form one contract and shall be complementary to one another.

In the contract the following expressions shall, unless the context otherwise requires, have the meaning hereby respectively assigned to them.

- 1.0.1 'SBIIMS' shall mean SBI Infra Management Solutions Pvt. Ltd.(Project Management Services Provider-PMS) having its Circle Office at Third Floor, SBI, LHO, Bhadra, Laldarwaja, Ahmedabad-380001 and includes the client's representatives, successors and assigns.
- 1.0.2 'Architects/ Consultants' shall mean M/s Vijay Sahijwani& Associates, Architects & Interior Designers, Ahmedabad.
- 1.0.3 'Site Engineer' shall mean an Engineer appointed by the SBIIMS at site as their representative for day-to-day supervision of work and to give instructions to the contractors.
- 1.0.4 'The Contractor' shall mean the individual or firm or company whether incorporation, undertaking the works and shall include legal personal representative of individual or the composing the firm or company and the permitted assignees of individual or firms of company.

The expression 'works' or 'work' shall mean the permanent or temporary work description in the "Scope of work" and/or to be executed in accordance with the contract includes materials, apparatus, equipment, temporary supports, fittings and things of kinds to be provided, the obligations of the contractor hereunder and work to be done by the contractor under the contract.

- 1.0.5 'Engineer' shall mean the representative of the Architect/Consultant.
- 1.0.6 'Drawings' shall mean the drawings prepared by the Architects and issued by the Engineer and refer red to in the specifications and any modifications of such drawings as may be issued by the Engineer from time to time Contract value shall mean value of the entire work as stipulated in the letter of acceptance of tender subject such additions there to or deductions there from as may be made under the provide herein after contained.
- 1.0.7 Specifications' shall mean the specifications referred to in the tender and modifications thereof as may time to time be furnished or approved by the Architect/Consultant.
- 1.0.8 "Month" means calendar month.



- 1.0.9 "Week" means seven consecutive days.
- 1.0.10 "Day" means a calendar day beginning and ending at 00 Hrs and 24 Hrs respectively.
- 1.1.11 "SBIIMS's Engineer" shall mean The Civil/Electrical Engineer in-charge of the Project, as nominated by the Circle Head and Vice President, SBIIMS, Ahmedabad
- 1.1.12 The following shall constitute the Joint Project Committee (herein under referred to as JPC) for assessing and reviewing the progress of the work on the project and to issue instructions or directions from time to time for being observed and followed by the Architects Site Engineer / PMC and other consultants / contractors engaged in the execution of the project.
- i) Vice President Circle Head of SBIIMS.
- ii) SBIIMS Engineer (Civil and Electrical) in-charge of the Project.
- iii) Concerned partner of the Architects and their Resident ArchitectMember.

CLAUSE

1.0 Total SecurityDeposit:.

Total security deposit shall be 5% of contract value. Deduction from each running bill account (if permitted) will be @ 10% till Total Security Deposit (TSD) reaches to 5% of contract value. The 50% of the Total Security Deposit shall be paid to the contractor on the basis of Architect's certifying the virtual completion. The balance 50% would be paid to the contractors after completion Defects Liability Period as specified in the contract/WORK ORDER.

1.1 Earnest Money Deposit-

25000/-(R`upeesTwenty Five Thousand Only) by means of Demand Draft / Pay Order (Valid for a period of 90 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of SBI Infra Management Solutions Pvt. Ltd. atAhmedabad. The EMD shall stand absolutely forfeited if the tenderer revokes his tender after acceptance of unit rate at any time the period when he is required to keep his tender open acceptance by the SBIIMS or after it is accepted by the SBIIMS, the contractor fails to enter into a formal agreement or fails to commence the work within the stipulated time.

1.2 Initial Security Deposit (ISD): NIL

1.3 ADDITIONAL SECURITY DEPOSIT / PERFORMANCE GUARANTEE (This Clause Will Not Be Applicable To This Tender)

In case L-1 bidder quotes abnormally low rates (i.e. 10% or more, below estimated project cost), the bank may ask such bidder to deposit additional security deposit (ASD) equivalent to difference of estimated cost vis-à-vis L-1 quoted amount for due fulfillment of contract. Such ASD could be in the joint name of the Bank and bidder in the form of FDR / Bank's guarantee as per format approved by the Bank. On successful completion of work ASD will be returned to the contractor. In case contractor fails to complete the work in time or as per tender specification or leave the job in complete, the bank will be at liberty to recover the dues from ASD or to forfeit such ASD as the case may be within its sole discretion.



No interest shall be paid to the amount retained by the Bank as Security Deposit for theDefect Liability Period of one year from the date Virtual Completion Certificate (VCC). However, interest on FDR for additional security deposit will be received by the bidder.

1.4 Retention Money:

The Retention money shall be deducted from the running account bill at the rate of 10% of the gross value of work done by the contractor and claimed in each bill provided the Total Security Deposit plus Retention Money shall both together not exceeding 5% of the contract value. The 50% of the total security deposit shall be refunded to the contractor without any interest on issue of Virtual Completion certificate by the Architect/consultant. The balance 50% of the total security deposit shall be refunded to the contractors without interest within fifteen days after the end of defects liability period provided the contractor has satisfactorily attended to all defects in accordance with the conditions of contract including site clearance.

2.0 Language:

The language in which the contract documents shall be drawn shall be in English.

3.0 Errors, omissions and discrepancies:

In case of errors, omissions and/ or disagreement between written and scaled dimensions on the drawings or between the drawings and specifications etc., the following order shall apply.

- i) Between scaled and written dimension (or description) on a drawing, the latter shall be adopted.
- ii) Between the written or shown description or dimensions in the drawings and the corresponding one in the specification the former shall be taken as correct.
- iii) Between written description of the item in the specifications and descriptions in bills of quantities of the same item, the former shall be adopted:
- a) In case of difference between rates written in figures and words, the rate in words shall prevail.
- b) Between the duplicate / subsequent copies of the tender, the original tender shall be taken as correct.

4.0 Scope of Work:

The contractor shall carryout complete and maintain the said/awarded work in every respect strictly accordance with this contract and with the directions of and to the satisfaction Bank to be communicated through the architect/consultant. The architect/consultant at the directions of the SBIIMS from time to time issue further drawings and / or write instructions, details directions and explanations which are here after collectively references to as Architect's / consultant's instructions in regard to the variation or modification of the design, quality or quantity of any work or the addition or omission or substitution work. Any discrepancy in the drawings or between BOQ and / or drawings and/or specifications. The removal from the site of any material brought thereon by the Contractor and any substitution of any other materials therefore the removal and/orre- execution of any work executed by him. The dismissal from the work of any person engaged the re upon.

5.0 i) Letter of Acceptance:

Within the validity period of the tender the SBIIMS shall issue a letter of acceptance directly or through the architect by registered post or otherwise depositing at the of the contractor as given in the tender to enter into a Contract for the execution of the work as per the terms of the tender. The letter of acceptance shall



constitute a bind contract between the SBIIMS and the contractor.

ii) Contract Agreement:

On receipt of intimation of the acceptance of tender from the SBIIMS /Architect the successful tenderer shall be bound to implement the contract and within fifteen days there of shall sign an agreement in a non-judicial stamp paper of appropriate value.

6.0 Ownership of drawings:

All drawings, specifications and copies thereof furnished by the SBIIMS / SBI through its Architect / consultants are the properties of the SBIIMS They are not to be used on other work.

7.0 Detailed drawings and instructions:

The SBIIMS through its architects / consultants shall furnish with reasonable proper additional instructions by means of drawings or otherwise necessary for the execution of the work. All such drawings and instructions shall be consistent with contract documents, true developments thereof and reasonably inferable there.

The work shall be executed in conformity there with and the contractor prepare a detailed programme schedule indicating therein the date of start and completion of various activities on receipt of the work order and submit the same to the SBIIMS through the architect/consultant

7.1 Copies of agreement:

Two copies of agreement duly signed by both the parties with the drawings shall be handed over to the contractors.

8.0 Liquidated damages:

If the contractor fails to maintain the required progress in terms of clause 6.0 of GOC or to complete the work and clear the site including vacating their office on or before the contracted or extended date or completion, without justification in support of the cause of delay, he may be called upon without prejudice to any other right of remedy available under the law to the SBIIMS on account of such breach to pay a liquidated damages at the rate of 0.50% of the contract value which subject to a maximum of 5% of the contract value.

9.0 Materials, Appliances and Employees:

Unless or otherwise specified the contractor shall provide and pay for all materials, labour, water, power, tools, equipment transportation and any other facilities that are required for the satisfactory execution and completion of the work. Unless or otherwise specified all materials shall be new and both workmanship and materials shall be best quality. The contractor shall at all times enforce strict discipline and good order among his employees and shall not employ on the work any unfit person or anyone not skilled in the work assigned to him. Workman whose work or behavior is found to be unsatisfactory by the SBIIMS /Architect/ consultant he shall be removed from the site immediately.

10.0 Permits, Laws and Regulations:

Permits and licenses required for the execution of the work shall be obtained by the contractor at his own expenses. The contractor shall give notices and comply with the regulations, laws, and ordinances rules,



applicable to the contract. If the contractor observes any discrepancy between the drawings and specifications, he shall promptly notify the SBIIMS in writing under intimation of the Architect/ Consultant. If the contractor performs any act, which is against the law, rules and regulations he shall meet all the costs arising the reform and shall indemnify the SBIIMS any legal actions arising there from.

11.0 Setting out Work:

The contractor shall set out the work and shall be responsible for the true and perfect setting out of the same and for the correctness of the positions, levels, dimensions, and alignment of all parts thereof and get it approved by the architect / consultant before proceeding with the work. If at any time any error in this respect shall appear during the progress of the works, irrespective of the fact that the layout had been approved by, the architect / consultant the contractor shall be responsible for the same ad shall his own expenses rectify such error, if so, required to satisfaction of the SBIIMS

12.0 Protection of works and property:

The contractor shall continuously maintain adequate protection. of all his work from damage and shall protect the SBI's properties from injury or loss arising in connection with contract. He shall make good any such damage, injury, loss, except due to causes beyond his control and due to his fault or negligence.

He shall take adequate care and steps for protection of the adjacent properties. The contractor shall take all precautions for safety and protections of his employees on the works and shall comply with all applicable provisions of Govt. and local bodies' safety laws and building codes to prevent accidents, or injuries to persons or property on about or adjacent to his place of work. The contractor shall take insurance covers as per clause at his own cost. The policy may be taken in joint names of the contractor and the SBIIMS and the original policy may be lodged with the SBIIMS

13.0 Inspection of work:

The SBIIMS / Architect / Consultant or their representatives shall at all reasonable times have free access to the work site and / or to the workshop, factories, or other places where materials are lying or from where they are obtained and the contractor shall give every facility to the SBIIMS/Architect/consultant and their representatives necessary for inspection and examination and test of the materials and workmanship. No person unless authorized by the SBIIMS/ Architect

/Consultant except the representative of Public authorities shall be allowed on the work at any time. The proposed work either during its construction stage or its completion can also be inspected by the Chief Technical Examiner's Organization a wing of Central Vigilance commission.

14.0 Assignment and subletting:

The whole of work included in the contract shall be executed the contractor and he shall not directly entrust and engage or indirectly transfer, assign or underlet the contract or any part or share there of or interest therein without the written consent of the SBIIMS through the Architect and no undertaking shall relieve the contractor from the responsibility of the contractor from active & superintendence of the work during its progress.

15.0 Quality of materials, workmanship &Test:

All materials and workmanship shall be best of the respective kinds described in the contract and in



accordance with Architect/consultant instructions and shall be subject from time to time to such tests as the architect/consultant may direct at the place of manufacture or fabrication or on the site or an approved testing laboratory. The contractor shall provide such assistance, instruments, machinery, labor, and materials as are normally required for examining measuring sampling and testing any material or part of work before in corporation in the work for testing as may be selected and required by the architect/consultant.

ii) Samples:

All samples of adequate numbers, size, shades & pattern as per specifications shall be supplied by the contractor without any extra charges. If certain items proposed to be used are of such nature that samples cannot be presented or prepared at the site detailed literature / test certificate of the same shall be provided to the satisfaction of the Architect/consultant before submitting the sample/literature the contractor shall satisfy himself that the material / equipment for which he is submitting the sample / literature meet with the requirement of tender specification. Only when the samples are approved in writing by the architect/consultant the contractor shall proceed with the procurement and installation of the particular material / equipment. The approved samples shall by the signed by the Architect / Consultant for identification and shall be kept on record at site office until the completion of the work for inspection / comparison at any time. The Architect/Consultant shall take reasonable time to approve the sample. Any delay that might occur in approving the samples for reasons of its not meeting the specifications or other discrepancies inadequacy in CIVIL samples of best qualities from various manufacturers and such other aspects causing delay on the approval of the materials / equipment etc. shall be to the account of the contractor.

iii) Cost of tests:

The cost of making any test shall be borne by the contractor if such test is intended by or provided for in the specification or BOQ.

iv) Costs of tests not provided for:

If any test is ordered by the Architect/ Consultant which is either

a) If so intended by or provided for or (in the cases above mentioned) is not so particularized, or though so intended or provided for but ordered by the Architect / Consultant to be carried out by an independent person at any place other than the site or the place of manufacture or fabrication of the materials tested or any Government / approved laboratory, then the cost of such test shall be borne by the contractor.

16.0 Obtaining information related to execution of work:

No claim by the contractor for additional payment shall be entertained which is consequent upon failure on his part to obtain correct information as to any matter affecting the execution of the work nor any misunderstanding or the obtaining incorrect information or the failure to obtain correct information relieve him from any risks or from the entire responsibility for the fulfillment of contract.

17.0 Contractor's superintendence:

The contractor shall give necessary personal superintendence during the execution the works and as long, thereafter, as the Architect/Consultant may consider necessary until the expiry of the defects liability period, stated hereto.

18.0 Quantities:



The bill of quantities (BOQ) unless or otherwise stated shall be deemed to have been prepared in accordance with the Indian Standard Method of Measurements and quantities. The rate quoted shall remain valid for variation of quantity against individual item to any extent. The entire amount paid under Clause 19, 20 hereof as well as amounts of prime cost and provision sums, if any, shall be excluded.

19.0 Works to be measured:

The Architect/Consultant may from time to time intimate to the contractor that he requires the work to be measured and the contractor shall forthwith attend or send a quantity representative to assist the Architect in taking such measurements and calculation and to furnish all particulars or to give all assistance required by any of them. Such measurements shall be taken in accordance with the Mode of measurements detail in the specifications. The representative of the Architect / Consultant shall take measurements with the contractor's representative and the measurements shall be entered in the measurement book. The contractor or his authorized representative shall sign all the pages of the measurement book in which the measurements have been recorded in token of his acceptance. All the corrections shall be duly attested by both representatives. No over writings shall be made in the M book should the contractor not attend or neglect or omit to depute his representative to take measurements the measurements recorded by the representative of the Architect/consultant shall be final. All authorized extra work, omissions and all variations made shall be included such measurement.

20.0 Variations:

No alteration, omission or variation ordered in writing by the Architect/consultant vitiates the contract. In case the SBIIMS/ Architect / Consultant thinks proper at any during the progress of works to make any alteration in, or additions to or omission from the works or any. Alteration in the kind or quality of the materials to be used therein, the Architect / Consultant shall give notice thereof in writing to the contractor shall confirm in writing within seven days of giving such oral instructions the contract shall alter to, add to, or omit from as the case may be in accordance with such but the contractor shall not do any work extra to or make any alterations or additions to or omissions from the works or any deviation from any of the provisions of the contract, stipulations, specifications or contract drawings without previous consent in writing of the Architect/ Consultant and the value of such extras, alterations, additions or omissions shall in all cases be determined by the Architect / Consultant and the same shall be added to or deducted from the contract value, as the case maybe.

21.0 Valuation of Variations:

No claim for an extra shall be allowed unless it shall have been executed under the authority of the Architect / Consultant with the concurrence of the SBI/SBIIMS as herein mentioned. Any such extra is herein referred to as authorized extra and shall be made in accordance with the following provisions.

- (i) The net rates or prices in the contract shall determine the valuation of the extra work where such extra work is of similar character and executed under similar conditions as the work price herein.
- (ii) Rates for all items, wherever possible should be derived out of the rates given in the priced BOQ.

The net prices of the original tender shall determine the value of the items omitted, provided if omissions do not vary the conditions under which any remaining items of Works are carried out, otherwise the prices for the same shall be valued under sub- Clause 'c' hereunder.



Where the extra works are not of similar character and/or executed under similar conditions as aforesaid or where the omissions vary the conditions under which any remaining items or works are carried out, then the contractor shall within 7 days of the receipt of the letter of acceptance inform the Architect/ consultant of the rate which he intends to charge for such items of work, duly supported by analysis of the rate or rates claimed and the Architect/consultant shall fix such rate or prices as in the circumstances in his opinion are reasonable and proper, based on the market rate.

Where extra work cannot be properly measured or valued the contractor shall be allowed day work prices at the net rates stated in the tender, of the BOQ or, if not, so stated then in accordance with the local day work rates and wages for the district; provided that in either case, vouchers specifying the daily time (and if required by the Architect/Consultant) the workman's name and materials employed be delivered for verifications to the Architect /consultant at or before the end of the week following that in which the work has been executed.

It is further clarified that for all such authorized extra items where rates cannot be derived from the tender, the Contractor shall submit rates duly supported by rate analysis worked on the 'market rate basis for material, labour hire / running charges of equipment and wastages etc. plus 15% towards establishment charges, contractor's overheads and profit. Such items shall, not be eligible for escalation.

22.0 Final measurement:

The measurement and valuation in respect of the contract shall be completed within two months of the virtual completion of the work.

23.0 Virtual Completion Certificate (VCC):

On successful completion of entire works covered by the contract to the full satisfaction of the SBIIMS, the contractor shall ensure that the following works have been completed the satisfaction of the SBIIMS:

Clear the site of all scaffolding, wiring, pipes, surplus materials, contractor's labour equipment and machinery.

Demolish, dismantle and remove the contractor's site office, temporary works, structure including labour sheds/camps and constructions and other items and things whatsoever brought upon or erected at the site or any land allotted to the contractor by the SBIIMS not incorporated in the permanent works.

Remove all rubbish, debris etc. from the site and the land allotted to the contractor by the SBIIMS and shall clear, level and dress, compact the site as required by the SBIIMS

Shall put the SBIIMS in undisputed custody and possession of the site and all land allot by the SBIIMS

Shall hand over the work in a peaceful manner to the SBIIMS

All defects / imperfections have been attended and rectified as pointed out by the Architects to the full satisfaction of SBIIMS

Upon the satisfactory fulfillment by the contractor as stated above, the contractor is entitled to apply to the



Architect / consultant is satisfied of the completion of work. Relative to which the completion certificate has been sought, the Architect/ consultant shall within fourteen (14) days of the receipt of the application for completion certificate, issue a VCC in respect of the work for which the VCC has applied.

This issuance of a VCC shall not be without prejudice to the SBIIMS's rights and contractor liabilities under the contract including the contractor's liability for defects liability nor shall the issuance of VCC in respect of the works or work at any site be construction as a waiver of any right or claim of the SBIIMS against the contractor in respect of or work at the site and in respect of which the VCC has been issued.

24.0 Work by other agencies:

The SBIIMS / Architect / consultant reserves the rights to use premises and any portion the site for execution of any work not included in the scope of this contract which it may desire to have carried out by other persons simultaneously and the contractor shall not only allow but also extend reasonable facilities for the execution of such work. The contractor however shall not be required to provide any plant or material for the execution of such work except by special arrangement with the SBI. Such work shall be carried out in such manner as not to impede the progress of the works included in the contract.

25.0 Insurance of works:

Without limiting his obligations and responsibilities under the contract the contractor shall insure in the joint names of the SBIIMS and the contractor against all loss of damages from whatever cause arising other than the excepted risks, for which he is responsible under the terms of contract and in such a manner that the SBIIMS and contractor are covered for the period stipulated I clause of GCC and are also covered during the period of maintenance for loss or damage arising from a cause, occurring prior to the commencement of the period of maintenance and for any loss or damage occasioned by the contractor in the course of any operations carried out by him for the purpose of complying with his obligations under clause.

The Works for the time being executed to the estimated current Contract value thereof, or such additional sum as may be specified together with the materials for incorporation in the works at their replacement value.

The constructional plant and other things brought on to the site by the contractor to the replacement value of such constructional plant and other things.

Such insurance shall be effected with an insurer and in terms approved by the SBIIMS which approval shall not be unreasonably withheld and the contractor shall whenever required produce to the Architect / consultant the policy if insurance and the receipts for payment of the current premiums.

26.0 Damage to persons and property:

The contractor shall, except if and so far as the contract provides otherwise indemnify the SBI against all losses and claims in respect of injuries or damages to any person or material or physical damage to any property whatsoever which may arise out of or in consequence of the execution and maintenance of the works and against all claims proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto except any compensation of damages for or with respect to:

a) The permanent use or occupation of land by or any part thereof.



- b) The right of SBIIMS to execute the works or any part thereof on, over, under, in or through any lands.
- c) Injuries or damages to persons or properties which are unavoidable result of the execution or maintenance of the works in accordance with the contract.
- d) Injuries or damage to persons or property resulting from any act or neglect of the SBIIMS their agents, employees or other contractors not being employed by the contractor or for or in respect of any claims, proceedings, damages, costs, charges and expenses in respect thereof or in relation thereto or where the injury or damage was contributed to by the contractor, his servants or agents such part of the compensation as may be just and equitable having regard to the extent of the responsibility of the SBIIMS, their employees, or agents or other employees, or agents or other contractors for the damage or injury.

27.0 Contractor to indemnify SBIIMS:

The contractor shall indemnify the SBIIMS against all claims, proceedings, damages, costs, charges and expenses in respect of the matters referred to in the provision sub-clause 26.0 of this clause.

28.0 Contractor's superintendence:

The contractor shall fully indemnify and keep indemnified the SBIIMS against any action, claim, or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect to any article or part thereof included in the contract. In the event of any claim made under or action brought against SBIIMS in respect of such matters as aforesaid the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his own expenses to settle any dispute or to conduct any litigation that may arise there from, provided that the contractor shall not be liable to indemnify the SBIIMS if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the Architect / consultant in this behalf.

29.0 Third Party Insurance:

Before commencing the execution of the work the contractor but without limiting his obligations and responsibilities under clause 25.0 of GCC shall insure against his liability for any material or physical damage, loss, or injury which may occur to any property including that of SBIIMS, or to any person, including any employee of the SBIIMS, by or arising out of the execution of the works or in the carrying out of the contract, otherwise than due to the matters referred to in the provision to clause 25.0 thereof.

30.0 Minimum amount of Third Party Insurance:

Such insurance shall be affected with an insurer and in terms approved by the SBIIMS which approval shall not be reasonably withheld and for at least the amount stated below. The contractor shall, whenever required, produce to the. Architect / consultant the policy or policies of insurance cover and receipts for payment of the current premiums.

The minimum insurance cover for physical property, injury, and death is Rs.5 Lakh per occurrence with the number of occurrences limited to four. After each occurrence contractor will pay additional premium necessary to make insurance valid for four occurrences always.

31.0 Accident or Injury to workman:

The SBIIMS Shall not be liable for or in respect to any damages or compensation payable at law in respect or inconsequence of any accident or injury to any workmen or other person in the employment of the contractor



or any sub-contractor, save and except an accident or injury resulting from any act or default of the SBIIMS or their agents, or employees. The contractor shall indemnify and keep indemnified SBIIMS against all such damages and compensation, save and except as aforesaid, and against all claims, proceedings, costs, charges and expenses whatsoever in respect thereof or in relation thereto.

32.0 Insurance against accidents etc. to workmen:

The contractor shall insure against such liability with an insurer approved by the SBIIMS During the whole of the time that any persons are employed by him on the works and shall, when required, produce to the architect / consultant such policy of insurance and receipt for payment of the current premium. Provided always that, in respect of any persons employed by any sub-contractor the contractor's obligation to insured as aforesaid under this sub-clause shall be satisfied if the sub-contractor shall have insured against the liability in respect of such persons in such manner that SBIIMS is indemnified under the policy but the contractor shall require such sub-contractor to produce to the Architect /consultant when such policy of insurance and the receipt for the payment of the current premium.

33.0 Remedy on contractor's failure to insure:

If the contractor fails to effect and keep in force the insurance referred to above or any other insurance which he may be required to effect under the terms of contract, then and in any such case the SBIIMS may effect and keep in force any such insurance and pay such premium or premiums as may be necessary for that purpose and from time to time deduct the amount so paid by the SBIIMS as aforesaid from any amount due or which may become due to the contractor, or recover the same as debt from the contractor.

Without prejudice to the others rights of the SBIIMS against contractors. In respect of such default, the employer shall be entitled to deduct from any sums payable to the contractor the amount of any damages costs, charges, and other expenses paid by the SBIIMS And which are payable by the contractors under this clause. The contractor shall upon settlement by the Insurer of any claim made against the insurer pursuant to a policy taken under this clause, proceed with due diligence to rebuild or repair the works destroyed or damaged. In this event all the monies received from the Insurer in respect of such damage shall be paid to the contractor and the Contractor shall not be entitled to any further payment in respect of the expenditure incurred for rebuilding or repairing of the materials or goods destroyed or damaged.

34.0 Commencement of Works:

The date of commencement of the work will be reckoned from the date of award of letter by the SBIIMS

35.0 Time for completion:

Time is essence of the contract and shall be strictly observed by the contractor. The entire work shall be completed within the stipulated period from the date of commencement. If required in the contract or as directed by the Architect / consultant. The contractor shall complete certain portions of work before completion of the entire work. However, the completion date shall be reckoned as the date by which the whole work is completed as per the terms of the contract.

36.0 Extension of time:

If, in the opinion of the Architect/consultant, the work be delayed for reasons beyond the control of the



contractor, the Architect/consultant may submit a recommendation to the SBIIMS to grant a fair and reasonable extension of time for completion of work as per the terms of contract. If the contractor needs an extension of time for the completion of work or if the completion of work is likely to be delayed for any reasons beyond the due date of completion as stipulated in the contract, the contractor shall apply to the SBIIMS Through the Architect' Consultant in writing at least 30 Days before the expiry of the scheduled time and while applying for extension of time he shall furnish the reason in detail and his justification if an', for the delays. The architect/consultant shall submit their recommendations to the SBIIMS in the prescribed format for granting extension of time. While granting extension of time the contractor shall be informed the period extended time which will qualify for levy of liquidated damages. For the balance period in excess of original stipulated period and duly sanctioned extension of time by the provision of liquidated damages as stated under clause 10.0 shall become applicable. Further the contract shall remain in force even for the period beyond the due date of completion irrespective whether the extension is granted or not.

37.0 Rate of progress:

Whole of the materials, plant and labour to be provided by the contractor and the mode, manner and speed of execution and maintenance of the works are to be of a kind and conducted in a manner to the satisfaction of the Architect/consultant should the rate of progress of the work or any part thereof be at any time be in the opinion the. Architect / consultant too Slow to ensure the completion of the whole of the work the prescribed time or extended time for completion the Architect/consultant shall the re upon take such steps as considered necessary by the Architect / consultant to expedite progress so as to complete the works by the prescribed time or extended time. Such communications from the Architect / consultant neither shall relieve. The contractor from fulfilling obligations under the contract nor he will be entitled to raise any claims arising out of such directions.

38.0 Work during nights and holidays:

Subject to any provision to the contrary contained in the contract no permanent work shall save as herein provided be carried on during the night or on holidays without the permission in writing of the Architect/consultant, save when the work is unavoidable or absolutely necessary for the saving of life or property or for the safety of the work in which case the contractor shall immediately advise the Architect / consultant. However the provisions of the clause shall not be applicable in the case of any work which becomes essential to carry by rotary or double shifts in order to achieve the progress and quality of the part of the works being technically required / continued with the prior approval of the Architect / consultant at no extra cost to the SBIIMS.

All work at night after obtaining approval from competent authorities shall be carried out without unreasonable noise and disturbance.

39.0 No compensation or restrictions of work:

If at any time after acceptance of the tender SBIIMS shall decide to abandon or reduce the scope of work for any reason whatsoever and hence not required the whole or any part of the work to be carried out. The Architect / consultant shall give notice in writing that effect to the contractor and the contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise what so ever on account of any profit or advantage which he might have derived from the execution of the Work fully but which he did not derive in consequence of the fore closure of the whole or part of the work.



Provided that the contractor shall be paid the charges on the cartage only of materials actually and bonafide brought to the site of the work by the contractor and rendered surplus as a result of the abandonment, curtailment of the work or any portion thereof and then taken back by the contractor, provided however that the Architect/Consultant shall have in such cases the option of taking over all or any such materials at their purchase price or a local current rate whichever is less.

In case of such stores having been issued from SBIIMS stores and returned by the contractor to stores, credit shall be given to him at the rates not exceeding those at which were originally issued to the contractor after taking into consideration and deduction for claims on account of any deterioration or damage while in the custody of the contractor and in this respect the decision of Architect / consultant shall be final.

40.0 Suspension of work:

The contractor shall, on receipt of the order in writing of the Architect / consultant (whose decision shall be final and binding on the contractor) suspend the progress of works or any part the offer such time and in such manner as Architect/consultant may consider necessary so as not to cause any damage or injury to the work already done or endanger the safety thereof for any of following reasons:

- a) On account any default on the part of the contractor, or
- b) For proper execution of the works or part thereof for reasons other than the default the contractor, or
- c) For safety of the works or part thereof.

The contractor shall, during such suspension, properly protect and secure the works the extent necessary and carry out the instructions given in that behalf by the Architect / consultant.

i)If the suspension is ordered for reasons (b) and (c) in sub-para (i) above:

The contractor shall be entitled to an extension of time equal to the period of every such suspension. No compensation whatsoever shall be paid on this account.

41.0 Action when the whole security deposit is forfeited:

In any case in which under any clause or clauses of this contract, the Contractor shall have rendered himself liable to pay compensation amounting to the whole of his security deposit the Architect / consultant shall have the power to adopt any of the following course as they may deem best suited to the interest of the SBIIMS:

To rescind the contract (of which rescission notice in writing to the contractor by - Architect / consultant shall be conclusive evidence) and in which case the security, deposit of the contractor shall be forfeited and be absolutely at the disposal of SBIIMS.

To employ labour paid by the SBIIMS and to supply materials to carry out the work, or part of the work, debiting the contractor with the cost of the labour and materials cost of such labour and materials as worked out by the Architect / consultant shall final and conclusive against the contractor) and crediting him with the value of the work done, in all respects in the same manner and at the same manner and at the same rates as if it had been carried out by the contractor under the terms of this contract certificate of architect /consultant as to the value of work done shall be final conclusive against the contractor.



To measure up the work of the contractor, and to take such part thereof as shall unexecuted, out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor, if the whole work had been executed by him (The amount of which excess the certificates in writing of the Architects / consultant shall final and conclusive) shall be borne by original contractor and may be deducted any money due to him by SBIIMS under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or sufficient part thereof.

In the event of any of above courses being adopted by the SBIMS the contractor shall have no claim to compensation for any loss sustained by him by reasons of his having purchased or procured any material or entered into any engagements or make any advances on account of, or with a view to the execution of the work or the performance of the contract and incase the contract shall be rescind under the provision aforesaid, the contractor shall not be entitled to recover or to be paid any sum or any work thereto for actually performed under this contract, unless, and until the Architect / consultant will have certified in writing the performance of such work and the value payable in respect thereof, and he shall only been titled to be paid the value so certified.

42.0 Owner's right to terminate the contract:

If the contractor being an individual or a firm commit any 'Act of insolvency' or shall be adjusted an insolvent or being an incorporated company shall have an order for compulsory winding up voluntarily or subject to the supervision of Govt. and of the Official Assignee of the liquidator in such acts of insolvency or winding up shall be unable within seven days after notice to him to do so, to show to the reasonable satisfaction of the Architect / Consultant that he is able to carry out and fulfill the contract, and to dye security therefore if so required by the Architect /Consultant.

Or if the contractor (whether an individual firm or incorporated Company) shall suffer execution to be issued or shall suffer any payment under this contract to be attached by or on behalf of any of the creditors of the contractor.

Or shall assign or sublet this contract without the consent in writing of the SBIIMS through the Architect/Consultant or shall charge or encumber this contract or any payment due to which may become due to the contractor there under:

has abandoned the contract; or

has failed to commence the works, or has without any lawful excuse under these conditions suspended the progress of the works for 14 days after receiving from the SBIIMS through the Architect / consultant written notice to proceed, or

has failed to proceed with the works with such diligence and failed to make such due progress as would enable the works to be completed within the time agreed upon, or has failed to remove the materials from the site or to pull down and replace work within seven days after written notice from the SBIIMS through the Architect / Consultant that the said materials were condemned and rejected by the Architec have been given to the contractor to observe or perform the same or has to the detriment of good



workmanship or in defiance of the SBIIMS or Architect's / consultant's instructions to the contrary subject any part of the contract. Then and in any of said cases the SBIIMS and or the Architect / consultant, may not withstanding any previous waiver, after giving seven days' notice in writing to the contractor, determine the contract, but without thereby affecting the powers of the SBIIMS or the Architect/consultant or the obligation and liabilities of the contractor the whole of which shall continue in force as fully as if the contract had not been determined and as if the works subsequently had been executed by or on behalf of the contractor. And, further the SBIIMS through the Architect / consultant their agents or employees may enter upon and take possession of the work and all plants, took scaffoldings, materials, sheds, machineries lying upon the premises or on the adjoining lands or roads use the same by means of their own employees or workmen in carrying on and completing the work or by engaging any other contractors or persons to the work and the contractor shall not in any was interrupt or do any act, matter or thing to prevent or hinder such other contractor or other persons employed for complement and finishing or using the materials and plant for the works.

When the works shall be completed or as soon thereafter as convenient the SBIIMS Or architect/consultant shall give a notice in writing to the contractor to remove his surplus materials and plants and should the contractor fail to do so within 14 days after receive thereof by him the SBIIMS sell the same by publication, and after due publication, and shall, adjust the amount realized by such auction. The contractor shall have no right to question any of the act of the SBIIMS incidental to the sale of the materials etc.

43.0 Certificate of payment:

The contractor shall be entitled under the certificates to be issued by the Architect / consultant to the contractor within 10 working days from the date of certificate to payment from SBIIMSFrom time to time SBIIMS shall recover the statutory recovering other dues including the retention amount from the certificate of payment. Provided always that the issue of any certificate by the Architect / consultant during progress of works or completion shall not have effect as certificate of satisfaction relieve the contractor from his liability under clause.

The Architect / consultant shall have power to withhold the certificate if the work or in part thereof is not carried out to their satisfaction. The Architect/consultant may by any certificate make any corrections required previous certificate. The SBIIMS shall modify the certificate of payment as issued by the architect/ consultant from time to time while making the payment The contractor shall submit interim bills only after taking actual measurements and properly recorded in the Measurement books. The Contractor shall not submit interim bills when the approximate value of work done by him is less than Rs. Lakhs.

The final bill may be submitted by contractor within a period of one month from the date of virtual completion and Architect / consultant shall issue the certificate of payment within a period of two months. The SBIIMS Shall pay the amount within a period of three months from the date of issue of certificate provided there is no dispute in respect of rates and quantities.

The contractor shall submit the interim bills in the prescribed format with all details.

44.0

A. Settlement of Disputes and Arbitration:



Except where otherwise provided in the contract all questions and disputes to the meaning of the specifications, design, drawings and instructions herein before mentioned and as to the quality of workmanship or materials used on the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings specifications, estimates, instructions orders or these conditions or otherwise concerning the work or the execution or failure to execute the same whether arising during the progress of the work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned hereinafter:

If the contractor considers that he is entitled to any extra payment or compensation in respect of the works over and above the amounts admitted as payable by the Architect or in case the contractor wants to dispute the validity of any deductions or recoveries made or proposed to be made from the contractor raise any dispute, the contractor shall forthwith give notice in writing of his claim, or dispute to The Senior Vice President. SBIIMS, Head Office, Mumbai and endorse a copy of the same to the Architect, within 30 days from the date of disallowance thereof or the date of deduction or recovery. The said notice shall give full particulars of the claim, grounds on which it is based and detailed calculations of the amount claimed and the contractor shall not be entitled to raise any claim nor shall the SBIIMS Pvt. Ltd be in any way liable in respect of any claim by the contractor unless notice of such claim shall have been given by the contractor to the Senior Vice President, SBIIMS, Head Office, Mumbai in the manner and within the time as aforesaid. The Contractor shall be deemed to have waived and extinguished all his rights in respect of any claim not notified to the Senior Vice President, Head Office, Mumbai in writing in the manner and within the time aforesaid.

B. Settlement of Disputes and Arbitration:

The Senior Vice President, Head Office, Mumbai shall give his decision in writing on the claims notified by the receipt of the contractor may within 30 days of the receipt of the decision of the Sr. V.P., Head Office / Submit his claims to the conciliating authority namely the M.D. & C.E.O., SBIIMSPL, Head Office, Mumbai for conciliation along with all details and copies of correspondence exchanged between him and the SBIIMS

If the conciliation proceedings are terminated without settlement of the disputes, the contractor shall, within a period of 30 days of termination thereof shall give a notice to the concerned M.D. & C.E.O. of the SBIIMS for appointment of an arbitrator to adjudicate the notified claims falling which the claims of the contractor shall be deemed to have been considered absolutely barred and waived.

Except where the decision has become final, binding and conclusive in terms of the contract, all disputes or differences arising out of the notified claims of the contractor as aforesaid and all claims of the SBIIMS Pvt. Ltd shall be referred for adjudication through arbitration by the Sole Arbitrator appointed by the M.D. & C.E.O. and who will be of Deputy General Manager rank. It will also be no objection to any such appointment that the Arbitrator so appointed is a SBIIMS, Officer and that he had to deal with the matters to which the Contract relates in the course of his duties as SBIIMS, Officer. If the arbitrator so appointed is unable or unwilling to act or resigns his appointment or vacates his office due to any reason whatsoever another sole arbitrator shall be appointed in the manner aforesaid by the said M.D. & C.E.O. of the SBIIMS Such person shall be entitled to proceed with the reference from the stage at which it was let by his predecessor.

It is a term of this contract that the party invoking arbitration shall give a list of disputes with amounts claimed in respect of each dispute along with the notice for appointment of arbitrator.



It is also a term of this contract that no person other than a person appointed by such Chief General Manager as aforesaid should act as arbitrator. The conciliation and arbitration shall be conducted in accordance with the provisions of the Arbitration & Conciliation Act 1996 or any or any accordance modification or reenactment thereof and the rules made there under.

It is also a term of the contract that if any fees are payable to the Arbitrator these shall be paid equally by both the parties. However, no fees will be payable to the arbitrator if he is a SBIIMS Officer.

It is also a term of the contract that the Arbitrator shall be deemed to have entered on the reference on the date he issues notice to both the parties calling them to submit their statement of claims and counter statement of claims. The venue of the arbitration shall be such place as may be fixed by the arbitrator in his sole discretion. The fees, if any of the arbitrators shall, if required to be paid before the award is made and published, be paid half and half by each of the parties. The Cost of the reference and of the award (including the fees, if any of the arbitrator) shall be in the discretion of the arbitrator who may direct to any by whom and din what manner, such costs or any part thereof, shall be paid and fix or settle the amount of costs to be so paid.

45.0 Water supply:

The contractor shall make his own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following condition.

- i) That the water used by the contractor shall be fit for construction purposes to the satisfaction of the Architect /consultant's.
- ii) The contractor shall make alternative arrangements for the supply of water if the arrangement made by the contractor for procurement of water in the opinion of the Architect / consultant is unsatisfactory.
- iii) In case contractor is permitted to use SBIIMS's source of water i.e. Municipal connection, Bore well (existing or new) etc., the SBIIMS Pvt. Ltd will recover as per clause 51.0 of this document form the final bill of contractor.

The contractor shall construct temporary well / tube well in SBIIMS Pvt. Ltd land for taking water for construction purposes only after obtaining permission in writing from the SBIIMSThe contractor has to make his own arrangements for drawing and distributing the water at his own cost. He has to make necessary arrangements. To avoid any accidents or damages caused due to construction and subsequent maintenance of the wells. He has to obtain necessary approvals from local authorities, if required, at his own cost. He shall restore the ground to its original condition after wells are dismantled on completion of work or hand over the well to the SBIIMS without any compensation as directed by the architect /consultant.

46.0 Power supply:

The contractor shall make his own arrangements for power and supply / distribution system for driving plant or machinery for the work and for lighting purpose at his own cost, the cost of running and maintenance of the plants are to be included in his tender prices, He shall pay all fees and charges required, by the power supply



and include the same in his tendered rates and hold the owner free from all such costs. He has to obtain necessary approval from the appropriate authorities, if required.

In case contractor is permitted to use Bank's source of power supply provided at one point, the SBIIMS will recover as per clause 51.0of this document from the final bill of contractor.

47.0 Treasure trove etc.

Any treasure trove, coin or object antique which may be found on the site shall be the property of SBIIMS and shall be handed over to the bank immediately.

48.0 Method of measurement:

Unless otherwise mentioned in the schedule of quantities or in mode of measurement, the measurement will be on the net quantities or work produced in accordance with up to date rules laid down by the Bureau of Indian Standards. In the event any dispute/ disagreement the decision of the Architect / consultant shall be final and binding on the corrector.

49.0 Maintenance of registers:

The contractor shall maintain the following registers as per the enclosed perform at site of work and should produce the same for inspection of SBIIMS /Architect / consultant whenever desired by them. The contractor shall also maintain the records / registers as required by the local authorities / Govt. from time to time.

- i) Register for secured advance
- ii) Register for hindrance to work
- iii) Register for running account bill
- iv) Register for labour

50.0 Force Majeure:

Neither contractor nor SBIIMS shall be considered in default in performance of the obligations if such performance is prevented or delayed by events such as but not war, hostilities revolution, riots, civil commotion, strikes, lockout, conflagrations, epidemics, accidents, fire, storms, floods, droughts, earthquakes or ordinances or any act of or for any other cause beyond the reasonable control of the party affected or prevents or delayed. However, a notice is required to be given within 30 days from the happening of the event with complete details, to the other party to the contract ,if it is not possible to serve a notice, within the shortest possible period without delay.

As soon as the cause of force majeure has been removed the party whose ability perform its obligations has been affected, shall notify the other of such cessation and the actual delay incurred in such affected activity adducing necessary evidence in support thereof.

From the date of occurrence of a case off or force majeure obligations of the party affected.

51.0 Water power and other facilities:

The rate quoted by the contractor shall include all expenses that are required for providing all the water required for the work and the contractor shall make his own arrangements for the supply of good quality



water suitable for the construction and good quality drinking water for their workers If necessary the contractor has to sink a tube well/open well and bring water by means of tankers at his own cost for the purpose The SBIIMS will not be liable to pay any charges in connection with the above

The rate quoted in the tender shall include the expenses for obtaining and maintaining power connections and shall pay for the consumption charges

The contractors for other trades directly appointed by the SBIIMS shall be entitled to take power and water connections from the temporary water and power supply obtained by the contractor However, the concerned contractor shall make their own arrangements to draw the supply and pay directly the actual consumption charges at mutually agreed rates between them. All municipal charges for drainage and water connection for Construction purposes shall be borne by the contactor and charges payable for permanent connections, if any, shall be initially paid by the contactor and the SBIIMS will reimburse the amount on production of receipts.

The SBIIMS as well as the Architect / consultant shall give all possible assistance to the Contractor's to obtain the requisite Permission from the various authorities, but the responsibility for obtaining the same in time shall be of the contractor.

In case contractor is permitted to use Bank's source of water and power supply provided at one point, the SBIIMS will recover @ 0.50% of final bill amount for water and electricity (Combined) from the bill of contractor.

52.0 Facilities for contractor's employees:

The contractor shall make his own arrangement for the housing and welfare of his staff and workmen including adequate drinking water facilities. The contractor shall also make the arrangements at his own cost for transport where necessary for his staff and workmen to and from site of work at his own cost.

53.0 Lighting of works:

The contractor shall at all times provide adequate and approved lighting as required for the proper execution and supervision and inspection of work.

54.0 Firefighting arrangements:

The contractor shall provide suitable arrangement for firefighting at his own cost. This purpose he shall provide requisite number of fire extinguishers and adequate number of buckets, some of which are to be always kept filled with sand and some with water these equipment shall be provided at suitable prominent and easily accessible place and shall be properly maintained.

Any deficiency in the fire safety or unsafe conditions shall be corrected by the contractor at his own cost and, to the approval of the relevant authorities. The contractor make the following arrangements at his own cost but not limited the following:

- a) Proper handling, storage and disposal of combustible materials and waste.
- b) Work operations which can create fire hazards.



- c) Access for fire-fighting equipment.
- d) Type, number and location of containers for the removal of surplus materials and
- e) Type, size, number and location of fire extinguishers or other tire fighting equipment.
- f) General housekeeping.

55.0 Site order book:

A site order book shall be maintained at site for the purpose of quick communication between the Architect / Consultant. Any communication relating to the work may be conveyed through records in the site order book. Such a communication from one party to the other shall be deemed to have been adequately served in terms of contract Each site order book shall have machine numbered pages in triplicate and shall carefully maintained and preserved by the contractor and shall be made available to the architect

/consultant as and when demanded- Any instruction which the architect/consultant may like to issue to the contractor or the contractor may like to bring to the architect / consultant two copies of such instructions shall be taken from the site order book and one copy will be handed over to the party against proper acknowledgment and the second copy will be retained for their record.

56.0 Temporary fencing/barricading:

The contractor shall provide and maintain a suitable temporary fencing/barricading and gates at his cost to adequately enclose all boundaries of the site for the protection of the public and for the proper execution and security of the work and in accordance with the requirement of the architect/consultant and regulations of local authorities. These shall be altered, relocated and adopted from time to time as necessary and removed on completion of the work.

57.0 Site meetings:

Site meetings will be held to review the progress and quality evaluation. The contractor shall depute a senior representative along with the site representative and other staff of approved sub-contractors and suppliers as required to the site meetings and ensure all follow up actions. Any additional review meetings shall he held if required by the architect/ consultant.-

58.0 Disposal of refuse:

The contractor shall cart away all debris, refuse etc. arising from the work from the site and deposit the same as directed by the architect / consultant at his own cost. It is the responsibility of the contractor to obtain from the local authorities concerned to the effect that all rubbish arising out of contractor's activities at the construction site or any other off-site activities borrow pits has been properly disposed off.

59.0 Contractor to verify site measurement:

The contractor shall check and verify all site measurements whenever requested other specialists contractors or other sub-contractors to enable them to prepare the own shop drawing and pass on the information with sufficient promptness as will in any way delay the works.



60.0 Displaying the name of the work:

The contractor shall put up a name board of suitable size as directed by the architect/ consultant indicating there in the name of the project and other details as given by the architect/consultant at his own cost and remove the same on completion of work.

61.0 As built drawings:

For the drawings issued to the contractor by the Architect / Consultant. The architect Consultant will issue two sets of drawings to the Contractor for the items for some changes have been made. From the approved drawings as instructed by the SBIIMS / Architect / Consultant. The contractor will make the changes made on these copies and return these copies to the architect / Consultant for their approval. In cases revision is required or the corrections are not properly marked the architect/Consultant will point out the discrepancies to the contractor. The contractor will have to incorporated these corrections and / or attend to discrepancies either on copies as directed by the architect / consultant and resubmit to him for approval. The architect / consultant will return one copy duly approved by him.

For the drawings prepared by the contractor:

The contractor will modify the drawing prepared by him wherever the changes made by the SBIIMS / architect / consultant. And submit two copies of such modified drawings to the architect/ consultant for approval. The architect / consultant will return one copy of the approved drawing to the contractor.

62.0 Approved make:

The contractor shall provide all materials from the list of approved makes at his own cost and also appoint the specialized agency for the waterproofing, anti-termite treatment, aluminum doors and windows and any other item as specified in the tender. The architect/consultant may approve any make / agency within the approved list as given in the tender after inspection of the sample/mockup.

63.0 Procurement of materials:

The contractor shall make his own arrangements to procure all the required materials for the work. All wastages and losses in weight shall be to the contractors account

64.0 Excise duty, taxes, levies etc.;

The contractor shall pay and be responsible for payment of all taxes, duties, levies, royalties, fees, cess or charges in respect of the works including but not limited to sales tax, tax on works contract excise duty, and Octroi, payable in respect of materials, equipment plant and other things required for the contact. All of the aforesaid taxes, duties, levies, fees and charges shall be to the contractor's account and the SBIIMS Shall not be required to pay any additional or extra amount on this account. Variation of taxes, duties, fees, levies etc. if any, till completion of work shall be deemed to be included in the quoted rates and no extra amount on this account. Variation of taxes, duties, fees, levies etc. if any, till completion of work shall be deemed to be included in the quoted rates and no extra claim on this account will in any case be entertained. If a new tax or duty or levy or cess or royalty or Octroi is imposed under as statutory law during the currency of contract the same shall be borne by the contractor. However, GST will be paid extra.



65.0 Acceptance of tender:

The SBIIMS shall have the right to reject any or all tenders without assigning any reason. They are not to bind to accept the lowest or any tender and the tenderer or tenderers shall have no right to question the acts of the SBIIMS. However adequate transparency would be maintained by the SBIIMS

66.0 Photographs:

The Contractor shall at his own expense supply to the Architects with duplicate hard copies of large photographs not less than 25 cm. x 20 cm. (10" x 8") of the works, taken from two approved portions of each building, at intervals of not more than one months during the progress of the work or at every important stage of construction.

In addition to above, the contractor shall be bound to submit adequate no. of site photographs along with each Running Bill for the project clearing showing major progress of work measured and claimed therein failing which the Architect/ SBIIMS may consider returning the Bill to the contractor and no claim for delay on this account will be entertained.

67.0 Safety Codes:

- 1. First aid appliances including adequate supply of sterilized dressing and cotton wool shall be kept in a readily accessible place.
- 2. An injured person shall be taken to a public hospital without loss of time, in cases when the injury necessitates hospitalization.
- 3. Suitable and strong scaffolds should be provided for workmen for all works that cannot safely be done from the ground.
- 4. No portable single ladder shall be over 8 meters in length. The width between the side rails shall not be less than 30 cm. (clear) and the distance between two adjacent running's shall not be more than 30 cm. When a ladder is used an extra labour shall be engaged for holding ladder.
- The excavated material shall not be placed within 1.5 meters of the edge of the trench half of the depth of trench whichever is more. All trenches and excavations shall be provided with necessary fencing and lighting.
- 6. Every opening in the floor of a building or in a working platform be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be one meter.
- 7. No floor, roof or other part of the structure shall be so overloaded with debris or material as to render it unsafe.



- 8. Workers employed on mixing and handling material such as asphalt, cement, mortar, concrete and lime shall be provided with protective footwear and rubber hand gloves.
- 9 Those engaged in welding works shall be provided with welders' protective eye shield and gloves.
- 10. (i) No paint containing lead or lead products shall be used except in the form of paste readymade paint.(ii)Suitable face masks should be supplied for use by the workers when the paint applied in the form of spray or surface having lead paint dry rubbed and scrapped.
- 11. Overalls shall be supplied by the contractor to the painters and adequate facilities shall be provided to enable the working painters to wash during cessation of work.
- 12 Hoisting machines and tackle used in the works including their attachments anchor and supports shall be in perfect condition.
- 13. The ropes used in hoisting or lowering material or as a means of suspension shall be durable quality and adequate strength and free form defects.



APPENDIX HEREIN BEFORE REFERRED TO

Name of the organization Offering Contract	: The Circle Head &Vice President. SBIIMS, Circle Office, SBI, LHO, Bhadra, Laldarwaja, Ahmedabad-1
2) Consultants	:For standardization of Unit Rates
(M/s Vijay	Sahijwani& Associates)
3) Site Address	: Metro& Urban Branches. Ahmedabad Circle
4) Scope of Work	:Standardization of Unit rate for execution of Civil work for AllBranches and offices.
Ahmedabad Circle	
5)Name of the Contractor	:
6)Address of the Contractor	:
7) Period of Completion	: within the stipulated period from the date of Issue of work order.
8) Earnest Money Deposit	: `25,000/- (Rupees Twenty Five Thousand only) by means of Demand Draft / PayOrder (Valid for a period of 90 Days fromthe last date of submission of the tender)from any scheduled Nationalized Bank drawn in favour of SBI Infra Management Solutions Pvt. Ltd. atAhmedabad.
9) Retention Money General Conditions	: As per clause no. 1.4 of
10) Defects Liability Period Virtual Completion.	: Twelve Months from the date of
11) Insurance to be undertaken by the Contractor at his cost(Contractor's all risk policy)	: 125% of Contract Value



:	0.5% of the Contract amount shown in the tender per week subject to max. 5% of the contract value or actual final bill value.
:	Will be decided as per the volume of work.
:	From the date of work order issued to the Contractor/ or the day on which the Contractor is instructed to take possession of the site whichever is earlier.
:	2 Months from the date of Virtual Completion Certificate (VCC) issued by the project Architect.
:	NIL.
:	5% of the final bill amount or contract value
:	50% of the Security Deposit shall be refunded to the Contractor on completion of the work/along witrh the final bill and balancerefunded only after the Defect LiabilityPeriod is over.
:	One Month for RA.Bills
the date	e month of the date fixed for completion work of receipt of final bill provided the bills are scribed in the tender.
र्	Signature of Tenderer.
	Date:
١	the date is etc. pres



LETTER OF DECLARATION

To,
The Circle Head&Vice President (Civil)
SBI Infra Management Solutions Pvt. Ltd.,
Circle Office, Ahmedabad,
Third Floor, SBI, LHO, Building
Bhadra, Laldarwaja,
Ahmedabad-1

Dear Sir,

PROPOSED CIVIL WORKS IN ALL BRANCHES AND OFFICES OF SBI ,AHMEDABAD CIRCLE

Having examined the terms & conditions, drawings, specifications, design relating to the works specified in the memorandum hereinafter set out and having visited and examined the site of the works specified in the said memorandum and having acquired the requisite information relating thereto and affecting the quotation, I/We hereby offer to execute the works specified in the said memorandum within the time specified in the said memorandum on the item rate basis mentioned in the attached schedule and in accordance in all respect with the specifications, design, drawings and instructions in writing referred to in conditions of Tender, the articles of agreement, conditions of contract and with such conditions so far as they may be applicable.

MEMORANDUM

(a)	Description of work	Proposed civil works of all Branches and officesAhmedabad Circle
(b)	Earnest Money	`25,000/ (Rupees Twenty Five Thousand only) by means of Demand Draft / Pay Order (Valid for a period of 90 Days from the last date of submission of the tender) from any scheduled Nationalized Bank drawn in favour of SBI Infra Management Solutions Pvt. Ltd. atAhmedabad.
(c)	Time allowed for completion of work from the date of issue of work order.	Work Completion Period will be given to contractors in accordance with the volume of work after standardization of unit rate and accepting the same by contractors.

Should this tender be accepted, I/we hereby agree to abide by and fulfill the terms and provisions of the said conditions of Contract annexed hereto so far as they may be applicable or in default thereof to forfeit and pay to SBIIMS, the amount mentioned in the said conditions.



I/we have deposited Demand Draft / Banker's Cheque / FDR for a sum of Rs 25,000/ (Rupees Twenty Five Thousand only) as Earnest money deposit with the SBI Infra Management Solutions Pvt. Ltd. Should I/we do fail to execute the contract when called upon to do so, I/we hereby agree that this sum shall be forfeited by me/us to SBI Infra Management Solutions Pvt. Ltd.

We understand that as per terms of this tender, the SBIIMS may consider accepting our tender in part or whole or may entrust the work of various jobs/buildings proposed (i.e. Institute Building, Staff Qtrs. And Director's Bungalow/civil work) in phases. We, therefore, undertake that we shall not raise any claim/compensation in the eventuality of Bank deciding to drop any of the work/building/buildings from the scope of work of this tender at any stage during the contract period. Further, we also undertake to execute the work entrusted to us in phases as per L-1 rates/standard rates accepted by us/on our approved rates and within the stipulated time limit without any extra claim for price escalation as provided for in Clause 9.0.1 "Instructions to Tenderers" of this tender.

We, hereby, also undertake that, we will not raise any claim for any escalation in the prices of any of the material during the currency of contract/execution/completion period.

Yours faithfully,

Signature of contractor With Seal



PROFORMA FOR RUNNING A/C BILL TABLE - XIII

i.	Name of Contractor/ Agency :
ii.	Name of Work :
iii.	Sr. No. of this Bill:
iv.	No. & Date of previous Bill :
V.	Reference to Agreement No. :
vi.	Date of Written order to commence :
vii.	Date of Completion as per Agreement :

SN	Item Descriptio	Unit	Rate (Rs.)	As per	Tender	Up to R.A. B	Previous ill	Up (Gross	to Date	Preser	nt Bill	Remarks
	n			Qty	Amoun t (Rs.)	Qty	Amount (Rs.)	Qty	Amount (Rs.)	Qty	Amount (Rs.)	
1	2	3	4	5	6	7	8	9	10	11	12	13

Note:

1.	If part rate is allowed for any items, it should be indicated with reasons for allowing such a rate.	
2.	If ad-hoc payment is made, it should be mentioned specifically.	Net Value since previous bill



CERTIFICATE

	which the above entries for the Runn	
Signature and date of Contractor	Signature and date of Architects Representative (Seal)	Signature and date of Site Engineer
The work recorded in the above-me	entioned measurements has been dor	ne at the site satisfactorily as per
tender drawings, conditions and spo	ecifications.	
Architect	Signature and date of S	Site Engineer



TABLE - XV

MEMORANDUM FOR PAYMENT

R/A BILL NO.

R/A BILL NO	<u> </u>	
1.	Total value of work done since previous bill (A)	Rs
2.	Total amount of secured advance due since Previous Bill (B)	Rs
3.	Total amount due since Previous Bill (C) (A+B)	Rs
4.	PVA on account of declaration in price of Steel, Cement and other materials and labour as detailed in separate statements enclosed.	Rs
5.	Total amount due to the Contractor	Rs
	OBJECTIONS:	
i)	Secured Advance paid in the previous R/A	Rs
ii)	Retention money on value of works as per accepted tenders up to date amount Rs.	Rs
	Less already recovered	Rs
	Balance to be recovered	Rs
iii)	Mobilization Advance, if any	Rs
(a)	Outstanding amount (principal + interest) as on date	Rs
(b)	To be recovered in this bill	Rs
iii.	Any other Departmental materials cost to be recovered as per contract, if any	Rs
iv.	Any other Departmental service charges to be recovered if any, as per contract (water, power etc.) enclose statement.	Rs

The bill amount to Rs (both figures and checking of the measurements of work as required an	,
Date:	Signature of Architect with Seal



ure of Bank	cs/ SBIIMS Engineer	
	STATUTORY DEDUCTION:	
i)	Total Amount due (E)	Rs
ii)	Less I.T. Payable	Rs
iii)	Less S.T. Payable	Rs
	Net Payable	Rs
	in the Memorandum for payable has been verified and	bill passed for payment

Signature of the Circle Head & VP



TECHNICAL SPECIFICATION

SPECIFICATIONS OF MATERIALS TO BE USED

General:

This specifications are for the work to be executed items to be supplied and materials to be used in the works as shown and defined on the drawings and described here in all under the supervision and to the satisfaction of the architect / employer.

The workmanship is to be the best available and to a high standard. Use must be made of specialist tradesmen in all aspects of the works, and allowance must be made in the rates for doing so.

The materials and items to be provided by the contractor shall be the best of their respective kinds, approved by the architect in accordance with any samples, which may be submitted for approval, and generally in accordance with the specification. Where materials or products are specified in this specification and/ or bill of quantities by the name of the manufacture or the brand trade name or catalogue references the contractor will be required to obtain the approval of the architect/ employer before using a material or product other than the specified. The contractor shall produce all invoices, vouchers or receipted accounts for any materials of called upon to do so by the architect.

Sample of all material are to be submitted to the architect for his approval before the contractor orders or delivers in bulk to the site. Also, the contractor will be required to submit specimen finishes to colors, fabrics etc. For the approval of the architect before proceeding with the works. Should it be necessary to prepare shop drawings, then four copies of such drawings shall be submitted for the approval of the architect who will retain to copies, all at the contractors expenses.

Materials

The materials shall be of the best-approved quality obtainable and shall comply with the respective Indian standard specification.

If directed, materials shall be tested in any approved testing laboratory and the test certificates in original shall be submitted to the architect and the entire charges for repeated testes, if ordered shall be borne by the constructor.

It shall be obligatory for the contractor to furnish certificate, it demanded by the architect, from manufacturer of the material supplier that the work has been carried out by using their material and as per their recommendations.

All materials supplied by the employer / any other specialist firm shall be properly stores and the contractor shall be responsible for its safe custody until they are required on the works and till the completion of work.

Unless otherwise shown on the drawings or mentioned in the "Schedule of Quantities" or special specifications, the quality of materials, workmanship, dimensions etc., shall be as specified herein under.



The contractor without any extra cost for carrying out field-tests on materials shall provide all equipment and facilities.

Unless mentioned specifically, all materials used in the construction shall conform to the relevant Indian standards published by bureau of Indian standards.

The contractor whenever in doubt should get the materials approved by the architect, before use. A sample of approved material should be deposited with the architect.

Test certificates from the laboratory approved by the architect will have to be furnished, if so directed by him. The contractor will pay all costs for the same.

For special items to be used, the manufacturer's instruction of handling and installation shall be strictly adhered to. The contractor shall obtain, the guarantee certificate from the manufacturer and pass on the same to the owner.

Materials if supplied by the owner, shall be properly stored in the safe custody of the contractor. The same shall be carefully used and shall be properly preserved till the work is completed and handed over to the owner. Proper accounts of such materials will be maintained and will be presented for inspection and physical verification as and when requested by the owner.

Timber:

Timber generally is to be the best of its kind, well and properly seasoned, of mature growth, free from worm holes large loose or dead knots or other defects and sawn die square and will not supper warping, splitting or other defects through improper handling.

The wood is to be Steam beach weighting not less than 45 lbs per cubic foot with moisture content not exceeding 12% to 14%. The moisture content of timber shall be determined according to method described in paragraph 4 of is: 287 for "maximum permissible moisture content of timber used for different purpose in different zones".

In measuring cross-sectional dimensions of the frame pieces tolerance up-to 1.5 mm shall be allowed for each planned surface.

Good quality Steam beach wood:

Steam beach wood be of good quality and well seasoned. It shall have uniform color, reasonably straight grains and shall be free from large, loose dead knots, cracks, shakes, warp, twists, bends, borer, holes or defects of any kind. No individual hard and sound know shall be more than 1 cm. In diameter and aggregate area of all knots shall not exceed ½ % of the area of the piece. It shall be close gained and there shall not be less than 6 growth rings per 2.5 cm width.

Good quality Steam beach wood:

Steam beach wood shall be of good quality and well seasoned. It shall have uniform color reasonably straight grains and shall be free from large, loose, dead knots, cracks, shakes, warp, sound knot shall be more than 2.5 cm. In diameter and aggregated area of all knots shall not exceed 1% of the area of the piece. There shall not be less than 4 growth rings per 2.5 cm width.



Timber is to be cut to the required sizes and lengths as soon as practicable after the works are begun and stored under cover so that the air will circulate freely around it. Joinery is to be prepared, immediately after the placing of the contract, framed up (but not bonded) and stored until required for fixing in position, when it is to be bonded and wedged up. Any portions that warp or develop shakes or other defects are to be replaced before wedging up. The whole of the work is to be framed and finished in a proper and workman like manner, in accordance with the detailed drawings, and fitted with all necessary motets straps, belts screws etc. Running bounded joints are to be cross-tongued with teak onguese and where over 1-1/2% thick double cross tongued. Joiner's work generally is to be finished with fine class papered surfaces unless otherwise specified.

Templates boxes and moulds shall be accurately set out and rigidly constructed so as to remain accurate during the time they are in use.

Grounds are to be clean shown, free from large knots, splayed as required, plugged and fixed to walls etc. At 1'-6" centers.

Wood plugs are to be put cut on the twist. Patent wall plugs or plastic filling may be used in lieu of wood plugs with the approval of the architect.

All unexposed surfaces of timber e.g. fails ceilings, backings fillets backs of doors frames backs of doors frames, cupboard framing, grounds etc. Are to be treated with two coats of approved timber preservative like soigné, kirticite, term seal or castral or vacuum pressure impregnated with and approved water soluble timber preservative before fixing or bedding.

Timber shall be well seasoned and of the best quality Indian teak of specified species. Timber shall be considered as well seasoned, if its moisture content does not exceed the following limits.

- (1) timber for frames. 14%
- (2) timber for planking, shutters etc. . . 12%

The moisture content of timber shall be determined according to method described in paragraph 4 of is 287 for "maximum permissible moisture content of timber used for different purposes in different climatic zones".

In measuring cross-sectional dimensions of the frame pieces tolerance up-to 1.5mm shall be allowed for each planed surface.

Carpentry & Joinery:

The carpenter and joiner shall include the finishing of all labor, materials, equipment, and appliances required to complete the work including the installation of hardware as per the drawing. The timber shall be of the quality as described on the drawings or in the bills of quantities, shall be seasoned and uniform in texture, free from fungal growths, knots, wanes, open shake borer holes, rot, decay, discoloration, soft or spongy spots, hollow pockets, patch or box heart and all other defects.

Skilled workmen, using proper tools, shall carry out all the carpenter's work. All joints shall be securely



nailed without splitting the wood. Wherever it is necessary the members shall be lapped of joining by g.i. stapes or extra wood blocks. All joints and nailing shall be done in neatness, and shall be approved by the architects. All assembly is exactly at right angles.

Finish woodwork and joinery including doors shall be surfaced with straight without any warp of bow and shall have smooth, well-planned faces at right angles to each other. The frame members shall be planned on the three sides exposed at right angles to each other.

All joinery work shall be securely mortised and tanned with synthetic resign conforming to I.S. 851-1957. Heads, posts, transoms, mullions of door and window frames shall be made out of single pieces of timber only. The heads and posts shall be thought - tanned into the mortises of not less than $\frac{1}{2}$ ". Solid wood panels of not less than 5" and not more than 8" in width shall be used and jointed together with tongue and groove joint.

All interior wood finish doors, cabinetwork shall be smoothly traded and sanded after erection, until all defects are entirely removed. Assembled door frame without sills shall be fitted with temporary stretchers. All exposed wood and plywood shall be straight-grained method grain and color and shall be approved by the architects. Interior wood finished doors cabinets and other fixed wooden equipments shall be properly installed, level plumb and true. But joints shall be avoided wherever possible; if unavoidable the joint shall be leveled. All exterior angles shall be mitered. Adjoining interior woodwork shall match and harmonies. All woodwork in contact with masonry shall be painted with bitumen paint or red oxide paint.

Joints:

All joints will be standard, mortised and tenon, dovetail, dowel, cross-halved, metered, tongued and grooved and rebated. Nailed or glued but joints, will not be permitted exceptional cases, ailed but joints will not be accepted. All joints shall be smeared with white lead.

Whenever solid wood is specified it shall be as per I.S.I. and of good quality. The type of wood shall be got approved before collecting the same on site. Fabrication of wooden members shall be started only after approval. It shall be free from large, loose, dead of cluster knots, flows, shakes, wraps, bends or any other defect. It shall be uniform in substance and of straight fibers as far as possible. It shall be free from rats, decay, harmful fungi and other dejects of nature which will affect the strength, durability of it usefulness for the purpose for which it is required. The color of wood shall be uniform as far as possible. The scantlings planks etc. Shall be seen in straight lines and planes in the direction of grain and have uniform thickness.

Plywood:

Plywood for general purpose shall confirm I.S. 303 MR grade & I.S. 710 B.W.P. / marine grade as specified. It shall be formed with 0.8 mm. Thicknesses commercial face veneers and 1.5 mm. Thicknesses. Intermediate veneers in two opposite grain direction shall be 1:1. The moisture content shall not be more than 12.5% by mass. It shall either be kit ply make or other equivalent approved make. Where B.W.P. grade is specified it should be boiling waterproof confirming to I.S. standards.

The plywood for general purpose shall conform to is I.S. 303 MR grade & I.S. 710 B.W.P. / marine grade as specified Cementing together thin boards or sheets of wood into panels makes plywood. There is always an odd number of layers 3,5,7,9 ply etc. The plies are placed so that grain of each layer is right angle to the grain in the adjacent layer.



According to is I.S. 303 MR grade & I.S. 710 B.W.P. / marine grade as specified the plywood for general purpose shall be of three grades namely I.S. 303 MR grade & I.S. 710 B.W.P. / marine grade as specified depending upon the adhesives used for bonding and veneers, and it will be further classified into six types namely aa, ab, ac, bb, bc and cc based on the quality of the two face, each face being of three kinds namely, a, b and c.

I.S. 303 MR grade & I.S. 710 B.W.P. / marine grade as specified formed with 0.8 mm. Thickness commercial face veneers and 1.5 mm. Thick intermediate veneers in to two opposite grain direction. The moisture content shall not be more than 12.5 % by mass. Where B.W.P. grade is specified it should be boiling waterproof conforming to Indian standards.

Laminates:

All the laminate to be used shall be of 1.0 mm (or 1.5 mm or 0.5 mm where specified) thickness in approved the color and shade as approved and specified by the architect. It shall be matt finish manufactured by recommended makes as per sample shown by the consultant unless otherwise specified. It shall satisfy all the I.S.I. standards for melamine coated laminated fiber board's before the use of such fiberboard laminated. The contractor shall have to take approval of the department of each sheet of the laminates.

Fixtures & Fastenings:

The fixtures and fastening, that is, butt hinges, tend strap hinges, sliding door bolts, tower bolts, door latch, bath room latch, handles, door stoppers, casement window fasteners, casement stays and ventilators catch shall be made of the metal as specified in the item or its specifications.

They shall be of S.S., S.S. brush finish, iron, brass, aluminum, chromium plated iron, and chromium plated brass, copper oxidized iron, copper oxidized brass or anodized aluminum as specified.

The fixtures shall be heavy type. The fixtures and fastenings shall be smooth finished and shall be such as will ensure ease of operation.

The samples of fixtures and fastening shall be got approved as regards quality and shape before providing them in position. Brass and anodized aluminum fixtures and fastenings shall be bright finished.

Screws, nails, bolts will be of brass or other no corrosive metal. In hardware, they will match the finish of the hardware item. Nails, in a finished surface shall be neatly punched and the hole filled with wood filler matching the finish. Screws in a finished surface will be round head, raised head or sunk beneath the surfaces and the hole plugged with a wood plug with matching color and grain of the wood surface as directed.

S.S. fittings should be proper polish finished.

Screws, nails, bolts, will be of brass or non-corrosive metal. In hardware, they will match with the hardware items.

Nails, in a finished surface shall be neatly punched and the holes filled with wood filler matching the



finish. Screws, in a finished surface will be round head, raised head or sunk beneath the surfaces and the hole plugged with a wood plug with matching color and grain of the wood surface, unless especially detailed

Hardware:

Hinges, locks, latches, door tracks etc. Shall be as specified and as far as possible, by the manufacturer specified. In any variation of this quality of the substitute shall be equal to or better than the original specified, and the samples shall be submitted to the architect for prior approval.

Hardware and metals:

The hardware throughout shall be of approved brand and supply well made and equal in every respect to the samples deposited with the architect. The contractor may be required to produce and provide samples many different sources before the architect is able to make the decision and he should allow in his rates for doing so.

Fittings generally shall have a brass finish or powder coated finish unless otherwise specified and should be suitable for their intended purposes.

Screws are to match the finish of the article to be fixed and to be rounded or flat headed or counter sunk as required.

Cover up and protect at the brass or powder coated surfaces with a thick grease or other suitable material, renew as necessary and subsequently clean off and clear away on completion

All steel, brass, bronze, aluminum and stainless steel articles shall be submitted to a reasonable test for strength. If so required by the architect at the contractors expenses.

Door closers:

The overhead door closer shall be of standard make as listed by the architect. The overhead door closer shall be of color as approved by the architect. Fixing of the overhead door closer shall be done by and experienced worker preferable from the principal supplier of the item.

After successful installation of the overhead door closer the same shall be checked for speed of door closing. The contractor shall make necessary adjusted operating mechanism as per manufacturer's guidelines to arrive at most suitable operating speed. The selected operating speed should remain constant on all repeated operations. If an overhead door closer is found to lose its adjusted operating speed often during warranty period then the shall have to be replaced with a new piece without charging any extra.

In case of a steel frame door the overhead door closer shall have to be mounted on a special plate supplied by the manufacturer. No extra payment shall be due for such mounting plate.

The rate shall include all materials, labor, required civil work etc. Complete and shall be paid per no. Of overhead door closers installed.

Paints:

Lime for lime wash, dry distemper, oil bound distemper, cement primer, oil paint, enamel paint, flat oil paint, plastic emulsion paint, anti-corrosive primer, red lead, water-proof cement paint shall be from an



approved manufacturer and shall conform to the latest Indian standard for various paints. Ready mixed paints as received from the manufacturer without any admixture shall be used, except for addition of thinner, if recommended by the manufacturer. However, if ready mixed paint of specified shed or tint is not available then only ready mixed paint with approved strainer will be allowed. In such a case, the contractor shall ensure that the shade of the paint so allowed shall be uniform.

All the paints shall met with following general requirements:

Paint shall not show excessive setting in a freshly opened full can and shall easily be redispuresed with a paddle to a smooth homogeneous state. The paint shall show no curdling, levering, cracking or color separation and shall be free from lumps and skins.

Paint as received shall brush easily; possess good leveling properties and show no running or sagging tendencies.

The paint shall not skin within 48 hours in a three quarters filled closed container.

The paint shall dry to a smooth uniform finish free from roughness, grit, unevenness and other imperfections.

General: wherever scaffolding is necessary, it shall be double scaffolding.

The surface shall be thoroughly brushed free from mortar droppings, and foreign matter. All steel work shall be cleaned of loose rust, mill scales, etc. So as to expose the original surface. All broken edges, cracks, loose-plaster and wavy surface shall be brought up either by patch plasterwork or by plaster of Paris.

All materials viz. Dry distemper, oil bound distemper, oil paint, flat oil paint, synthetic enamel paint, plastic emulsion paint, cement primer, red lead and other primers and metallic paints shall conform to respective i.s. specifications and shall be obtained from approved manufacturers.

Painting - Flat / Plastic emulsion etc.:

Ready mixed flat oil paint, plastic emulsion paint, ready mixed synthetic enamel paint, aluminum paint, etc. Shall be brought in original containers and in sealed tins, if for any reason thinner is necessary, the brand and quality of thinner recommended by the manufacturer or as instructed by the architect shall be used.

The surface shall be prepared as specified above and a coat of approved primer shall be applied. After 24 hours drying, approved or specified quality paint shall be applied evenly and smoothly. Filler putty coating may be given to give to give a smooth finish. Each coat shall be allowed to dry out thoroughly and then lightly rubbed down with sand paper and cleaned of dust before the next coat is applied. Number of coats shall be as specified in the item and if the finish of the surface is not uniform, additional coats as required shall be applied to get good and uniform finish at no extra cost. After completion no hair marks from the brush or clogging of paint puddles in the corners of panels, angles or moldings etc. Shall be cleaned of stains.

Pigmented priming coat (emulsion thinned with water) followed by three or more finishing coats of plastic emulsion paint. Pasted filler to be applied after every coat exempting the final finishing coat and



sanded. When the final coat is applied, if directed the surface shall be rolled with a roller or if directed, it shall be stippled with a stippling brush.

Enamel paints

Oil paints shall be of first quality and of the specified color and shade, and as approved. The ready mixed paints shall be only used. However, if ready mixed paint of specified shade or tint is not available while ready mixed paint with approved strainer will be allowed. In such a case, the contractor shall ensure that the shade of the paint so allowed shall be uniform.

All the paints shall meet with the following general requirements:

Paint shall not showed excessive setting in a freshly opened full can and shall easily be redisbursed with a paddle to a smooth homogeneous stage. The paint shall show no curdling levering, caking or color separation and shall be free from lumps and skins.

Paint as revived shall brush easily; possess good leveling properties and show no running or sagging tendencies.

The paint shall not skin within 48 hours in a three quarters filled closed container.

The paint shall dry to a smooth uniform finish free from roughness, grit, unevenness and other imperfections.

Ready mixed paint shall be used exactly as received from the manufacturers and generally according to their instructions and without any admixtures what so ever.

French polish:

The French polish of required tint and shape shall be prepared with the below mentioned ingredients and other necessary material:

- (i) denatured spirit of approved quality
- (ii) chandras
- (iii) shellac
- (iv)pigment

The French polish so prepared shall conform to is 348.

French polishing:

French spirit polish shall be an approved make conforming to i.s.: 348. If it has to be prepared on site, dissolving 0.7 kg shall make the polish. Of best shellac in 4.5 liters of mentholated spirit without heating. To obtain required shade pigment may be added and mixed.

Surface shall be cleaned. All unevenness shall be rubbed down smooth with sand paper and well dusted. Knots, if visible, shall be covered with a preparation of red lead and glue. Resinous or loose knots and gaps shall be filled with seasoned timber pieces and made level with rest of the surface. Holes and indentations on surface shall be filled with putty made of whiting and linseed oil. Surface shall be given a coat of filler made of 2.25 kg. Of whiting in 1.5 liter of mentholated spirit. When it dries, surface shall again be rubbed down perfectly smooth with sand paper and wiped clean.

Piece of clean fine cotton cloth and cotton wool made into shape of pad shall be used to apply polish.



The pad shall be moistened with polish and rubbed hard on the surface applying the polish sparingly but uniformly and completely over the entire surface. It shall be allowed to dry and another coat applied in the same way. To give CIVIL coat the pad shall be covered with a fresh piece or clean fine cotton cloth, slightly damped with mentholated spirit and rubbed lightly and quickly with a circular motion, till the finished surface attains uniform texture and high glass.

Wax polishing:

Wax polish shall either be prepared on site or obtained ready made from market. Polish made on the state shall be prepared from a mixture of purr bees wax, linseed oil, turpentine oil and varnish in the ration or 2:1 ½:1: ½ by weight. The bee's wax and the boiled linseed oil shall be heated over a slow fire. When the wax is completely dissolved the mixture shall be cooled till it is just warm, and turpentine oil and varnish added to it in the required proportions and the entire mixture is well stirred.

Surface shall be prepared as described under "French polishing" except that the final rubbing shall be done with sand paper, which has been slightly moistened with linseed oil.

Mixture or polish shall be applied evenly, with a clean cloth pad in such a way that no blank patches are left, and rubbed continuously for half an hour. When the surface is quite dry a second coat shall be applied in the same manner and rubbed continuously for an hour or until the surface is dry. Final coat shall then be applied and rubbed for two hours or more if necessary, until the surface has assumed a uniform glass and is quite dry showing no sign of stickiness when touched. Glass rubbing must be continuous and with uniform pressure and frequent change is direction.

Glass:

All glass shall be of best quality, free from flaws, specks, bubbles, veins, smokes, air holes blisters and other defects. The thickness and kind of glass to be used shall be as mentioned in the item or as shown in detailed drawing. The thickness of glass panel shall be uniform. All glass shall be of approved make by the architect and conforming to is 3548.

All glass shall be float glass of the best quality, free from specks, bubbles, smokes, veins, air holes, blisters and other defects. The kind of glass to be used shall be as mentioned in the item or specification or in the special provisions or as shown in detailed drawings thickness of glass panel shall be uniform. All glass to be approved manufacture complying with is: 3548-1966 or as per approved quality and sample.

The compound for glazing to metal is to be special non-hardening compound manufacture for the purpose and of 9 brands and guality approved the interior designer.

In cutting glass, proper allowance shall be made for expansion. Each square of glazing to be in one whole sheet and after cutting the edges to be properly filled.

On completion, clean all glass inside and out, replace all cracked scratched or broken panes and leave in good condition to the satisfaction of the architect.

The contractor shall furnish all labor, materials, and equipments required for the installation of glass and glazing items.

The glass shall be of the type, quality and substance specificity in the bills of quantities.



In case of the glass being supplied by the owners, the contractor shall take the delivery of the glass at site and shall be responsible for proper handling and stacking. We shall insure glass against theft, fire, etc.

The contractor shall replace at his own expense all broken, damaged or disfigured glass caused in the execution of the work of faulty installation, before the virtual completion of the work.

Patterned or translucent glass shall be 4 mm. In thickness and shall be approved by the architects. Sheet glass shall be in 5 mm. In thickness. Wired glass shall be 6 mm. In thickness.

The putty used for glazing metal door, window or ventilator shall conform to I.S. 420:1953.

Before installation of the glass, the contractor shall ensure against the following:

All glazing rebates shall be square, putty, true in plane, clear, dry and free of dust. The frames shall be adjusted before glazing. The weight of the glass in side hung casement causes it to drop slightly on its hinges. Before glazing it shall be set in slightly high position in its frame. Glass edges shall be clean and cut to the exact size, chipped or damaged edges shall be rejected. Sashes shall be glazing in the closed position and shall not be open till the putty is set.

The glass shall be set in teak wood beading or metal glazing chips and so installed to achieve water lightness.

The platter glass shall be bedded on strips of leather or felt turned over the two sides of the glass to form packing between the glass and the metal coating. The ground glass shall be getting with smooth surface outside.

Glazing large panes of glass, or when heavy wind pressure is experienced, glazing bead may be used instead of front putty. In this case putty shall be applied to the face of the bead, which is in contact with glass. Putty would also be necessary, at the back.

Beads shall be of timber, rustproof steel or aluminum and shall have mitered corners. The position and size of the bead may depend on the thickness of glass used. The beads shall be fixed with screws 0" apart.

On completion of the job, all glass shall be thoroughly cleaned. All paint or other marks to be removed.



SPECIFICATION FOR WORKMANSHIP

Painting And Polishing: Various Readymade Paints:

The surface to be painted shall be cleaned and all cracks, holes and surface defects shall be repaired with plaster of Paris. All irregularities shall be sand papered and wiped clean. The surface so prepared must be dry and free from dust.

The priming coat shall be applied over in the manner recommended by the manufacture in case of special paint. When no priming coat is specified by the manufacturer, putty composed of powered whitening chalk mixed with double polished linseed oil of required workable consistency shall be applied to prepare a good, hard background in case of undecorated surfaces. The surface shall be then rubbed down again with a fine grade sand paper and made smooth.

The paint shall be of 1st quality and of specified color and shade and as approved.

Ready mixed paint as received from the manufacturer without any admixture shall be used, except for addition of thinner, if recommended by the manufacturer. However, if ready mixed paint of specified shade or tint is not available while ready mixed paint with approved strainer will be allowed. In such a case, the contractor shall ensure that the shade of the paint so allowed shall be uniform.

Polishing To Wood Work:

Woodwork to be polished shall be finished smooth with plane. It shall then be rubbed smooth with medium and fine sand papers. In no case sand paper shall be rubbed across the grains. All holes, cracks, open joints and small defects if all allowed to remain by the architect shall be stopped with putty made from pure whiting mixed to the proper consistency with linseed oil.

Polish shall be applied in very thin coats with special fine haired varnishing brushes. Before applying first coat after stopping, the wood surface shall be rubbed down lightly with a fine sand paper taking care to rub along the grains and to leave the color even. The number of coats shall be as specified in the item.

Measurement:

No separate measurement and payment shall be made for such finishing work. The cost of such finishing shall be included in the rate of related item of woodwork. But if the item is to be carried out independent item of measurement shall be as per is 1270.

Melamine polishing to wood work:

All unevenness shall be rubbed down to smooth with sand paper and surface shall be cleaned of dust.

The wood to be polished should be first painted with filler composed of a mixture of whiting and mentholated spirit to obtain a good glass surface. The surface shall be again rubbed down for making perfectly smooth with sand paper.

The number of coats of melamine polish shall be as specified in the item. On the woodwork a pad of woolen cloth covered by fine cloth shall apply a thin coat of melamine polish. The pad shall be



moistened with polish and rubbed on a surface in a series of overlaying circles, applying the polish uniformly over the entire area to give even surface. A trace of linseed oil on the face of pad facilitates this operation. The surface shall be allowed to dry and the remaining coats shall be applied in the same manner to finish off. The pad shall be covered with a fresh piece of clean fine cloth, slightly damped with mentholated spirit and rubbed lightly and quickly with circular motion.

The finished surface shall have uniform texture and high glass. The melamine polish shall be applied with spray gun and even coating shall be applied to get the very good guality of finishes.

Measurement:

No separate measurement and payment shall be made for such finishing work. The cost of such finishing shall be included in the rate of related item of woodwork. But if the item is to be carried out independent item of measurement shall be as per IS 1270.



LIST OF APPROVED MAKE FOR CIVIL WORKS

1) Ordinary Portland Cement

2) White Cement

3) TMT "Fe - 415/ 500 D" Ribbed bars

4) Structural Rolled Steel sections-beams,

5) Structural Hollow steel sections

6) Structural tubular sections

7) Coarse Aggregates (machine cut)

8) Stone Rubbles & Gravels

9) Shuttering plywood

10) Water proof/Marine grade plywood

11) Commercial Plywood –

12) Decorative ply

13) MDF

14) Prelam particle board

15) Laminate sheet

16) Cement bonded particle board

17) Calcium silicate board / Gypsum Board.

18) Flush door – decorative / non decorative

19) Compact sheet

20) Dead Locks/ Mortise locks/

Narrow stile dead locks/ Tubular locks

21) Float Glass / wired Glass. Mirror

22) Reflective Glass

23) Paver block

24) MS Rolling shutter

25) Precast terrazo tiles &skirting(Mosaic)

26) Glazed tiles

27) Ceramic tiles

29) Vitrified tiles

30) Non-metallic floor hardener

31) Glass mosaic

32)Construction chemicals Plasticisers, Bonding agents,

SBRmicro concrete

Water proofing chemicals Chemical Water proofing & As per latest approved list from R & B Dept.

Birla, J.K.

Tata, RINL. (VIZAG). SAIL

Tata, SAIL, RINL.tee, flats, angles, bars(round, square,

hexagonal)

(Square & Tata, Asian, Jindal, Surya, Appolo.

Rectangular)

Tata, Asian, Jindal, Surya, Appolo.

6mm to 40mm sizesApproved quarry from Sevalia.

(Hardblack trap stone)

Approved quarry from Sevalia. (Hard

black trap stone)

Anchor, Green, Archid, Silicon, Century

as per Anchor, Green, Archid, Silicon, Century

- IS - 710 (BWP)

IS - 303 (BWR) Anchor, Green, Archid, Silicon,

Century

(Veneer) Anchor, Green, Archid, Silicon, Century

Nuwood, Duratuff (exterior grade only) Novapan, Bhutan. (exterior grade only)

Formica, Greenlam, Archid, Bloom, Aerolam.

Shera ,NCL (Bison board), Everest (Eternite).

Saint Gobain (India Gypsum), Hilux ,Lafartz.

Anchor, Green, Archid, Silicon, Century

Alfiaca, Sundek, Vir, Bloom, Formica, merino.

Kich, Dorma, Dorset, Yale.

Modi guard, Saint Gobain, Asai, HNG.

Saint Gobain, PPG, Asahi, Emirates, Pilkington.

Vyara, Super eq..

Sona, Sagar, Suryoday, Gandhi,...

Royal(rajkot), Alcock, Vyara, Nitco,.

Asian, Johnson, Somani, Kajaria, Nitco,

Asian. Johnson, Somani, Nitco, Kajaria,

Kajaria, Johnson, Simpolo, Nitco, Somany

Ironite

Bisazza, Palladio

BASF, Fosroc



Integral water proofing compound Crystalline water proofing

33) Silicon sealant/ Silicon paint

Polysulphide sealant

P.U sealant/

34) Pre-coated steel roofing/ walling sheets

550 Mpa

35) Polypropylene fibers

36) Paint, primer, putty Asian,

37) Liquor /Melamine /PU polish

38) PVC Water stop

39) Door Window Hardware.

40) Floor spring 41) Door closer

42) Adhesives Wooden Adhesives Tile adhesives & grouting material

43) Oil & water finish Double boiled

44) Fire door

45) Aluminum sections

46) Aluminum finish

Interior works

Façade exteriors Non visible

47) Aluminum Window locks, handle,

47a) Rough ground for Aluminium works

48)Gasket of infill panel for Aluminum

49) Anchor Fasteners

50) Spandrel Insulation

51) Wool felt/weather strip

52) Rust Remover/converter

53) Non-shrink general purpose grout

54) Anchoring chemical for rebar dowell bar

55) Roll down mosquito curtain

56) Baker Rod, Expansion joint pre-moulded filler board Supreme.

57) SS clamps for cladding

58) Aluminium operable Louvers

59)Spacer tape

60)Anodising

61) Glass Processor

Cico or PidilitePenetron or Kryton

Wacker, Dowcorning, GE, Soudal, Bostik

Pidilite, Chawksey, Sika (Exterior grade - UV resistant)

Tata bluescope, Interarch, Nippon Dendro (poly steel)

ShreePrecoated (Meta color) Nina concrete, Reliance

Nerolac, ICI, Birla (putty), JK (Putty)

MRF. Asian. ICI. ICA

ArtiCables Baroda, Fixopan, Maruti. Kich, Dorma, Haffle, Palladium, Magnum Dorma.Mab ,Hafle, Godrej, Inox,Ozone Dorma. Yale., Hafle, Godrej, Ozone

Fevicol, Blue coat, Araldite. BAL, Laticrete, Kerakoll.

CAT brand linseed oil & MTO of reliance

Shaktimat, AGEW, Radiant.

Jindal, Hindalco (Indal), Banco, Royal touch,

Bhoruka, Pankaj, Alufit, Gulf extrusion.

Super durable powder coated (Akzonobel, Jotun, FullerAG)

PVDFfinish (Valspar, PPG, Akzonobel)

surface Chromatizing.

Alualpha, Securestyle, Giessee, Roto, Geze, Savio,

Frikstav

IS 710 ply, 6mm to 8mm thick or Ghana teak.

Amee rubber, gold seal, Osaka rubber, Maharashtra

polymer, Maharashtra tyre& rubber industries.

Axel, Hilti, Fischer, Kundan, Mungo, Corroshield,

Buildex

Glass wool

Anand, reddiplex ltd.

Feovert (Krishna Conchem), Roff Rust Clear

(Pidilite Industries)

Fosroc, BASF

Hilti, Fischer, Axel

Netmos

Hilti. Axel. Technal, Domal

Norton, tremco, bow.

Bhoruka alum, Alufit alum, Ajit India, Alufin




For HS/HT, Bulletproof, DGU, Toughness, lamination etc.

- 62) Smoke seal
- 63) Elevator Schindler,
- 64) uPVC windows
- 65) First Class Brick
- 66) Autoclaved Aerated Concrete Block

Impact safety, sejal, Glasstech, GSC, Asahi, FG Glass, Goldplus, Emirates Intumecent Hilti/3M. Otis, Mitsubishi Kommerling, Fenesta Jay Jalaram Bricks, Jindal Mechno Bricks Aerocon, Green

Note:

- [a] Where other Material are proposed to be used these should be gotapproved from the Architect/Bank's Engineer before execution of particular item. In case of Non- Availability of any material of specified make, the Alternative equivalent make should be used only after it is Approved in writing by the Employer or the Architect. The Material shall be used in preferential Order only.
- [b] Before starting of work, contractor must get all samples/make approved from Architect/ Bank's authorities before using at site
- [c] Consultants/Bank's authorities reserve the right to add or delete name of any manufactureas and when required.
- [d] Consultants/Bank's authorities reserve rights to select any of the specified brands mentioned above.



ESTIMATED BILL OF QUANTITIES OF CIVIL WORK FOR REPAIRS ,FLOORING AND MISC.WORK OF STATE BANK OF INDIA OF ALL BRANCHES / OFFICES IN AHMEDABAD CIRCLE

Sr. No	Description	Quantity	Unit	Rate	Amount
Note :	Rate should be inclusive of material,labour,tools, in disposal of debris, cleaning cutting wastage etc. al ,Excise, Octroi etc. Excluding GST complete. [GST Will the time of payment of bills] Basic Rate of Items are Excluding GST	II taxes,	transpo	rtation, VAT	
1	EARTH WORK				
1.1	EXCAVATION WORK Excavation in all types of soil, including murum, for foundations of wall, columns, plinth beams etc. including shoring strutting, bailing out water/pumping off water if required, refilling the trenches, foundatin pits, ramming, watering consolidating in 15 cms to 20 cms layers, removing and stacking simultaneously the excavated stuff as directed within the site area upto a lead of 300 m and/or spreading soils in layers for site development and consolidating as directed etc. complete.	1	СМТ	550.00	550.00
	TOTAL OF EARTH WORK -1		-	550.00	550.00
2 2.1	CONCRETE WORK P/L PCC 1:4:8 FOR WALL FOUNDATION AND FLOOR ETC. Providing and laying machine mixed Plain Cement Concrete 1:4:8 (1 part cement: 4 parts coarse sand: 8 parts of stone agreegat of size 40 mm and down.) for specified thickness, for foundaitons below walls, column footings, below floor ,Raft etc. including centering and shuttering if required, laying spreading, ramming, consolidating as per requirement and curing etc. complete as directed.	1	СМТ	4,000.00	4,000.00
2.2	P/L 230X150MM THICK RCC COPPING Providing and laying 230mm x 150 mm thick RCC Copping in position plain cement concrete of controlled grades for reinforced cement concrete structural elements, as per structural design and as directed in using 20 mm or as specified size of blacks aggregates including design of concrete mixes, weigh batched proportioning, necessary lift and lead as specified finishing concrete surfaces, curing etc. complete including centering / shuttering and reinforcement. 3 nos 10 mm dia bars bottom and 2 nos 10 mm dia bars at top with 8 mm dia bars at 150 mm C/C Ring , with M 20 concret at all levels.	1	RMT	1,500.00	1,500.00

ESTIMATED BILL OF QUANTITIES					
Sr. No. Description Quantity Unit	Rate	Amount			
 P/L 115X150MM THICK RCC LINTEL Providing and laying 115 mm x 150 mm thick RCC Lintel in position plain cement concrete of controlled grades for reinforced cement concrete structural elements as per structural design and as directed in using 20 mm or as specified size of black aggregates including design of concrete mixes, weigh batched proportioning, necessary lift and lead as specified finishing concrete surfaces, curing etc. complete including centering / shuttering and reinforcement. 2 nos 10 mm dia bars bottom and 2 nos 10 mm dia bars at top with 8 mm dia bars at 150 mm C/C Ring , with M 20 concret at all levels. 	1,200.00	1,200.00			
 2.3[a] Same as above but Providing and laying 230x 150 mm thick RCC Lintel reinforcement. 3 nos 10 mm dia bars bottom and 2 nos 10 mm dia bars at top with 8 mm dia bars at 150 mm C/C Ring , with M 20 concret at all levels. 1 RMT 	1,700.00	1,700.00			
2.4 P/F REINFORCEMENT BARS FOR DAMAGED BARS (FE 500GRADE) 1 KG Providing and fixing reinforcement bars wherewere required in place of damaged reinforcement bars in RCC slab reinforcement bars shall be welded with existing reinforcement bars as per instructions complete at all levels	75.00	75.00			
2.5 REPARING OF DAMAGED RCC WORK Disemntalling damaged RCC work, applying "CONBONDSNA or equivalent Epoxy Rasin to concrete and reinforcement, covering reinforcement with concrete using 'EXPACRETE SN70' Non shrink free flow grouting product in 75 mm thickness, including, leak proof centering shuttering, curing and carting away debris. Rate is all levels. 'CONBONDSNA' & 'EXPACRETE SN70' Mfg. by ESSEN SUPPLEMENTS (I) LTD. or equivalent chemicals admextures as per the manufacturer's detail and instructions of the Engineer-in-charge. While repairing the column/slab/beam the surrounding structural member shall be edquat supporting. (Cost of Reinforcement shall be paid seperatly as per Item No 2.4).	50.00	50.00			
TOTAL OF CONCRETE -2	8,525.00	8,525.00			

	ESTIMATED BILL OF QUANTITIES				
Sr. No	Description	Quantity	Unit	Rate	Amount
3	MASONRY WORK				
3.1	P/C BRICK WALLS (230 mm Thick) Providing and constructing brick masonry in CM 1:6 (1 cement & 6 coarse sand) with approved first class bricks having minimum crushing strength of 35 kg/sq.cm including scaffolding, racking out the joints, curing etc. Complete as directed by Engineer - in charge. For Wall at all levels below and upto plinth level.and above plinth level all heights	1	CUMT	6,500.00	6,500.00
3.2	P/C 115 MM THICK BRICK PARTITION WALLS Providing and constructing 115 mm thick brick masonry in partition walls with approved good quality bricks having a crushing strength of 35 kg/sq.cm for super structure in CM 1:4 (1 cement : 4 coarse sand) including scaffolding, racking out joints, reinforcement of 2 nos. 8 mm dia MS bars at every fouth leayer , curing etc. complete as directed at all heights as follows. (Rate includes the cost of MS bars or Iron hoop)	1	SMT	900.00	900.00
	TOTAL OF MASONRY -3			7,400.00	7,400.00
				1,100100	1,100100
4	FINISHING WORK				
4.1	P/A 12 MM THICK CEMENT PLASTER ON OLD WALL AND CEILLING Providing and applying 12mm thick finish cement plaster at all heights and below plinth in 1:4 cement mortar to the walls, beams, ceiling, stair, column, pattias, patch work grooves including scaffolding, curing & finishing smooth. The plaster surface shall be rubbed with 'Iron plate". till the surfae shows cement paste in line and level complete as directed. Including dismantling existing plaster.cleaning the site and carting away debris at all levels. Its disposal also Rates includes removing switch board plates and refixing same after plastering.	1	SMT	450.00	450.00
4.1.1	P/A 12MM THICK FINISH CEMENT PLASTER ON NEW WALL AND CEILLING Providing and applying 12mm thick finish cement plaster at all heights and below plinth in 1:4 cement mortar to the walls, beams, ceiling, stair, column, pattias, grooves including scaffolding, curing & finishing smooth. The plaster surface shall be rubbed with 'Iron plate". till the surfae shows cement paste in line and level complete as directed. Plaster on New walls and ceilling	1	SMT	350.00	350.00

Sr No	. Description	Quantity	Unit	Rate	Amount
31. 110	. Description	Quartity	Offic	Rate	Amount
4.2	P/A 19MM THICK SAND FACED CEMENT PLASTER Providing and applying 19 mm thick sand faced cement plaster in two coats at all heights with first coat of 12 mm with cement mortar 1:4 (1 part cement : 4 parts of sand) and second coat of 7 mm with cement mortar 1:3 , rough finish with using sponge/ " Tipani ", on all types of concrete/brick surfaces making grooves,plastre pattas,projecting pattas paches work as per detail, including scaffolding, curing etc. complete as directed. Including dismantling existing plaster.cleaning the site and carting away debris at all levels. Its disposal		SMT	650.00	650.00
4.3	P/A 18MM THICK CEMENT PLASTER WITH WATER PROOF COMPOUND FOR PARAPET WALL Removing existing cement plaster from parapet walls and laying new 18 mm thick cement plaster in 1:4 proportion admixed with water proof compound Conplast X421 IC of Fosroc or equilant incl. curing complete as directed.Including dismantling existing plaster.cleaning the site and carting away debris at all levels.	1	SMT	500.00	500.00
4.4	P/A POLYMER MORTAR PLASTER Removing the loose plaster & concrete damages surfaces, cleaning the concrete surface with wire brush and reinforcement with rust remover, welding new reinfrocement with Existing reinforcement if required applying epoxy resin to concrete & reinforcement surface of approved Brand and covering the surface with average 35 mm th. Polymer mortar using 1 bag cement 3 bag sand 5 lit Nitobond SBR Plus required water including scaffolding for repairing RCC slab, beam complete as directed (Rate including cleaning the site and carting away debris at all levels). New reinforcement if required shall be paid as per Item No 2.5		SMT	650.00	650.00
4.5	FILLING CRACK IN WALL AND PLASTER Filling crack in wall & plaster by making V shape joint with high strength non shrink free flow cement of Fosroc (Chemical Rendroc CF) or equivalent. Finishing the joint with Polymer cement mortor. Rate also includes cleaning the site and carting away debris at all levels.		RMT	225.00	225.00
4.6	PAINTING WORK				
[a]	P/A ACRYLIC EMULSION PAINT (PLASTIC PAINT) Providing and applying (with rollers only) Acrylic emulsion paint of required shed and approved make on new/old work in two or more coats to give an even shed including the preparation of surface for painting, applying FULL primer and putty, at all heights complete as per manufacturer's specification and as directed.		SMT	135.00	135.00

	ESTIMATED BILL OF QUANTITIES				
Sr. No	. Description	Quantity	Unit	Rate	Amount
[b]	P/A DISTEMPER PAINT Providing and applying distemper paint water base of approved make & shade on old work including scrapping/cleaning and preparation of surface for painting, applying cement based primer & FULL putty of approved make. Applying distemper paint in two or more coats to give uniform covering, all heights as directed by Engineer.	1	SMT	100.00	100.00
[c]	P/A SYNTHETIC ENAMEL PAINT Providing and applying synthetic enamel paint, at all heights of required shade and approved make on old work including the scrapping/cleaning and preparation of surfaces for painting, applying primer and putty, with two or more coats of approved first quality enamel.	1	SMT	130.00	130.00
[d]	P/A APEX PAINT Provding and applying Apex paint (Asian Paint Advanced Anti Algal wheather proof emulsion) on New/Old surface at all heights and levels. Work includings preparation of surface cleanning and scraping by wire brush. Filling cracks with "Rendroc cs" (fosroc) and applying coat of Hydroproof liquid mixed with white cement. Applying primer coat as per company specifications and apply 2 or more coats of paint to		SMT	120.00	120.00
	TOTAL OF FINISHING-4		-	3,310.00	3,310.00
			•		
5	FLOORING WORK				
5.1	P/F VITRIFIED TILES FLOORING [800mmx800mm] Providing & fixing 800 x 800 Vitrified tiles flooring of approved make and shade for flooring as per design. Tiles shall be laid on existing flooring and necessary adhesive of like NITOLITE -GP of FOSROC make shall be used as directed. The rate includes filling the joints of tiles using adhesive & pigments. The rate includes curing acid cleaning, cutting etc. complete. Rate shall be same for all levels. Basic price of Tiles shall be Rs. 600=00 per Sq. Mt (Excluding GST). etc. complete as directed.No additional sand bedding charges shall be paid for Flectric trenches filling		SMT	1,250.00	1,250.00
	Providing and laying 3 mm thick bubble guard of Cello make or equiv. for flooring protection and after completion of other furniture removing the same and carrying away as buy back etc Only finished surface area shall be measured for payment				
5.1 [a]	P/F VITRIFIED TILES FLOORING [600mmx600mm] Same as above Item No 5.1 but Providing & fixing 600mm x 600mm Vitrified tiles flooring of aprroved make first quality vitrified tiles. Basic price of Tiles shall be Rs. 400=00 per Sq. Mt (Excluding GST)		SMT	1,020.00	1,020.00

Sr. No	ESTIMATED BILL OF QUANTITIES . Description	Quantity	Unit	Rate	Amount
5.1 [b]	P/F VITRIFIED TILES FLOORING [800mmx800mm] Providing & fixing 800 x 800 Vitrified tiles flooring of approved make and shade for flooring as per design. in CM 1:4 over a cement mortor bedding, .Levelling the existing underneath CM bedding & providing cement slurry including light compaction as directed. The rate includes filling the joints of tiles using adhesive & pigments. The rate includes curing acid cleaning, cutting etc. complete. Rate shall be same for all levels. Basic price of Tiles shall be Rs. 600=00 per Sq. Mt (Excluding GST). etc. complete as directed. The rates include removal of existing Flooring up to bedding mortar . Its disposal .No additional sand bedding charges shall be paid for Electric trenches filling		SMT	1,400.00	1,400.00
	Providing and laying 3 mm thick bubble guard of Cello make or equiv. for flooring protection and after completion of other furniture removing the same and carrying away as buy back etc				
5.1 [c]	P/F VITRIFIED TILES FLOORING [600mmx600mm] Same as above Item No 5.1[b] but Providing & fixing 600 x 600mm Vitrified tiles flooring of approved make first quality vitrified tiles. Basic price of Tiles shall be Rs. 400=00 per Sq. Mt (Excluding GST)		SMT	1,170.00	1,170.00
5.2	P/F BLUE PEARL GRANITE FLOORING same as above item No 5.1 but Blue Pearl Granite flooring in design as per Architect design etc. complete Basic price of Granite shall be Rs. 2500=00 per Sq. Mt (Excluding GST)		SMT	4,250.00	4,250.00
5.3	P/F 75MM HEIGHT SKIRTING Providing & laying 75 mm height skirting cut out of vitrified tiles 800mmx800mm of Approved make over cement paste after making necessary cutting / hacking in walls, surface preparation as directed complete with joint filling etc. Rate also includes, filling of Zaries in skirting complete as directed. The rates include removal of existing skirting. Its disposal Basic price of Tiles shall be Rs. 600=00 per Sq. Mt		RMT	135.00	135.00
5.3[a]	P/F 75MM HEIGHT SKIRTING Same as above but Providing & laying 75 mm height skirting cut out of vitrified tiles 600mmx600mm	1	RMT	120.00	120.00

	ESTIMATED BILL OF QUANTITIES						
Sr. No	. Description	Quantity	Unit	Rate	Amount		
5.4	P/L RUBBER MOULD GLOSSY FINISH PAVER BLOCK Providing, laying and fixing in line, level, two coloured patten as directed by Architect and slope as per requirement inter locking colored C.C paver block fixing in pattern as per details and design having block thickness 60mm with compressive strength 40 N/nM2 and water absorption less than 3% and wear resistance of under 2mm including laying and fixing paver block on good quality river sand layer of approx. 25mm to 40mm thick over prepared base and filling the joints and edges at ends in C.M. (1:2), curing, all tools and tackles etc. complete as directed. [For Front side Entrance & Margin] Paver Block of Alcock Cement Pipe & Concrete Works or Equivelent Make to be used		SMT	800.00	800.00		
5.5	P/F GRANITE DOOR SILL Providing and fixing selected black jet granite, mirror polish, 18mm to 19 mm thick with machine cut edges, in required length and width as per architects detail for Door sill and Tread & Risers etc. providing mirror polish round moulded edges in tread ,filling joints with balck colour pigment mixed in white cement, for measurment shall be Sqmt and paid in square meter only. The rates include removal of existing Flooring & its disposal (Basic price of tiles shall be Rs.1700=00 Per Sqmt)	1	SMT	3,500.00	3,500.00		
5.5.1	P/F GRANITE PATTA FOR RAMP Providing and fixing selected black granite, Rough polish, 18mm to 19 mm thick with machine cut edges in required length and 75mm to 100mm width as per architects detail for Ramp etc. for measurment shall be Sqmt and paid in square meter only. (Basic price of tiles shall be Rs.1200=00 Per Sqmt) Measurement: Plan area shall be measured and paid	1	SMT	3,500.00	3,500.00		
5.6	P/F POLISHED GREEN KOTAH STONE FLOORING IN LOCKER ROOM Providing and laying polished green kotah stone flooring using one side pre polished chiesel dressed green kotah stone in uniform shade of size 17"x17" / 17"x23" / 23"x23" (thickness of the stone 30 mm to 35 mm) over 37 mm thick cement morter 1:6 with flush pointing of joints with cement paste mixed with green pigment colour, machine and hand polishing, daily moping with water and kerosene as directed for atleast 15 days etc. complete as directed.		SMT	900.00	900.00		

ESTIMATED BILL OF QUA	NTITIES			
Sr. No. Description	Quantity	/ Unit	Rate	Amount
P/L CERAMIC TILES FLOORING IN TOILET Providing & fixing 300 x 300 mm coloured cerain Flooring of approved make first quality ceramic flooring as per design, Laying Tiles in CM in 1:4 over mortor beading laid to proper slope, line & level as a The rate includes curing acid cleaning, cutting etc. Rate shall be same for all levels (Toilet).Samp tiles must be got approved from Architect/Ba includes dismantling of existing tiles floor disposal complete as directed. (Basic price of tilbe Rs.400=00 Per Sqmt)	tiles for er cement specified. complete. le of the nk. Rate ing and	SMT	950.00	950.00
5.7.1 P/L CINDER CONCRETE FILLING IN SUNKEN STRST FLOOR Providing and laying cinder concrete 1:8 Proportion block, drop slabs including compacting etc. completels.	1 in toilet	СМТ	1,500.00	1,500.00
 WATER PROOFING IN SUNK AT FIRST FLOOR TO 1. Clean surface with wire brush, blower and water. Open the cracks & cut a rectangular groove (apwide & 8 mm deep) and Filling the groove with PU s 5000% elongation. Apply neat coat of BASF SBR 131 (35 Sqft /Lite a [[ly 6 mm thick plaster in 1:2 C.M with intregat proofing compound of BASF 141 then apply 3 1cement:2 Kg Cement: 4 Liters water subsiquntly. brick bat coba concrete to cover the drainage pipe a the top surface in 1:2 cement mortar finally apply a SBR: 1 water and again repeat 1:2:4 as above a testing to be done Curing for 3 to 5 days The contractor should give 5 year Guarantee leakage on stamp paper 	ers 4 mm eversealant of ers) Then ed water coat of Then do and finish coat of 1 and pond	SMT	650.00	650.00
5.9 P/F CERAMIC TILES DADO ON WALL Providing & laying wall dado of 5 to 6 mm thick Glazed tiles(Mat Finish) of 300 x 450 of approved r quality fixed cover 13mm thick plaster in CM 1:3, providing groove upto 3mm wide if directed to do using grey cement in pointing of joints and apply cement paste about 3 Kg/Sq.m. The rate shall be incentre point fittings i.e. extra labour, material et considered so as to get outlet of plumbing/sanitary the junction. Rate shall be same for all levels.Samp tiles must be got approved from Architect/Bank.Ra includes backing coat of rough cement plast includes dismantling of existing tiles and complete as directed. (Basic price of tiles Rs.400=00 Per Sqmt)	nake first including o so and ving neat clusive of c. to be fittings at ble of the te all so er. Rate disposal	SMT	1,200.00	1,200.00

<u> </u>	ESTIMATED BILL OF QUANTITIES	0	11.3	D . (
Sr. No	. Description	Quantity	Unit	Rate	Amount
5.10	P/F GRANITE FOR PANTRY PLATFORM Providing and fixing selected black jet granite, mirror polish, 18mm to 19 mm thick with machine cut edges, in required length and width as per architects detail for sandwich platform etc. including cutting holes etc. for sink etc. providing & fixing borders, facia at platform with machine cut & mirror polish edges filling joints with balck colour pigment mixed in white black colour pigment in white cement, using araldite for borders & facias will be paid in square meter only. Facia Patti also will be measured. For Pantry Platform Basic price of Granite shall be Rs. 1700=00 per Sq. Mt (Excluding GST)	1	SMT	3,800.00	3,800.00
5.10.1	P/F POLISHED KOTA STONE FOR PANTRY PLATFORM SUPPORT Providing and laying single piece one side polished green kotah stone with machine out edges for pantry platform veticals & horizontal support. Rate includes hand and wax polishing as directed. Including cutting holes etc. complete.	1	SMT	1,200.00	1,200.00
5.11	P/F GRANITE DOOR FRAME Providing and fixing 19 mm thick Granite Door frame [jams] of size 6" and 3" wide with two members all edges shall be half round moulded mirror polished as per design and instruction complete as directed. making drilling hole for fixing hinges and aldrop. Granite patta will be paid in square meter only. Basic price of Granite shall be Rs. 1450=00 per Sq. Mt (Excluding GST)	1	SMT	5,500.00	5,500.00
5.12 [a] [b] [c]	CHINA MOSAIC ON TERRACE Removal of existing water proofing /Cement mortar up to top of slab including disposal of debris etc Clean surface with wire brush, blower and water. 20 Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with glass fibre matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufacture of density at 25°C, 0.87-0.89 kg/ litre and viscocity 70-160 cps. Over the primer coat the layer of membrane shall be laid using Butane Torch and sealing all joints etc, and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under: Joint strength in longitudinal and transverse direction at 23°C as 350/ 300N/5cm. Tear strength in longitudinal and transverse direction as 60/80N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrance: 3 mm thick		SMT	1,100.00	1,100.00
	Work must be carried out by authorized applicator of the				

company.

	ESTIMATED BILL OF QUANTITIES						
Sr. No	. Description	Quantity	Unit	Rate	Amount		
[d]	Laying new top finishing on above treatment up to 37mm thixk. using cement concrete 1:2:4 admixed with water proof compound Conplast X421 IC of Fosroc or equivalent company, curing etc. complete as directed. Finishing top surface with China mozaic using broken pieces of glazed tiles & cement water proofing coumpound [Conplast 421 IC] slurry, joint shall be filled with white cement and clean properly etc. complete including finishing.						
[f]	Providing and applying rounded fillets at the corners of slab and walls, slab and columns and all junctions Measurement: Plan area shall be measured and paid						
[g]	Work shall be carried out through approved specialised agency and furnishing of gaurantee for 5 year. on suitable value stamp paper.						
5.13	P/L ROUND SHAPE CEMENT CONCRETE VATTA Removing old fillets (Vatas) and making new Vatas in round shape up to 150 mm height using cement concrete 1:2:4 admixed with water proof compound Conplast X421 IC of Fosroc or equilant company, curing etc. complete as directed.	1	RMT	150.00	150.00		
5.14	Antitermite treatment as per IS - 8944 (2011) with 5 years guarantee. Work shall be carried out by specialized agency. Complete as directed. Chemical to be used shall be chlorpyriphos emulsifiable concentrate 1% by Volume (For Payment floor area on each floor shall be considered)	1	SMT	100.00	100.00		
	TOTAL OF ELOOPING S						
	TOTAL OF FLOORING-5			34,195.00	34,195.00		
6	ALUMINIUM / STEEL /WOODEN WORK						
6.1	P/F ALUMINIUM SLIDDING WINDOW Providing and fixing powder coated aluminium Two track sliding shutter glass windows using alluminium sections of following sizes outer frame of 63.50 x 38.10 x 1.41 mm thick wt. 0818 kg. Rmt. Top and sides frame 61.85 x 18 x 1.30 mm thick Wt. 0659 Kg/Rmt bottom frame 61.85 mm x 31.75 x 1.20 mm thick Wt. 0695 Kg/Rmt Shutter Top & Bottom 40.00 x 18.00 mm x 1.29 mm thick Wt. 0456 Kg/Rmt Shutter Interlock 40.00x18.00+8.34 x 1.29 mm thick Wt. 0547 Kg/Rmt Shutter Side (Handle) 40.00x18.00x1.29mm thick Wt.0456 Kg/Rmt 5mm thick glass shall be framed in Alluminium section of 40.0 x 18.0 mm with necessary slidding channel and locking		SMT	4,200.00	4,200.00		

	ESTIMATED BILL OF QUANTITIES				
Sr. No	. Description	Quantity	Unit	Rate	Amount
	Rate includes all necessary fixing arrangements, Neoprine lining, filling the gaps the between AL. section and wall with sealent as directed. (Aluminium sections to be used shall be of Jindal make of Series 18 mm or equivalent section of Hindalco etc. as approved by the Architect in charge). There can be variation of plus or minus 10% in the thicknees and weight of aluminum sections.				
6.1.1	P/F MS GRILL IN WINDOWS Supplying Providing & Fixing M.S grill as per following description ,using Hollow pipe/ Angle section for vertical and horizontal section with providing 12 sq. mm M.S bars on both side at 4" C/C in between properly weld to steel section complate as directed including painting of synthetic enamel paint over a coat of primer etc. complete as directed.	1	KG	92.00	92.00
6.1.2	Removing verycarefully the existing windows with frame and shutter etc complete including stacking debris and reusable material as directed including carting away debris all levels.				
		1	SMT	200.00	200.00
6.1.3	P/F MS GATE /SAFE ROOM DOOR Providing, fabricating and fixing in position MS gate, of MS sections as per architect's details including cutting welding grinding to smooth surface of all works, anchor bolts, with rail track if required, hinges as per details, fixing and locking arrangements, including painting with two coat of first quality synthetic enamel paint of make J & N ? Shalimar / British / Asian, over a coat of primer etc. complete as directed.	1	KG	120.00	120.00
6.1.4	P/F MS ROLLING SHUTTER Providing and fixing pull and push type rolling shutter made out of 18 guage MS 7.50 cms. Mild steel lathes of convex corrugation complete with side guides and bottom rails with interlocking arrangements for steel lathes by means of alternate and clips, supervision shaft with high tension coil tupe springs, locking arrangements, pulling hooks, handles, Center locking arrangement with all fittings accessories and painted with two coats of red oxide factory finish and including synthetic enamel paint etc. complete. as directed.	1	SMT	2,500.00	2,500.00
6.1.5	P/F COLLAPSIBLE GATE Supplying providing & fixing collapsible gate in M.S channel section complete with bottom and top guiding rails locking arrangement and painted with synthetic enamel paint over a coat of primer etc. complete as directed.	1	SMT	3,250.00	3,250.00
				-	

Sr No	ESTIMATED BILL OF QUANTITIES Description	Quantity	Unit	Rate	Amount
JI. 190	. Description	Quantity	UIIIL	Naie	Amount
6.2	P/F ALUMINIUM VENTILATORS Providing and fixing in position powder coated aluminiam frame size 63.50x38.10 x 1.28 mm thick with adjustable 100 mm wide and 4 mm thick glass louvers with mechanisim ventilators Sample of one ventiletor with adjustable mechanisim shall be got approved from Consultant/Bank.	1	SMT	5,500.00	5,500.00
6.3	P/F FLUSH DOOR SHUTTER WITH BOTH SIDE LAMINATE FINISH WITHOUT FRAME Providing & fixing flush door shutter 30 mm thk BWP of Archid/Green Lam/Kit ply/Century or Approved ISI make, Water proof, thermosetting synthetic resin bond solid batten core of blockboard construction with 30 mm thick lipping of first qality teak wood battens on all edges of shutters with both side laminate as per architect's detail, supplying & fixing approved fixtures & fittings such as S.S hinges 4" long,tower bolts 8" long, handles 6" long ,Aldrops 12" Long, as per the details flush shutters are without frame (measurement will be out to out of shutter only). at all levels.[Approx Size 650/750 mmx2050mm	1	SMT	5,500.00	5,500.00
	TOTAL OF ALUMINIUM/ STEEL-6			21,362.00	21,362.00
	TOTAL OF ALGIMINATING OFFICE O			21,002.00	21,002.00
7	MISCELLANEOUS WORK				
7.1	Charges for dismantling work including stacking debris and reusable material as directed including carting away debris				
[a]	Dismantling Brick wall/ Brick partition wall with or without plaster etc.	1	CMT	500.00	500.00
[b]	Dismantling Stone rubble masonary wall with or without plaster etc.	1	CMT	900.00	900.00
[c]					
	Dismantling very carefully the RCC Weather shade /slab/beam/ lintel etc with or without plaster Rate including cutting of existing reinforcement bars etc complete	1	СМТ	1,750.00	1,750.00
[d]	Removing of Existing Plaster and carting away debris	1	SMT	150.00	150.00
[e]	Dismantling tile work in floors and roofs laid in cement mortar including stacking material	1	SMT	100.00	100.00
[f]	Dismantling of sunken portion of toilet floor which include BBCC, PCC, Filling, Water Proofing up to slab top complete as directed. and carting away debris	1	SMT	500.00	500.00
[9]	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking [i] Of area 3 sq. metres and below [ii] Of area beyond 3 sq. metres	1 1	NO NO	200.00 300.00	200.00 300.00

	ESTIMATED BILL OF QUANTITIES				
Sr. No	. Description	Quantity	Unit	Rate	Amount
[h]	Dismantling of toilet accessories like Urinal, Wash Basin, W.C Pan, EWC, NT , Flush cock Bib Cock, Stop cock, Gl/Cl Pipe, PVC Pipe line of any dia etc. [Quote for 1 No Toilet]	1	LOT	1,000.00	1,000.00
[i]	Dismantling precast concrete or stone slabs in walls, partition walls etc. including stacking	1	SMT	150.00	150.00
[i]	Dismantling cement asbestos or other hard board ceiling or partition walls including stacking of serviceable materials and disposal of unserviceable materials	1	SMT	100.00	100.00
7.2	Changing of broken glass in existing steel windows pannel & louvers by 4mm thick glass matching with existing glass fixing same with putty etc. complete. Including Removing broken glasses	1	SMT	950.00	950.00
7.3	P/F FIBRE GLASS SHED Providing and fixing 3 mm thick coloured Fibres glass weather shed and M.S hollow section supports for providing roof shed to verandah as per the drawing and instruction. 25 x 25 x 2 mm thick hollow section , 25 x 6 mm thick MS flat, MS bolts etc. shall be providing as per the drawing complete. Joints of fibre glass sheet and wall shall be sealed with approved sealant to make it water proof. MS section shall have 3 coats of synthetic enamle paint. Rate includes installation and fixing at all levels (Measurement shall be in Sqmt		SMT	2,500.00	2,500.00
	TOTAL OF MISC. WORK-7			9,100.00	9,100.00
8	WATER SUPPLY WORK				
8.1	Providing and fixing concealed SCH-80 UPVC water supply line ISI approved mark, including all necessary specials, making zaries, making holes, cutting floors and making good after work is complete etc. complete as directed for. Pipe shall be Astral/Supreme make. at all levels				
[a]	- Do - for 15 mm dia line.	1	RMT	300.00	300.00
[b]	- Do - for 25 mm dia line.	1	RMT	400.00	400.00
[c]	- Do - for 38 mm dia line.	1	RMT	500.00	500.00
8.1.1	Providing and fixing Open/concealed in structure SCH-80 CPVC water supply line ISI approved mark, including all necessary specials, making zaries, making holes, cutting floors and making good after work is complete etc. complete as directed for. Pipe shall be Astral/Supreme make. at all levels				
[a]	- Do - for 20 mm dia line.	1	RMT	350.00	350.00

O- N-	ESTIMATED BILL OF QUANTITIES	0	1.1 14	Data	A
Sr. No	. Description	Quantity	Unit	Rate	Amount
8.2	Providing and fixing following fixtures of Jaquar make or its equivalent with chromium plated disce etc. complete for concealed pipe lines.as directed by Architect Jaquar CP continental ISI Marked or equivalent make				
[a]	Providing and fixing Bib Cock of Catalogueue No - 037	1	NO.	950.00	950.00
[a1]	Providing and fixing Auto closing system Bib Cock of Catalogueue No - PRS-CHR-043 (PRESS MATRIC)	1	NO.	2,400.00	2,400.00
[a2]	Providing and fixing Auto closing system piller Cock of Catalogueue No - PRS-CHR-031 (PRESS MATRIC)	1	NO.	2,350.00	2,350.00
[b]	Providing and Fixing Wall Mounted Sink Cock of Catalogue No - 347	1	NO.	1,250.00	1,250.00
[c]	Providing and fixing concealed stop cock of Catalogue No - 083	1	NO.	1,100.00	1,100.00
[d]	Providing and fixing angle cock of Catalogue No -053	1	NO	1,000.00	1,000.00
[d1]	Providing and fixing Auto closing system angle Cock of Catalogueue No - PRS-CHR-077 (PRESS MATRIC)	1	NO.	2,400.00	2,400.00
[e]	Providing and fixing 25 mm, chromium plated brass Flush valve Catalogue No -1081A[Continental Range]. [Control Valve]	1	NO	2,200.00	2,200.00
[f]	Providing and fixing 25 mm dia handle valve of approved Zoloto quality, for pipe lines etc complete as directed.	1	NO	1,850.00	1,850.00
[f1]	Providing and fixing 15 mm dia handle valve of approved Zoloto quality, for pipe lines etc complete as directed.	1	NO	1,550.00	1,550.00
[g]	Providing and Fixing brass chromium plated soap dish of approved make & quality etc. complete as directed. Sample shall be got approved from Bank/Architect.	1	NO	550.00	550.00
[h]	Providing and fixing brass chromium plated Napking Ring of approved make etc. complete as directed.	1	NO	500.00	500.00
[i]	Providing and fixing brass chromium plated towel rail of approved make for length between 50 to 60 cm and diameter of 20 mm including holders on both ends etc. complete as directed. Sample shall be got approved from Bank/Architect.	1	NO	750.00	750.00
Ci)	Providing and fixing Shower with Shower Arm 190mm Long Heavy Casted Body with Flange of Catalogue No - 483 & 491	1	NO	2,000.00	2,000.00
[k]	Providing and fixing Health Faucet [No 573]	1	NO	1,500.00	1,500.00

	ESTIMATED BILL OF QUANTITIES					
Sr. No	. Description	Quantity	Unit	Rate	Amount	
[1]	Providing and fixing wall mixer with telephone shower RANGE CON CHR 267KN	1	NO	4,500.00	4,500.00	
[m]	Providing and fixing telephone shower	1	NO	1,500.00	1,500.00	
8.3	Providing and Fixing Over head PVC Water tank 350/500/1000 Lit Cap. Of Sintex brand or equivalent making 120mm thick Brick masonary base with IPS on Top & side plastering including pipe connection complete as per the instruction the Engineer in charge at all levels.	1	LITRE	15.00	15.00	
	TOTAL OF WATER SUPPLY-8			29,915.00	29,915.00	
9	SANITARY WORK					
9.1	Providing & laying & fixing UPVC SWR drainage line concealed/open in the structure as per details and requirement with necessary specials such as Y-2, T-2, offset, plugs, bends and filling the joints with approved adhesive including cutting of wall floor and making good after the work is cover etc. all as above. Pipe shall be Prince/Supreme / Astral make at all levels.					
[a]	For 75 mm dia 6 Kg/Cm2	1	RMT	400.00	400.00	
[b]	For 100 m dia pipe 6 Kg/Cm2	1	RMT	450.00	450.00	
[c]	Providing laying &fixing concealed 38 mm dia P.V.C. waste water pipe line complete as directed.	1	RMT	200.00	200.00	
9.2	P/F RAIN WATER DISPOSAL PVC PIPE Providing & Fixing 110 mm dia PVC pipe 4 Kg/Cm2 for rain water disposal including welding of joints, Fixing with M.s Clamps as per approved design from Architect details and as directed. This also includes fixing of shoe band. The item shall be measured in RMT and nothing extra shall be paid for the fitting. Pipes shall be Finolex/Prince/Supreme make at all levels.	1	RMT	400.00	400.00	
9.3	P/F UPVC NAHNI TRAP Providing and fixing UPVC Nahni Trap of Astral or Supreme. Rate includes cutting of floor/wall, necessary outlet pipe with necessary adhesive. Upto downtake pipe, Fixing PVC Jali of approved make complete as directed.	1	NO	300.00	300.00	

Sr No	. Description	Quantity	Unit	Rate	Amount
31. 110	. Description	Quartity	Offic	Rate	Amount
9.4	P/F EWC Providing and fixing EWC first quality Hindustan , Nycer, Cera or equivalent type snow white glazed vitrous china, EWC M Cera 2007 [Cape] of with heavy type black or white plastic seat, lead with CP brass hinges, rubber buffers with fittings, brakcets, providing and fixing the 25mm dia flush cock of Jaquar Catalogue No -1081A[Continental Range] , 25 mm dia CP brass flush bend including cutting and making providing and fixing jet spray in EWC of approved ISI quality etc complete as directed.	1	NO	5,500.00	5,500.00
9.5	P/F ORISSA PAN W.C Providing and fixing first quality Cera or equivalent snow white glazed vitreous china W.C Orissa pan size 510 x 400 mm of approved make with 100 sand cast Cl 'P' or 'S' trap of approved ISI mark in cement concrete 1:2:4. (1 Part cement, 2 part coarse sand, 4 part or stone aggregate) and providing and fixing the 25mm dia flush cock of approved make.including cutting and making good the walls and floors etc.all.		NO	4,500.00	4,500.00
9.6	P/F LARGE FLAT BACK URINAL Providing and fixing Large flat back snow white glazed first quality lipped urinal of Cera make cat no.5005 including Approved make chromum plated angular cock of Jaquar Cat. No- 053[Continental]chromium plated , connecting PVCpipes with nuts and all fittings, 32 mm dia CP waste coupling of Jaquar make cat. No- 709 [ALLIED] , CP brass spreader and CP pipe, 32 mm dia CP brass bottle Trap of Jaquar make Cat. No 773 [ALLIED]with necessary connecting pipe wall flange ,38 mm dia chromum plated waste coupling Approved make with required length of 32 mm dia concealed GI pipe upto the drain and bend, fixing clamps complete as directed.		NO	7,500.00	7,500.00
9.6[a]	P/F SMALL FLAT BACK URINAL Providing and fixing Small flat back snow white glazed first quality lipped urinal of Cera make cat no.S4020101 (CASEY) including Approved make chromum plated angular cock of Jaquar Cat. No- 053[Continental]chromium plated, connecting PVCpipes with nuts and all fittings, 32 mm dia CP waste coupling of Jaquar make cat. No- 709 [ALLIED], CP brass spreader and CP pipe, 32 mm dia CP brass bottle Trap of Jaquar make Cat. No 773 [ALLIED]with necessary connecting pipe wall flange, 38 mm dia chromum plated waste coupling Approved make with required length of 32 mm dia concealed GI pipe upto the drain and bend, fixing clamps complete as directed.		NO	6,000.00	6,000.00
9.6.1	P/F GRANITE STONE URINAL PARTITION Providing & fixing urinal partition made out of both side polished Granite stone 18 to 20 mm thick with round moulded edges of shape as directed. Including all incidential etc. complete.	1	SMT	4,500.00	4,500.00

	ESTIMATED BILL OF QUANTITIES				
Sr. No	. Description	Quantity	Unit	Rate	Amount
9.7	P/F WASH BASIN Providing and fixing first quality Snow white wash basin of 550 mm x 400 mm size, M Cera 1008 [Cornet] approved shape as per detail of approved make and quality such Cera/Hindustan/Nycer or equivalent with necessary specials, one chromum plated brass pillar cock 15 mm size of Jaquar make cat. No-021[Continental], one 15 mm CP angle valve of Jaquar Cat. No- 053[Continental]chromium plated, connecting PVCpipes with nuts and all fittings, 32 mm dia CP waste coupling of Jaquar make cat. No- 709 [ALLIED] and rubber plug heavy brackets with two coats of	1	NO	6,000.00	6,000.00
9.7.1	aluminium paint over brackets, and 32 mm dia CP brass bottle trap of Jaquar make cat. No-773[ALLIED] with necessary connection pipe wall flange etc. complete as directed P/F MIRROR	1	NO	800.00	800.00
	Providing and fixing 1'-6"x2'-0" Mirror above wash basin 6 mm thick Mirror of approved make shall be fixed with 2" long S.S. Studs, 4 Nos. complete as directed.				
9.8	P/F S.S SINK Providing and fiixing stainless steel sink of Nirali make or approved equivalent make Standard rangers of overal size 17" x 17" (Bowl size 14"x14" x 7" depth in to in) including all necessary fittings such as CI brackets, overflow, rubber plugs, Cp brass chain, PVC connection and PVC waste pipe applying two coats of aluminium paint to the brackets etc. complete as directed.	1	NO	5,000.00	5,000.00
	TOTAL OF SANITARY-9			41,550.00	41,550.00
10	SS RAILING AND TACTILES INDICATORS			,	,
10.1	P/F S. S. RAILING Providing Fabricating and installing in position S.S.railing (304 grade min.wall thickness 2mm) on entrance step/Ramp etc. as per the given design. The height of the railing shall be 1000 mm from the respective finished floor level.	1	RMT	4,500.00	4,500.00
	a) 40 mm dia S.S. (medium) pipe as main vertical & top hand rails members as per the given design .Incl tint, welding, grinding, finishing, hydralically bending etc Rate including M 20 Concrete embedding 250x250x 600 mm Height for SS Pipe b) 3 Nos 19mm dia S.S. pipes (medium) at Horizontal as intermediate supports verticals at given distances and as				
	intermediate supports verticale at given distances and as intermediate vertical members at a distance not more than 0.92 mtr. Note: Some changes in drawing may be necessary as per available chain and pipes which shall be got approvaed from Bank/Architect before execution				

O- N-	ESTIMATED BILL OF QUANTITIES	0	1.1 14	Dete	A
Sr. No	. Description	Quantity	Unit	Rate	Amount
10.2	SS GRAB BAR Supplying and installing 40 mm dia SS pipe 304 grade with necessary bend or curved properly embeded in floor or walls including covering of holes with round SS cover to give neat finsh look. Insallation shall be as per instruction of Architects. Unit- payment shall be made for length of pipe installed and visible.Rate included driling in RCC/Brick member/Flooring/necessary fastner as necessary for giving stable Railing	1	RMT	3,000.00	3,000.00
10.3	Supplying and installation SS Tactiles indicator warning studs SS 316 studs with concentric rings. With necessary drilling and fixing with stem. (Material shall be procured from reputed supplier such as Eminent Oversease Or Approved Equivelent. make)		NO	60.00	60.00
10.4	Same as above but fixing studs with concentric rings without stem	1	NO	50.00	50.00
10.5	S&I Stainless steel self adhesive Tactile indicator directional strips. 3M self adhesive strip linear pattern srtips shall be procured from Eminent Overseas or Approved Equivelent make. Rate Strips of 280mm L x 35mm W x 4.5mm D		NO	400.00	400.00
10.6	S & I Polyurethene Tactile indicator. Polyurethene stud	1	NO	30.00	30.00
10.7	S & I Polyurethene Directional strip	1	NO	200.00	200.00
10.8	S & I PU tile (Warning) 3M self adhesive. 30mm border. Material shall be used of Reputed supplier such as Eminent Overseas or Approved Equivelent make Rate tiles of 300mm x300mm		NO	400.00	400.00
10.9	Tactile indicator ceramic tiles- Size 300mmx300mm Providing and Fixing above tile to be procured from reputed suppliers such as Eminant overseas Or Approved Equvelent make as per company specification. Including necessary removing existing flooring. Cement mortar leveling filling joints completely as directed.		NO	150.00	150.00
10.9	Tactile indicator Cement Conctete tiles- Size 300mmx300mmx30mm thick Providing and Fixing above tile to be procured from reputed suppliers such as Vyara Or Approved Equivelent make as per company specification. Including necessary removing existing flooring. Cement mortar leveling filling joints completely as directed.	1	NO	150.00	150.00
	TOTAL OF SS RAILING AND TACTILES INDICATORS-10			8,940.00	8,940.00
					_

Note:

Sr No	Description Oual	ntity	Unit	Rate	Amount
1	•				
11	BUY BACK OF OLD MATERIAL: Buy back of Construction materials removed/Dismentelled				
11.1	Toilet accessories, Washbasins not required by Banks		Lot	500.00	500.00
	TOTAL COST OF	"J"	RS.	500.00	500.00
	SUMMARY				
1	EARTH WORK		Rs.	550.00	550.00
2	CONCRETE WORK		Rs.	8,525.00	8,525.00
3	MASONARY WORK		Rs.	7,400.00	7,400.00
4	FINISHING WORK		Rs.	3,310.00	3,310.00
5	FLOORING WORK		Rs.	34,195.00	34,195.00
6	ALUMINIUM/STEEL WORK		Rs.	21,362.00	21,362.00
7	MISCELLANEOUS WORK		Rs.	9,100.00	9,100.00
8	WATER SUPPLY WORK		Rs.	29,915.00	29,915.00
9	SANITARY WORK		Rs.	41,550.00	41,550.00
10	SS RAILING AND TACTILES INDICATORS		Rs.	8,940.00	8,940.00
	TOTAL COST OF [1 TO 11]		Rs.	164,847.00	164,847.00
11	LESS BUY BACK OF OLD MATERIAL		Rs.	500.00	500.00
	NET TOTAL COST OF [1 TO 10]]-11	Rs.	164,347.00	164,347.00