<u>SBI INFRA MANAGEMENT SOLUTIONS PVT.LTD.</u> (A Wholly Owned Subsidiary of State Bank of India), Circle Office, Patna

DETAILED SPECIFICATIONS & UNIT RATE OF ITEMS FOR SITE PREPARATION FOR IM-PROVEMENT OF AMBIENCE OF BRANCH IN TERMS OF UNIFORM INTERNAL LAYOUT, ELEVATION & COLOUR SCHEME UNDER PATNA CIRCLE FOR THE YEAR 2019-20 FURNITURE / INTERIOR DECORATION ALLIED CIVILWORKS

DSH GODDA AT POREYAHAT

Sl.	Particulars of Items	Unit	Quantity	Rate	Amount
No				(Rs.)	
1.	FULL HEIGHT PARTITIONS PARTLY PA-				
	NELED AND PARTLLY GLAZED:				
	Providing and fixing double skin partly paneled &				
	partly glazed full height partition with frames of 50	Sq.m			
	mm x 38 mm (finished size) seasoned hardwood				
	members (Gamhar, Malaysian Sal wood / hollock)				
	at maximum intervals of 450 mm x 450 mm with				
	provision of bigger members at skirting, fixing to				
	false ceiling (if provided) fixing to RCC Slab,				
	Beams etc. all wood work to be treated with 1st				
	quality anti-termite paint and covered with 6 mm				
	thick BWP grade plywood and 1.0 mm thick				
	(Greenlam / century or equivalent) blue / white				
	high gloss laminate with grooves / small / panels				
	cut and pasted in the same as per typical design, on				
	both sides so as to form able skin partition to level				
	900 mm and with 8.0 mm clear float toughen glass				
	of approved make as above at item-1 of Modi float				
	or equivalent above, etched / etching film pasted as				
	per design fixed in wooden frame and with teak				
	wood beading as per detail design, which is to be of				
	1 st quality teakwood (all visible wood to be of 1 st				
	quality teakwood) and shall be polished and pro-				
	tected with melamine polish. The wooden frame of				
	the partition shall continue right up to the ceiling as				
	shall be firmly fixed to the ceiling and ground by				
	means of Rawal Plugs etc necessary fasteners so as				
	to form a stable system / partition all complete				
	work with provision for wring to be done by other				
	agencies all complete work as per Corporate Cen-				
	tre, Mumbai approved materials Colour and				
	Laminate etc and specifications and direction of				
	Engineer-in-charge /Bank.				
2.	LOW HEIGHT PARTITION				
	Providing and fixing low / half height partitions up	~			
	to 4' 0" with double skin paneling up to 3'-0" and	Sq.m	25.00		
	12 mm thick toughened glass of approved make				
	above frameless on the top and sides and sturdily				
	fixed at the bottom on a polished teakwood frame				

		r			
	all complete job with all other specifications and				
	details to be as per item No. 2 above and as per the				
	design i.e. shown in sides of low-height counters all				
	complete work. All complete work as per Corpo-				
	rate Centre, Mumbai approved materials Co-				
	lour & Laminate etc and specifications and di-				
	rection of Engineer-in-charge /Bank.				
3.	WORK STATIONS / TABLES				
	(a). Making and erecting Desk-top with provision				
	of wore manager having two sides vertical support				
	panels and modesty panel. All made of 19 mm thick				
	BWP grade block board of Green / Century /Mayur				
	or equivalent top laminated with 1.0 mm blue /				
	white high gloss laminate of Green/ Marino / Cen-				
	tury or equivalent. All edges shall be covered with				
	teak wood lapping and front-edge shall be covered				
	with half round molding. Inner portion of table				
	shall be painted with matt finish 3 coat of synthetic				
	enamel paint with primer. All wooden surfaces shall				
	be well polished with melamine/sprit polish.				
	(b) Making & providing drawer chest with two				
	drawers and one cupboard with concealed hinges				
	and Godrej multipurpose locks. Box made of 19				
	mm thick and bottom with 6 mm BWP grade ply of				
	Green/ Century or equivalent front shall be cladded				
	with 1.0 mm thick high gloss blue /white laminate				
	of Green lam / Century or equivalent side edges of				
	drawers and cupboard shall molded in round shape				
	with Gamhar wood. All drawers shall have 'Z'				
	shape powder coated MS runners with PVC sound				
	less rollers. All work to be completed as per Cor-				
	porate Centre, Mumbai approved materials Co-				
	lour Laminate and specifications and direction				
	of Engineer-in-charge /Bank.				
	(c). Providing and fixing key board tray (as per				
	design and specification at 1- above) try and made				
	of PVC / Laminated board on 'Z' shape powder				
	coated runner with PVC soundless rollers.				
1	(i) 'L' shaped 1500 mm x 1650 mm x 750 mm				
	All complete work as per drawing, design. Specifi-	Nos.	13.00		
	cation and direction of Engineer-in-charge /Bank.				
4.	FOOT REST:				
	Providing and placing foot rest made of 19 mm				
	BWP grade block board with wooden lippings top	Nos.	13.00		
	cladded with rubber mat. All inner portions shall	- ,05.			
	have a coat of mat finish enamel paint all complete				
1	work as per drawing, design. Specification and di-				
	rection of Engineer-in-charge /Bank. Materials				
	shall be above at item -10 .				

5.	Dismantling of existing work station tables (09	lump	1		
	nos), wooden pattitions and storage cabinets etc	sum			
	and re-fixing the same as per the drawing including				
	repairing wherever required & disposal of un servi-				
	ceable materials to complete job as per direction of				
	E/I.				
				TOTAL	

(Rupees.....)

Signature of Contractor with seal & stamp

LIST OF MATERIALS OF APPROVED BRAND AND THEIR MANUFACTURERS

1	Vitrified Tiles	Kajaria/Somany/H.R. Johnson/Nitco/Euro
2	Ceramic wall Tiles	Kajaria/Somany/H.R. Johnson/Nitco/Euro
3	Ceramic Floor Tiles(Anti	Kajaria/Somany/H.R. Johnson/Nitco/Euro
	Skid)	
4	Aluminium Fittings	Jindal/Hindalco/MAAN
5	Aluminium Extrusion sec-	Jindal/Hindalco/MAAN
	tions	
6	Plywood/Block Board	Century/Green/Archid?Kit ply/Anchor/Mayur
7	Laminates	Royale Touch/Century/Green Lam/Archid
8	Veneer	Century/Durian/Green
9	Drawer sliding fittings	Godrej/Hettich/Heffle
10	Floor Spring/Door Closure	Godrej/Hardwyn/Hyper/Dorma
11	Flush Door	Century/Anchor/Archid/Kit ply
12	Texturized Interior paint	Sandtex Matt/Dulux/Berger/Asian
13	Paints	Asian/Nerolac/Berger/Dulux
14	Cement Paint	Snowcem/Surfacem/Durocem
15	Synthetic Enamel paint	Asian/Nerolac/Berger?Dulux
16	Acrylic Emulsion paint	Asian/Nerolac/Berger?Dulux
17	Glazing	Modi float Glass/Triveni Glass/Indo Asahi Glass
18	Cement	Grade 43/53 of Ultra tech/ACC/Ambuja
19	Fibre Mineral False Ceiling	Armstrong/Indian Gypsum/Gypro
20	ACP panels	Aluco bond/ALU Décor/Alstrong/Alstone
21	Acrylic Sheets	Sanmati Acrylics/Acrylic sheet India/Acry plus
22	Vertical/Roller Blinds	Vista/MAC/DACK
23	Water proofing make	Asian/Dr. Fixit/Sunanda/Fosroc/Sika/Krishna

NOTE :

- 1) The Contractor should obtain prior approval from SBIIMS before placing order for any specific materials. SBIIMS may add/delete any of the makes or brands out of the above list.
- 2) All materials should conform to relevant standards and codes of BIS
- 3) Materials with ISI mark shall be used duly approved by SBIIMS Engineer.
- 4) If any material is found to be not up to the mark, the contractor will have to produce original bills/certificate from the manufacturer or his authorized Distributor for authenticity and genuineness of the material for consideration and as per make approved by the SBIIMS. The same will not be considered for payment.

Signature of Contractor with seal