NIT NO: GUW20200640

TENDER FOR CIVIL WORKS OF SBI CHOWKIDINGHEE BRANCH NEW PREMISES

PRICE BID

ANNEXURE-III



SBI INFRA MANAGEMENT SOLUTIONS PVT. LTD., (SBIIMS), (WHOLLY OWNED SUBSIDIARY OF SBI) GUWAHATI CIRCLE OFFICE 3rd FLOOR, SBI, LHO, GUWAHATI BUILDING DISPUR, GUWAHATI-781006

	BOQ FOR CIVIL WORKS OF SBI CHOWKIDINGHEE BRAN	CH NEW	PREMISES		
S.N.	DESCRIPTION	UNIT	QNTY	RATE	AMOUNT
1	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar	CUM	3		
2	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand) Half brick wall (5" wall).		70		
3	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand) Full brick wall (10" wall).	SQM	30		
4	12 mm thick cement plaster in single coat on fair/rough side of brick/concrete walls for interior/exterior plastering in all levels finshed even and smooth including curing complete as directed: In cement mortar 1:4 (1 cement : 4 fine sand)	SQM	150		
5	Applying & Finishing walls with 2 or more coats of emulsion paint of approved colour/shade on surfaces after preparation of base with sand papering, POP/Putty wherever required over a coat of primer of approved brand. Make: Asian paint, Deulux		350		
6	Applying & Finishing walls with 2 or more coat of enamel paint of required shade on wooden and steel surface. Rate including cost of primer coat. Make: Asian paint, Deulux		100		
7	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters. Rates shall includes applying priming coat.	SQM	30		
8	Removing of existing collapsible grill and refixing it at some differnet place including all materials as requierd at site.	LS	1		
9	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings to fix the door to wall complete. Using 12 nos of 12 mm dia M.S. bar at 75 mm c/c for vertical braces and 4 nos of 25 x 6 ms flats for horizontal braces. Rate shall also inclueds one MS L-drop and one lock. Door size 1100 x 2100 mm		2.5		
10	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a riming coat of approved steel primer. 10.5.1 Using M.S. angels 40x40x6 mm for diagonal braces		4.5		

11	Wash basin: Providing and fixing wash basin with CI bracked, 15 mm CP brass pillar top, 32 mm pvc waste pipe of standard pattern including painting of fittings and brackets, cutting and making the walls wherever required. White vitreous China wash basin 550 X 400 mm with 15 mm thick C.P. Brass pillar top complete in all sense.	Each	2	
12	Urinal: Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350, including drain pipes, painting of fittings and brackets, cutting and making good the walls and floors etc. wherever required : (make:Cera/Parryware).	Each	2	
13	Providing and fixing C.P. brass bib cock/ angle valve/ stop cock of approved quality and brand.	Each	6	