

**NOTICE INVITING TENDER (NIT) : RATE CONTRACT FOR SITC OF SECURITY ALARM  
SYSTEM (BAS) SBI AMARAVATI CIRCLE  
CORRIGENDUM 1**

10	Last date and time for submission of online e-tender at <a href="https://etender.sbi">https://etender.sbi</a>	12.10.2021 by 3.00 P.M.
11	Date and Time of opening of e-Tenders:	12.10.2021 at 3.30 P.M.(IST).
12	Opening of e sealed indicative price bid	20.10.2021 at 3:00 P.M
13	Reverse Auction	20.10.2021 at 5:00 P.M

**Clarification / Amendments and corrigendum:**

<b>EXISTING CLAUSE</b>	<b>AMENDED CLAUSE</b>
<p><b>11. Price Bid: rates quoted by Bidder:</b></p> <p>iv. The Bank reserves the right to re-negotiate the prices in the event of change in the required product specification, international market prices of both the hardware and software.</p>	<p><b>11. Price Bid: rates quoted by Bidder:</b></p> <p>iv. The Bank reserves the right to re-negotiate the prices in the event of change in the required product specification, international market prices of both the hardware and software, unrealistic AMC charges for Comprehensive AMC and Non-Comprehensive AMC.</p>
<p><b>16. AWARD CRITERIA</b></p> <p>ii. The order would be awarded in the ratio as specified under to the successful Bidder whose Bid is the lowest evaluated Bid. No separate PO for the AMC to the contractor would be issued after the completion of the comprehensive warranty period. L2, L3 would be considered if and only if they are prepared to match the Bid value of L1.</p> <p>(a) L1 so identified in the Tender would be allotted 4 AOs, L2 would be allotted 2 AOs and branches under LHO incl LHO as regards BAS.</p> <p>(b) In case L1 does not take up the PO, then the AO would equally distribute between L2 &amp; L3. The AO allotted would preferably be contiguous.</p> <p>(c) In case L2 does not take up the PO, then L3 would be allotted 2 AO and</p>	<p><b>16. AWARD CRITERIA</b></p> <p>ii. The order would be awarded in the ratio as specified under to the successful Bidder whose Bid is the lowest evaluated Bid. No separate PO for the AMC to the contractor would be issued after the completion of the comprehensive warranty period. L2, L3 would be considered if and only if they are prepared to match the Bid value of L1.</p> <p>(a) L1 so identified in the Tender would be allotted 3 AOs, L2 would be allotted 2 AOs and L3 1 AO &amp; branches under LHO incl LHO.</p> <p>(b) In case L1 does not take up the PO, then the number of AOs would be equally distributed between L2 &amp; L3 at the L1 rates. L1 bidder would be barred / blacklisted as per bank norms and not permitted to take part in the re-tendering. The AO allotted would preferably be contiguous.</p>

<p>branches under LHO, preferably contiguous.</p> <p>iv. Upon notification of award to the L1, L2 Bidder as the case may be, the Bank will promptly notify the award of contract to the successful Bidder on the Bank's website.</p>	<p>(c) In case L2 does not take up the PO, the e Bid would be cancelled and retendered. In such an eventuality L2 bidder would be barred / blacklisted as per bank norms and not permitted to take part in the re-tendering</p> <p>iv. Upon notification of award to the L1, L2 &amp; L3 Bidder, the Bank will promptly notify the award of contract to the successful Bidder on the Bank's website.</p>
<p><b>18. Signing of Contract documents:</b></p> <p>ii. Full product demonstration of the BAS would be given at the LHO immediately thereafter (within three working days). Special emphasis would be given for features like wire short, protection against deep discharge, Data logger and downloading of data into a pen drive apart from other regular features.</p>	<p><b>18. Signing of Contract documents:</b></p> <p>ii. Full product demonstration of the BAS would be given at the LHO immediately thereafter (within three working days) from declaration of L1. Special emphasis would be given for features like wire short, protection against deep discharge, Data logger and downloading of data into a pen drive apart from other regular features. In case the product does not meet the specification, those vendors would be given additional 3 days to do so. Vendors would be given PO only if they meet the specification, failing which it shall be treated as "Withdrawal of tender" by the Contractor before acceptance by SBI and they shall not be allowed to participate in any re-tendering process for the work.</p>
<p><b>Additional Clause</b></p>	<p><b>14. Evaluation of Price bids and Finalization:</b></p> <p>vii. An abnormally low bid in which the bid price, in combination with other elements of the Bid, appear so low that it raises material concerns as to the capability of the bidder to perform the contract at the offered price, written clarification from the bidder including detailed price analysis of its bid price in relation to scope, schedule, allocation of risk and responsibility, any other requirements of the bid document would be sought. The bank shall determine that the bidder has substantially failed to demonstrate its capability to deliver the contract at the offered price, the bank may reject the bid / proposal.</p>

Security Alarm System		
S No.	Parameters	Specifications
32	Wireless Panic / Remote switch	
	Technology	RF 433MHz Transmitter and Receiver
	Operation	Push to ON (Activation & deactivation)
	Transmitter	1 Button handheld Remote switch
	Transmitter Operating Voltage	12 Volt, 23A Alkaline battery
	Receiver Operating Voltage	12 Volt, 100mA

**BOQ FOR THE PURPOSE OF RATE CONTRACT**

S.N O	DESCRIPTION	AMENDED DESCRIPTION
5	External Relay / Contactor Switch ON selected external load of Capacity up to 200 Watts (light source) through the existing panel (Occupancy sensor).	External Relay / Contactor Module for existing panel, should switch ON the existing load up to 200 Watts (light source) when an alarm is triggered and end to end connection to the light switches of the branch which has to be ensured by the vendor.
6	Installing Contactor/ Relay switch (Triggered through PIR) and connecting it to Master light switch of the branch.	Internal Relay / Contractor Module in the panel, should switch ON the existing load of 200 watts when an alarm is triggered and end to end connection to the light switches of the branch which must be ensured by the vendor.
15	¾" PVC Conduit 1.5 Sq mm (ISI Mark)	¾" PVC Conduit 1.5 mm (ISI Mark)
17	1" PVC Conduit 1.5 Sq mm (ISI Mark)	1" PVC Conduit 1.5 mm (ISI Mark)
25	Dismantling and reinstalling the existing CCTV system to another location within a radius of 10 Km (Excluding the cost of hardware / peripherals).	Dismantling and reinstalling the existing BAS system to another location within a radius of 10 Km (Excluding the cost of hardware / peripherals).
26	Comprehensive AMC as a constant rate (less GST) per system for 04 yrs (Post warranty)	Comprehensive AMC as a constant rate (less GST) per system per yrs (Post warranty)

<b>Indicative Commercial Bid</b>
----------------------------------

**Note:** Suitable information may be sought in Indicative Commercial Bid. An example of Indicative Commercial Bid format is placed below for guidance.

The indicative commercial Bid needs to contain the information listed hereunder in a sealed envelope bearing the identification – “Indicative Commercial Bid for Procurement of BAS”.

**Name of the Bidder:**

BAS SYSTEM – BOQ & RATES					
S.NO	ITEM	Qty	Rate per item / per mtrs / per Br	Amt in Rs.	Proportion to Total Cost of A (in %age) #
26	Comprehensive AMC as a constant rate (less GST) per system per yrs (Post warranty)	1			
27	Non-Comprehensive AMC charges per year per system for the existing system	20			
	@TOTAL COST OF OWNERSHIP				