

<b>BOQ FOR INTERIOR (FURNITURE) WORK FOR</b>					
<b>RBO GONDIA (NEW PREMISES)</b>					
<b>S.No</b>	<b>Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate</b>	<b>Amount</b>
<b>1</b>	<b>PARTITION- SOLID/ PARTLY GLAZED/ FULLY GLAZED</b>				
	Providing and fixing double skin solid/ fully or partly glazed partition with 6mm thick glass panels with film/ etching/ acid wash in designs/ patterns for various heights (450mm/ 900mm/ 1200mm/ 2100mm & up ceiling height as per drawing and following specifications	<b>112</b>	<b>sqm</b>		
	<u>Aluminium frame work of 50x50x1.2mm of JINDAL/ INDAL make</u> at about 600mm centre to centre and along column/wall ends, junctions of walls, as necessary. Horizontally of same size of frame at floorlevel, 450mm, 900mm, 2100mm and roof level. All frames are fixed in position with alternate vertical frames fixed to soffit of slab with necessary screws, MS clamps, raval plugs, expansion fasteners, etc., complete as per the drawing. <u>In door area concealed 50 x50mm II class teak wood/ Beech wood frame</u> to be provided.				
	Lining with <u>6mm commercial ply (IS:303)/8mm Bison board</u> on both sides of frame work from floor level to 900mm level and 2100mm level to 3000mm level finished with <u>1mm laminate</u> of approved make and shade including providing necessary 2mm grooves in laminate. Between 900mm and 2100mm levels <u>8mm thick clear float glass with etching</u> fixed with beech wood beading of size 40 x 15mm all round in panels.				
	All concealed faces of ply and wooden framework shall be finished with one coat of wood preservative paint and TW/BW beading/ moulding to be polished with melamine polish or duco paint after properly preparing the surface. (Measurement for the partition area shall be considered from floor level to false ceiling level only.)				
	<u><b>Making openings</b></u> The quoted rate should include the cost of making required no. of cuttings, opening for providing electrical, data, voice switch boxes in the partition and making it good the surface with necessary beadings complete as directed.				
<b>2</b>	<b>ASST. GEN. MANAGER'S TABLE</b>				
	Providing and fixing AGM table of size 2400 x 910 x 750mm high to detail as shown in drawing. Comprising table top out of 18mm thick HMR Grade Comm. Ply finished with 1.0mm thick laminate of approved colour and shade externally with 0.8mm thk. Laminate on internal side. The top of the table to have 20mmX38mm size TW moulding all around, finished with melamine polish.	<b>1</b>	<b>Nos</b>		
	Keyboard & CPU Trolley to be metallic of EBCO or equivalent make with necessary Telescopic slides and 50mm Dia SS Brush Finish wire manager of approved make and quality.				

<b>BOQ FOR INTERIOR (FURNITURE) WORK FOR</b>					
<b>RBO GONDIA (NEW PREMISES)</b>					
<b>S.No</b>	<b>Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate</b>	<b>Amount</b>
	One set of 4 drawers about 450 mm width, 712.5 mm height and 600 mm deep supported with 18 mm thick commercial ply at bottom, sides and rear. Drawers 3 nos. of which 2 nos. of equal height and 1 no. shutter at the bottom of 230 mm height and face of drawer with 18 mm thick ply and finished with 1 mm thick laminate of approved colour, with necessary lipping, telescopic drawer slides, locking arrangement, 100 mm long S.S. brush finish handles, etc. complete.				
	Foot rest to be of required length with same 18 mm thick ply & 1mm thk Laminate.				
	8mm thick glass on table top size 1500 to 2400mm including with edge polishing and making holes for cable manager.				
	All concealed faces of ply finished with one coat of wood preservative paint and all exposed edges/ faces shall be provided with TW/BW beading finished with melamine polish to the satisfaction of the Client/ Architect. Table, Drawer inside should be finished with 0.8mm thick laminate of approved colour and shade.				
<b>3</b>	<b>OFFICER'S TABLE</b>				
	Providing & Fixing <b>Officer table of following sizes</b> made with specification same as Asst. Gen. Manager table given above, as per drawing enclosed.				
<b>a</b>	1520 X 750 X 750mm (Ch. Manager & Manager table)	<b>5</b>	<b>Nos</b>		
<b>b</b>	1375 X 610 X 750mm (Dy. Manager table)	<b>28</b>	<b>Nos</b>		
<b>4</b>	<b>PANTRY TABLE</b>				
	Providng and fixing 2 feet wde pantry table with 19mm granite top made of 19mm ply and painted finish as requird and as directed.	<b>3</b>	<b>Rmt</b>		
<b>5</b>	<b>L-SHAPED-WORK-STATION WITH PARTITION</b>				
	Providing & Fixing <b>Officer Work-station of size (L-Shaped) 1375 x 1375 x 750 mm</b> made with specification same as Officer table given above and as per drawing including including 1.22m high Low Ht Partition having specifications same as in item no.01 with drawer unit, soft board, etc as directed.	<b>8</b>	<b>Nos</b>		
<b>6</b>	<b>CONFERENCE TABLE</b>				
	Providing & Fixing <b>Conference table of wide 1220mm and 760mm</b> high made with specification same as in AGM Table above but, with an offset on top for TV arrangement & without drawer unit, 18mm ply boxing supports finished with 1mm Laminate. The top shall have 38mm X 30mm size T.W moulded melamine polished edge. 38mm dia SS Brush finish hollow section at 3" skirting height as footrest & fixed to ply boxing with mirror screws	<b>8</b>	<b>Rmt</b>		

<b>BOQ FOR INTERIOR (FURNITURE) WORK FOR</b>					
<b>RBO GONDIA (NEW PREMISES)</b>					
<b>S.No</b>	<b>Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate</b>	<b>Amount</b>
<b>7</b>	<b>SIDE TABLE/FILE STORAGE UNITS</b>				
	Providing and fixing side table of 750 to 1500mm long and 750 to 1200 mm high made of 18mm thick HMR Grade Comm. Ply finished with 1.0mm thick post-formed laminate for top and intermediate shelves with necessary SS Bracket, 8mm thick ply for rear side, hung shutter in both the panels using 18mm com. ply and finished with 1mm thick laminate of approved colour and shade, including all necessary TW lipping finished with melamine polish, Butt hinges, locking arrangement, 100mm long SS brush finish handles, tower bolt, ball catch, complete to the satisfaction of the Client/ Architect. Table, Drawer, storage inside should be finished with 0.8mm thick laminate of approved colour and shade.	<b>35</b>	<b>Sqmt.</b>		
<b>8</b>	<b>ROLLER BLINDS</b>				
	Providing and fixing Roller blinds of Approved make/ Colour. Rate shall be inclusive of necessary scotch guard treatment on both side. The overlaps should be uniform and adequate. Basic cost of blinds should not be less than Rs.1200 per Sqm	<b>14</b>	<b>sqm</b>		
<b>TOTAL TENDER AMOUNT EXCLUDING GST</b>					
					<b>+GST</b>