

FURNITURE WORK FOR RACC JALNA					
PRICE BID					
S. No.	Particulars	Quantity	Unit	Rate	Amount
1	<b>Single window counter</b> : Providing & fixing in position single window counter as per design, made of 18 mm / 19mm thick MR grade ply structure. The work top is to be made of 18 mm / 19mm thick MR grade ply structure. Thereafter, a double layer of flexi-ply (12 mm + 6 mm thick) ( the bottom of this niche to have provision of cove lighting with LED strips) is to be fixed with necessary fittings to the plywood structure and laminated glass in approved shade, . All exposed external surface finished with 1 mm high gloss laminate and internal surfaces finished with 0.8 mm laminate of approved shade. The work is to be completed with providing of foot rest, key board tray with telescopic arrangement. vertical glass of 12 mm to be fixed at the front of SWO with one horizontal glass ( if required) of approx 150mm with itching and crystal finish etc. complete as per instructions of EIC. Design and detail of the counters shall be as per Bank's new uniform colour, layout & elevation policy available with Bank's Engineer. ( size 1500x900x750 mm)	0	Rmt		
2	Providing and fixing factory made <b>solid core flush door</b> in single leaf 30 mm thick, finished with approved 1mm th. Laminate on both faces with / without glazing and venetians in the positions shown on the drawings or as directed, all necessary beads, moulding and lipping, Stainless Steel fixtures and fastenings with CP / brass mortise lock, Stainless Steel handles on both sides, stoppers and exposed woodwork finished with French-polish complete. (Without door frame).	5	Sqm		
3	<b>Low / medium height partition</b> : Providing and fixing in position low / medium height partition made of 50 x 50 x 1.2mm medium duty aluminium hollow square pipes framed at 0.6 m to 0.45 m c/c both ways covered with 6 mm MR grade ply and 1mm thick laminate of approved shade & make, both sides including necessary opening / outing for receiving cheques & other papers, and to receive 10 mm th. Float glass including all necessary opening for electric / telephonic conduits etc. as per requirement. (Glass area in the partitions will be deducted in the measurements of partition).	25	Sqm		
4	<b>Glass partition</b> : Providing and fixing 10 mm thick glass with etching as per design for low height partitions held with SS clits (D brackets). All exposed glass edges with rounded moulding and crystal polish. All exposed woodwork to be finished in 3 coats of French polish/ melamine polish.	10	Sqm		
5	Providing and fixing in position 12mm thick toughened glass door including fixed side panel., providing 300mm long 30mm dia SS pipe handle and door lock of Ozone/Dorma or equivalent make with necessary cutting chases in floor and restoring the same to its original position complete. Rate to include providing suitable wooden Top and bottom rail, frosted film as per detailed Engineering drawing complete. The item includes removal of existing door and buyback.	5	Sqm		
6	Providing and fixing in position 12mm th. Toughened glass partition at front side of branch and in between machines with pipes / brackets of HETTICH or equivalent make Including patch fittings etc. complete.	6	Sqm		
7	Providing & fixing in position floor spring for receiving glass door of approved make. (DORMA / HETTICH or equivalent)	2	No.		
8	Providing and fixing in position door closer of approved make (Hyper / Godrej or equivalent).	6	No		
9	<b>Providing and supplying table for the B.M table</b> ( size 1800x750x750 mm) to be made out of 18/19mm thk. IS: 303 Grade BWR Plywood finished with approved 4.0mm thk high end veneer with polycoat polish for the top & 4.0mm thk veneer with melamine polish for all other exposed areas. The top of the table to have t.w. moulding all around. The rate shall be inclusive of providing a keyboard tray on sliding telescopic channels & a pedestal drawer unit made out of 16mm thk IS: 303 BWR Plywood on side with 2 nos of equal sized drawers on sliding channels & openable shutter below. The side credenza shall be on the other side & shall be paid for separately under the relevant item. All internal surfaces to be finished in approved 0.8mm thk laminate. All the external surfaces shall be finished with 4.0mm thk approved high end veneer with melamine polish including the pedestal drawer unit. The table shall have 12 mm thk clear glass on top with bevelled edges and necessary holes and provision of 12 mm glass at front side for Modesty panel. The rate shall also include CPU trolley of reputed manufacturer, keyboard tray as per the approved makes which shall be heavy duty. The necessary hardware such as automatic locking, ball catches, wire managers etc. to be provided as per the instructions of the Engineer. The Elevation of the table shall be as directed by Engineer on site. Design and detail of the table shall be as per Bank's new uniform colour, layout & elevation policy available with Bank's Engineer	1.00	No		

10	<b>Officer and Staff Tables :</b> Providing & fixing in position tables made of 18/19mm MR grade Ply at top, side and front, support along with drawer unit & Key board tray with telescopic arrangement & CPU base resting on foot rest of teak wood member of 75 x 40 mm. 19mm th MR grade ply modesty panel. All external surfaces to be finished with 1 mm thick laminate and internal surface finished with 0.8 mm of approved shade and make. Including powder coated fittings like sliding channels, for key board & drawers, medium duty hinges for shutter, cable manager. S.S. handles in approved design and size and locks wherever directed in approved make. All exposed plywood edges to be finished with 6mm th. Teak wood beading with French polish in approved shade and necessary locks to shutters etc. complete in all respects. Design and detail of the table shall be as per Bank's new uniform colour, layout & elevation policy available with Bank's Engineer.				
a	<b>Officer's Tables - 1500x750x750 mm</b>	5	No.		
b	<b>Staff Table -1200x750x750 mm</b>	9	No.		
11	<b>Grahak Mitra Table :</b> Providing & fixing in position Grahak Mitra table of size 1350 mm*750mm*675 mm made of 18 mm MR grade Ply at top, side and front, support along with drawer unit & Key board tray with telescopic arrangement & CPU base resting on foot rest . 18 mm th MR grade ply modesty panel with fixing blue glass. All external surfaces to be finished with 1 mm thick laminate and internal surface finished with 0.8 mm of approved shade and make. including powder coated fittings like sliding channels, for key board & drawers, medium duty hinges for shutter, cable manager. S.S. handles in approved design and size and locks wherever directed in approved make. All exposed plywood edges to be finished with 6mm th. Teak wood beading with french polish in approved shade and necessary locks to shutters etc. complete in all respects.	0	No.		
12	<b>Low height &amp; Full height storage with laminate finish:</b> Providing & fixing in position 400mm deep low/full height storage made of 18/19mm MR grade ply at top, front and side with 12 mm MR grade ply at back, all external faces including back to be finished with 1 mm thick multi-colour laminate at outside and inside finished with 0.8 mm laminate with locking and SS handle arrangement of approved make complete with openable type shutter, beading patti etc. All exposed plywood edges to be finished with 6mm th. Teak wood beading with French polish in approved shade complete in all respect.	25	Sqm		
13	<b>Low height &amp; Full height storage with veneer finish:</b> Providing & fixing in position 400mm deep low/full height storage made of 18/19mm MR grade ply at top, front and side with 12 mm MR grade ply at back, all external faces including back to be finished with 4mm thk approved veneer finished with melamine polish and inside finished with 0.8 mm laminate with locking and SS handle arrangement of approved make complete with openable type shutter, beading patti etc. All exposed plywood edges to be finished with 6mm th. Teak wood beading with French polish in approved shade complete in all respect.	5	Sqm		
14	<b>Full height glazed/Partly glazed / partly panelled partition with plywood and laminate :</b> Providing and fixing in position partly glazed & partly panelled partition made of 50 mm x 50mm x 1.2mm medium duty aluminium hollow square pipes framed at 0.60 m. to 0.45 m c/c both ways covered with 6 mm MR grade ply and 1mm multi-colour laminate of approved shade and make with 6 mm thick glass panel with etching as per design and / or necessary beading patti including 3 coats of french polishing including door shutters as per architectural design with heavy duty hinges handles / handles / locks etc. of approved make.	35	Sqm		
15	<b>Full height glazed/Partly glazed / partly panelled partition with plywood and one side laminate one side veneer :</b> Providing and fixing in position partly glazed & partly panelled partition made of 50 mm x 50mm x 1.2mm medium duty aluminium hollow square pipes framed at 0.60 m. to 0.45 m c/c both ways covered with 6 mm MR grade ply and 1mm multi-colour laminate of approved shade at one side and finished in 4mm thk approved veneer finished with melamine polish to other side and 10 mm mm thick glass panel with etching as per design and / or necessary beading patti including 3 coats of french polishing including door shutters as per architectural design with heavy duty hinges handles / handles / locks etc. of approved make.	30	Sqm		
16	<b>Full height panelled partition for server room:</b> Providing and fixing in position partly glazed & partly panelled partition made of 50 mm x 50mm x 1.2mm medium duty aluminium hollow square pipes framed at 0.60 m. to 0.45 m c/c both ways covered with 6 mm MR grade ply and 3mm aluminium composite panel of approved shade necessary beading patti including 3 coats of french polishing including door shutters as per architectural design with heavy duty hinges handles / handles / locks etc. of approved make.	20	Sq m		

17	<b>Providing and fixing side table Size 900x400x750 mm</b> made of 18/19 mm thick ply for all top, support and side with 6 mm thick ply at back externally finished with 1.0 mm thick laminate and All internal surfaces to be finished in approved 0.8mm thk laminate , both of approved make including brush finish S S handles, shutters , hinges with necessary teak wood beading including three coats of french polish to teak wood member and necessary locks to shutters etc. all required surface	14	No		
18	<b>Providing and fixing side table Size 1050x400x750 mm</b> made of 18/19 mm thick ply for all top, support and side with 6 mm thick ply at back externally finished with 4.0 mm thick veneer and All internal surfaces to be finished in approved 0.8mm thk laminate , both of approved make including brush finish S S handles, shutters , hinges with necessary teak wood beading including three coats of french polish to teak wood member and necessary locks to shutters etc. all required surface	1	No		
19	Providing and fixing drawer/shutter unit 450mm*600mm size,out 18 mm thick MR grade commercial ply for shutter, side, front and base of drawers ,12 mm thick MR grade comm. Ply for shelf ,side and back running on heavy duty telescopic channels (ebco)make,SS b locking arrangement for both drawers and shutter along with necessary hardware.10 mm thick T>W> bidding/lipponing to edges of MR grade comm.ply finished with 1 mm thick laminate on external surface and 0.8 mm laminate on internal surfaces with finishing etc. complete	1	No		
20	<b>Cheque Writing desk</b> : Providing & fixing writing desk out of 19mm th.MR grade ply & 1 mm th. Laminate complete. Size 3'-0" x 1'-6"	2	No		
21	<b>Notice board</b> : Providing & fixing notice board with approved upholstery. Size 3'-0" x 1'-6"	3	No		
22	<b>Roller blinds / Vertical blinds</b> : Providing & fixing in roller blinds of approved make (Vista / Aerolux) and shade with all accessories and necessary fittings etc.	30	Sq M		
23	Providing and fixing <b>counter type desk</b> of 600 mm width ,made of 18/19 mm thick ply for top , sides, with a cabinet with a drawer & shutter finished with 4 mm thick veneer to outer facae and 0.8 mm laminate inside, as per specifications including provision for CPU base and footrest	1.2	Rmt		
24	Providing Chairs of approved quality and make				
a	BM Chair ( basic cost Rs. 7000 )	0	No		
b	Staff chair ( basic cost Rs. 5000)	0	No		
c	Visitor chair ( basic cost Rs. 3500)	0	No		
25	Providing and fixing M S Self locking drawer of size 400*700*740 mm with tw self locking drawers etc complete as per specifications.	0	No		
26	<b>Removing of existing false celing,furniture,fixtures and disposal of same as directed</b>	1	lumpsum		
27	<b>Removing existing brickwork/plaster as per site condition and disposal of same as per site conditions</b>	0	Sqmt		
28	<b>Buy back of existing furniture ( excluding usable chairs and furnitue if any) (-)</b>	1	lumpsum		
<b>TOTAL</b>					
<b>DISCOUNT IF ANY</b>					
<b>TOTAL AFTER DISCOUNT</b>					
<b>AMOUNT IN WORDS</b>					
<b>THE RATES ARE EXCLUSIVE OF GST. GST WILL BE PAID AS APPLICABLE</b>					

S. No.	Description of Work	NO.	L	B	D/H	
2	<b>SINGLE WINDOW COUNTER</b>	0.00				
3	<b>solid core flush door</b>	5	2.1	0.9		
4	<b>Low / medium height partition</b>					
	managers cabin	4	2.50		1.20	12.000
	hallway	5	2.40		1.20	14.400
		1	4.80		1.20	5.760
	deduct glass	-6	1.20		0.45	-3.240
		0	1.50		0.45	0.000
		0	1.40		0.45	0.000
						<b>28.920</b>
5	<b>Glass partition:</b>					
	low height partition	6	1.20		0.45	3.240
						<b>3.240</b>
6	<b>12mm thick toughened glass door</b>	1	1.21	3.00	0.00	3.63
7	<b>toughn glass partition</b>	2	0.8	3		2.4
8	<b>door spring</b>	1				
9	<b>door closer</b>	7				
10	<b>Tables</b>					
	a. CMTable of size 1.60x0.75	1				
	b. Officer's Table - 1.50x0.75	5				
	c. STAFF Table - 1.20x0.65	8				
	d. Grahak Mitra & Tech. Mitra	0				
	e. System Rm 2.35x0.60	1				
	f. Tables for Note counting machines	0				
	<b>Low height &amp; Full height storage with laminate finish</b>					
11	behind officers	6	1.5	0.4	1.2	1.8
	behind processing officers	4	2.4	0.3	1.2	2.88
	cm cabin	1	2.98	0.4	1.2	3.576
	total					
12	<b>full height partition</b>		door			
	bm cabin	8.1	-2.52		3	
	pantry	8.14	-2.52		3	
	server	5.2	-2.52		3	
13	<b>side table</b>	13	1.05	0.4	0.8	0.84
	side table cm	1	1.05	0.4	0.8	0.84

[illegible]

QUANTITY	Unit		REMARK S
0.00	No.s		
5.00	no.s		
12.00			
14.40			
5.76			
-3.24			
0.00			
0.00			
<b>28.92</b>	sqm		
3.24			
<b>3.240</b>	<b>0.000</b>		
3.63	sqm		
4.8	sqm		
1	No.s		
7	No.s		
<b>1.00</b>	No.		
<b>5.00</b>	No.		
<b>8.00</b>	No.		
<b>0.00</b>	No.		
<b>1.00</b>	Rmt		
<b>0.00</b>	Rmt		
10.8			
11.52			
3.576	sqm		
<b>22.32</b>	sqm		
21.78	sqm		
21.9	sqm		
13.08	sqm		
10.92	sqm		
0.84	sqm		

[illegible]