

BOQ FOR INTERIOR FURNITURE WORK AT					
SBI, OFFICERS TRANSIT CAMPJORHAT					
Sl.No	Description of items	Unit	Qty	Rate(Rs.)	Amount(Rs.)
A. NEW WORK:					
1	<p>RECEPTION DESK: Reception Desk of size (1800 mm x 750 mm) with Corian Top AND FRONT BOXING AS PER DESIGN. Providing and making a table of over all size of top as mentioned above and as per design given. It shall consist of 18mm thk. BWP. Ply top finished with 6mm thk Corian of approved shade with edge moulding and a 3 drawer unit with locks, handles etc. on the end of the table as approved by the architect. The drawer unit finished top should be at a lower level of 25mm below the finished counter top. The front modesty panel should be fixed with 18/19 mm BWP ply finished with WPC Fluted Panels of size of ALSTONE/ LEBEN/ Alutuff / Murrato or other approved make of approved shade in approved pattern as directed by the architect . The customer side top should be at a height of 1 feet with 18mm thick ply and finished with 12mm thk Corian (bendable type) bended as per deign of approved colour and shade as directed by the Architect/ EIC. The inside of drawer units, and the tables should be finished with 0.8 mm laminate of approved shade.</p> <p>Ply/Block Board Make: BWP Grade of Century/ Green/ Archid or equivalent.</p>	Each	1		
2	<p>Fabricating and fixing WPC vertical louvers Panelling with base 12 mm thick ply finshied over aluminium framework made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columns in perfect line, level and plumb. Framework to be secured to wall surface / column surface. Back of Reception wall .</p> <p>Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent.</p>	SQM	7		
3	<p>Fabricating and fixing wall paneling with 12 mm thick ply finshied with not less than 1 mm thick laminate over aluminium framework made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columns in perfect line, level and plumb. Framework to be secured to wall surface / column surface. Back of 900 mm height from Bed top level Bedroom Headrest wall.</p> <p>Ply/Block Board Make: BWP Grade of Century/ Green/Gattani/ or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/ or equivalent.</p>	SQM	25		
4	<p>Toughened Glass Door: Providing and Fixing full glass door made out of 12 mm thick toughened glass, in patch fittings, and with heavy duty floor spring with SS cover plate. The doors to be provided with locking arrangement in patch fittings as well as ss 25 mm dia, and approx. 600 mm long approved model handles.</p> <p>Rate shall includes etching of glass area as requierd by Bank.</p>	SQM	6.2		
5	<p>Toughened glass partition with patch fitting: Providing and fixing 12mm thick toughened glass partition with polished edges on patch fittings and other accessories. Rate shall includes etching of glass as per desgin provided by bank.</p>	SQM	10.5		
6	<p>Providing & fixing in position Aluminium Composite Panel (ACP) / Shutter boxing Panelling with framing in 600 mm C/C both ways. Minimum 3 mm thick ACP to be fixed over the freamwork with 3M or equivalent adhesive and mirror screw in 600 width panels or distributed equally. Joints to be finished with Silicon based sealant. Aluminium foil thickness to be min 0.20 mm on both sides.</p> <p>Make: Alubond, Eurobond, Fujibond, Alcobond or equivalent ISO certified or approved brands to be used.</p>	SQM	6		
7	<p>Gypsum board false ceiling : Providing and fixing suspended 12mm thick Gypsum board false ceiling with GI framework of standard gauge and as per the specifications of India Gypsum Co. The rate to include painting with lustre paint and making necessary design,pattern & cut outs for light fittings, cove light etc. complete as per design. Ceiling design should be as per the design provided by Architect and Bnaak Engineer.</p>	SQM	235		
8	<p>False Ceiling (2nd floor): Providing and fixing suspended 12.5mm thick Heat Block Plasterboard consists of gypsum plaster core encased and bonded in heavy-duty paper liners. The back side of the Plasterboards a polyester metallised film is laminated at the back side. This back polyester metallised film helps to reflect the heat and hence reduce the heat transmission with GI framework of standard gauge and as per the specifications of India Gypsum Co. The rate to include painting with lustre paint and making necessary design,pattern & cut outs for light fittings, cove light etc. complete as per design.</p>	SQM	110		

9	<p>Curtains: Providing and fixing up of window / glazing / door curtain in required sizes having the curtain cloth fabric material: 100% Polyester filament of Fast colours, Assorted colours plain and prints, Beige , cream, light brown, light colour with soft and smooth textured, good drapability & doobby of approved brands KC fabrics, homez, D'decor (collection/quality-Ariel, Aura or equivalent to it) stitching specifications: The stitching of the curtains shall be modem, functional with Eyelet, Platter, etc. for easy sliding and maintenance. The curtains will be stitched as per site requirement with necessary modification in stitching as per site / size requirement. For fabricating drapery heading, permanent finish buckram shall be doublefolded into the heading (3 thicknesses of fabric) and sewn with either clear monofilament or triple-strand polyester thread, colour matched to the fabric used the bottom of the buckram shall be sewn to the face of the fabric. (basic rate of cloths not less than Rupees 500 Per Meter)</p>	SQM	75		
10	<p>Providing and fixing curtain rods wherever necessary complete : 25 mm dia,Stainless Stee, Silver & Chrome Finish Anti-Rust.</p>	R.M	26		
11	<p>Wooden And Stainless Steel Heavy Curtain Brackets / Rod Support holder For Door And Window Accessories Full For Single 25 mm, Set Of 1 (2 Pcs). Highly Durable and Rust Proof Quality.</p>	SET	26		
12	<p>STUDY TABLE: Supply and installing of size- 1200 mm x 600 mm x 750 mm for Study Table made up of 19mm thick Block board all around, finished with not less than 1 mm thick laminate, shade & brand as approved. All internal surface will have min. 0.80 mm thick balancing laminate. All exposed edges to have TW bidding of requierd size stained to match the desk and melamine finished.</p> <p>Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.</p>	Each	6		
13	<p>TV Unit: Fabricating and fixing wall T.V unit 1000mm x 1200mm size with two drawers & one open box as per design, 12 mm thick ply finshied with not less than 1 mm thick laminate, over framework made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall, in bed room. All internal surface will have min. 0.80 mm thick balancing laminate. The rate should include cost of necessary hardware, making cutouts / openings for electrical conduits / cables, Switch boards, etc.</p> <p>Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/ or equivalent.</p>	SQM	8		
14	<p>KING BED WITHOUT STORAGE: Supplying and fixing of BED of size 1800mm X1950mmX350mm and back rest height 900 mm as per design, The structure will be made of 19 mm board.The side panels and bottom panels will be of 19 mm double paste thickness board and top board and head box will be of 12 mm ply. finished with not less than 1 mm thick laminate and inner side not less tan 0.8 mm thick laminate, head box will be covered 50 mm thick foam and cloths of approved shade and quality on the ply. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/ or equivalent.</p>	Each	2		
15	<p>SINGLE BED WITHOUT STORAGE: Supplying and fixing of BED of size1050 mm X1950mmX350mm and back rest height 900 mm as per design, The structure will be made of 19 mm board.The side panels and bottom panels will be of 19 mm double pasted and the top board and head box will be of 12 mm ply finished with not less than 1 mm thick laminate and inner side not less than 0.8 mm laminate,head box will be covered 50 mm thick foam and cloths of approved shade and quality on the ply. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/ or equivalent.</p>	Each	4		
16	<p>BED SIDE TABLE: Supplying and fixing of bed side table of size 600mm x 300 mm. The structure will be made of 19mm thick Block board all around, finished with not less than 1 mm thick laminate and inner side not less tan 0.8 mm laminate, shade & brand as approved. The table cost to include two drawers of 600 mm wide made with 6mm/12mm ply .The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks, handles etc. of Godrej or approved brand Ply/Block Board Make: MR Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.</p>	Each	10		
17	<p>Storage Cabinet: Cabinet with Mirror Unit size of 900 mm x 600 mm x 2100 mm as per design, The structure will be made of 19mm thick Block board all around, finished with not less than 1 mm thick laminate and inner side not less than 0.8 mm laminate, shade & brand as approved. The Cabinet cost to include one drawers of 900 mm wide made with 6mm/12mm ply .The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks, handles etc. of Godrej or approved brand. Rate shall includes the cost of mirror.</p> <p>Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.</p>	SQM	12		

18	<p>Storage under Kitchen Slab: Providing and fixing storage units of size 600 mm x 850 mm x 4000 mm , made up of 19 mm thick block board of approved brand on top & vertical support and finished with not less than 1 mm thick laminate of approved brand on side and top. The storage units shall have openable/sliding shutters made up of 19mm thick plywood and finished in 1 mm thick laminate of approved shade. The storage units shall have intermediate horizontal and vertical shelves made in 19 mm thick plywood. All exposed edges to have teak wood lipping/bidding of required size, stained to match the desk and melamine finished. All inner surface to be finished with mat finish 0.8 mm laminate. The works to include all hardwares such as: castors, brass hinges, ball catchers, handles etc. of Godrej or approved make. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam/ or equivalent</p>	SQM	5		
19	<p>CENTER TABLE: Supplying of Godrej Interio Arbor Engineered Wood Coffee Table (Finish Color - Remini Walnut, Knock Down) Particle Board Engineered Wood Size (W x H x D) 1200mm x 450 mm x 600mm or equivalent</p>	Each	2		
20	<p>Wall panelling for VIP Room: Fabricating and fixing wall panelling made of 12 mm thick ply finished with not less than 4 mm thick veneer with PU polish over aluminium framework made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columns in perfect line, level and plumb. Framework to be secured to wall surface / column surface. Suit room Bed Headrest wall full height. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Veneer/Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.</p>	SQM	18		
21	<p>STUDY TABLE FOR VIP ROOM: Supply and installing of study table of size- 1200 mm x 600 mm x 750 mm made up of 19mm thick Block board with of 4mm thick Veneer finish with PU polish all around. All internal surface will have min. 0.80 mm thick balancing laminate. All exposed edges to have TW bidding of required size stained to match the desk and melamine finished. Ply/Block Board Make: MR Grade of Century/ Green/Gattani or equivalent. Veneer/Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.</p>	Each	2		
22	<p>TV Unit for VIP room: Fabricating and fixing wall T.V unit 1000mm x 2100 mm size with two drawers & one open box as per design, made of 12 mm thick ply finish with 4 mm thick veneer with PU Polish over framework made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall, in bed room. All internal surface will have min. 0.80 mm thick balancing laminate. The rate should include cost of necessary hardware, making cutouts / openings for electrical conduits / cables, Switch boards, etc. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Veneer/Laminate make: Greenlam/Centurylam/Merinolam/ or equivalent.</p>	SQM	2.5		
23	<p>KING BED WITHOUT STORAGE FOR VIP ROOM: Supplying and fixing of BED of size 1800mm X1950mmX350mm and back rest height 900 mm as per design, The structure will be made of 19 mm board.The side panels and bottom panels will be of 19 mm double pasted and the top board and head box will be of 12 mm ply finished with 4 mm thick veneer on all sides and inner side not less than 1 mm laminate, head box will be covered 50 mm thick foam and cloths of approved shade and quality on the ply. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.</p>	Each	2		
24	<p>BED SIDE TABLE for VIP room: Supplying and fixing of bed side table of size 600mm x 300 mm. The structure will be made of 19mm thick Block board all around, finished with not less than 4 mm thick veneer with PU polish and inner side not less than 0.8 mm laminate, shade & brand as approved. The table cost to include two drawers of 600 mm wide made with 6mm/12mm ply .The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks, handles etc. of Godrej or approved brand Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Veneer/Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.</p>	Each	4		
25	<p>Storage Cabinet for VIP Room: Cabinet with Mirror Unit size of 2000 & 1500 mm x 600 mm x 2700 mm as per design. The structure will be made of 19mm thick Block board all around, finished with not less than 4 mm thick veneer with PU Polisgh and inner side not less than 0.8 mm laminate, shade & brand as approved. The Cabinet cost to include one drawers of 900 mm wide made with 6mm/12mm ply .The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks, handles etc. of Godrej or approved brand. Rate shall includes cost of mirror. Ply/Block Board Make: BWP Grade of Century/ Green/Archid or equivalent. Veneer/Laminate Make: Greenlam/Centurylam/Merinolam or equivalent.</p>	SQM	9		
Grand Total (Exclusive of GST)					
NOTE :The estimated cost is exclusive of statutory taxes (GST)on work contract					