


- NOTES:-**
- PLEASE CHECK CENTER LINE AS PER ARCH. DRG. BEFORE STARTING WORK.
 - IF ANY AMBIGUITY FOUND, CONTACT STRUCTURE ENGG. IMMEDIATELY BEFORE STARTING WORK.
 - FOLLOW ONLY ARCHITECTURAL DIMENSIONS.
 - STRUCTURE ENGINEER IS NOT RESPONSIBLE IF ANY ACCIDENT OCCURS ON SITE DUE TO CONSTRUCTION FAULTS.
 - BOTTOM OF FOOTING SHOULD NOT BE ON FILLED UP SOIL. IF FILLED UP SOIL IS FOUND PLEASE INFORM STRUCTURE ENGINEER BEFORE START EXECUTION.
 - DO NOT EXCAVATE RAMP UNTILL BASEMENT SLAB IS CASTED.
 - PROVIDE DEPTH OF THE FOOTING FOR LIFT AS PER LIFT MANUFACTURER.
 - DO NOT PROVIDE PEDESTAL IN LIFT COLUMN ONLY.
 - PROVIDE FOOTING ADJOINING TO LIFT AT THE SAME LEVEL OF LIFT FOUNDATION.
 - DO NOT BACKFILL THE SOIL ON BACK SIDE OF RETAINING WALL UNTILL BASEMENT SLAB IS CASTED.
 - PROVIDE PLASTER ON BOTHSIDE OF WALL WITH WATER PROOFING ADMIXTURE.
 - TAKE ALL PRECAUTION DURING CONSTRUCTION OF BASEMENT SO THAT SIDE BUILDING FOUNDATION SHOULD NOT GET DAMAGED/OPENED.
 - DO NOT EXCAVATE RAMP WITHOUT CONSULTING STRUCTURE ENGINEER.
 - EXCAVATION OF RAMP SHOULD BE DONE AS-PER SLOPE OF RAMP. DO NOT EXCAVATE ENTIRE RAMP UPTO FULL DEPTH.
 - EXCAVATION MUST BE DONE IN NATURAL SLOPE. I.e AT AN ANGLE OF 30 WITH VERTICAL.

16: THIS STRUCTURE DRAWING IS BASED ON ARCH.DRG SENT BY MAIL ON DATE :- 14-09-2023.

- TAKE FOLLOWING PRECAUTION BEFORE STARTING EXCAVATION OF ECCENTRIC FOOTING/ADJOINING TO OTHER PROPERTY.
- PROVIDE VERTICAL SHEET PILE & SHORING.
 - PROP UP (SUPPORT) THE BOTH SIDE BUILDING VERTICALLY AND HORIZONTALLY.
 - EXCAVATE ONE FOOTING. CAST & FILL UP IT FIRST. THEN EXCAVATE. ANOTHER FOOTING & FILL IT. THUS EXCAVATE & CAST FOOTING ONE BY ONE. (STAGGERED MANNER ON BOTH SIDE)
 - STRUCTURAL ENGINEER IS NOT RESPONSIBLE IF ANY ACCIDENT OCCURS TO THE ADJOINING PROPERTY ON SITE DUE TO CONSTRUCTION PROBLEM.
 - TAKE ALL PRECAUTION DURING CONSTRUCTION OF BASEMENT SO THAT SIDE BUILDING FOUNDATION SHOULD NOT GET DAMAGED/OPENED.
 - DO NOT EXCAVATE ENTIRE BASEMENT AT A TIME. EXCAVATE ONLY 8'-0" & CAST RETAINING WALL STAGE BY STAGE. IN 8'-0" LENGTH WISE.



For ZARNA ASSOCIATES
Structural Consultants
Dr. V. R. PATEL
Ph.D. (Str. Engg.) M.E. (Str.) B.E.(Civil)

PROJECT NAME:-
SBI CORPORATE OFFICE

ARCHITECT:
MAMTA SHAH

STRUCTURAL CONSULTANT :
ZARNA ASSOCIATES
STRUCTURAL CONSULTING ENGINEER
910-915, Samanvay Silver Appartment, Mujmahuda Crossing, Besides Royal Orchid Hotel, Akota Road, Vadodara 390020.
Tele. ph. / mo. no. :- +91 92276-27339/40
+9183474-13334 to 39.
E - Mail :- zarnaasso@yahoo.com

APPROVED BY: VRP

CHECKED BY: RISHVA

DRAWN BY: JIBRAN KHAN

DATE: 18-12-2023

PROJECT NO. : 401/17

DRAWING TITLE:
LAYOUT OF
RAFT FOOTING (BOTTOM STEEL)

DRG NO : 02

SCALE: N.T.S. **SHEET:** A3 **N**

CONCRETE GRADE	
ITEM	GRADE
COLUMN	M:35
FOOTING	M:35
RETAINING WALL	M:35
SHEAR WALL	M:35
USE STEEL GRADE Fe 500D	

DESIGN PHILOSOPHY
L.L= 5 KN/M²
FLOOR = 2B+G+6

**LAYOUT OF
RAFT FOOTING (BOTTOM STEEL)**

SERVER /Z/2019/MAMTA SHAH/SBI CORPORATE OFFICE/STR DRG/01 COLUMN FOOTING.