



- NOTES:-**
- 1 : REFER STAIR DRG. ALONG WITH THIS DRG.
 - 2 : REFER DET OF BL / BLR / BLC IN STAIR DRG.
 - 3 : REFER GENERAL NOTES DRG.
 - 4 : PROVIDE CAMBER OF 20mm-25mm FOR CANTILEVER SLAB/BEM WITH SPAN LESS THAN 6 FEET.
 - 5 : PROVIDE CAMBER OF 30mm-40mm FOR CANTILEVER SLAB/BEM MORE THAN 6 FEET.
 - 6 : PROVIDE THROUGHOUT RCC LINTEL & SILL OVER ALL WALLS.
 - 7 : CHECK THE STRUCTURAL DRG. WITH ARCH. DRG / ELEVATION / SECTION / 3D.
 - 8 : IF ANY AMBIGUITY FOUND, CONTACT STRUCTURE ENGG. IMMEDIATELY BEFORE STARTING WORK.
 - 9 : FOLLOW ONLY ARCHITECTURAL DIMENSIONS.
 - 10 : STRUCTURE ENGINEER IS NOT RESPONSIBLE IF ANY ACCIDENT OCCURS ON SITE DUE TO CONSTRUCTION FAULTS.
 - 11 : CHECK THE POSITION OF FC WITH ARCH. DRG.
 - 12 : GET IT APPROVED BY ARCHITECT BEFORE STARTING EXECUTION OF WORK.
 - 13 : PROVIDE DRAINAGE PIPE AS PER PLUMBING CONSULTANT BEFORE CASTING SLAB & BEAM. NO CUTOUTS ARE ALLOWED AFTER CASTING SLAB/BEM.
 - 14 : MINIMUM CAMBER AT CENTER OF SIMPLY SUPPORTED BEAM
(CAMBER IN MM)=SPAN(MM)/250
 - 15 : MINIMUM CAMBER AT FREE END OF CANTILEVER IN (MM)=SPAN(MM)/50
 - 16 : THIS STRUCTURE DRG IS BASED ON ARCH. DRG SENT BY MAIL ON DATE (14/09/2023) WORKING

CONCRETE GRADE	
ITEM	GRADE
COLUMN	M35
SLAB	M35
BEAM	M35

USE STEEL GRADE Fe 500-D

PROJECT NAME:-
SBI CORPORATE OFFICE

ARCHITECT:
MAMTA SHAH

STRUCTURAL CONSULTANT :
ZARNA ASSOCIATES
 STRUCTURAL CONSULTING ENGINEER
 14, Ratnam Apartment, Opp. Neptune Tower,
 Near Premier Chamber, Productivity Road, Alkapuri, Vadodara.
 Tele. ph. / mo. no. :- 0265 - 2341278
 +91 92276-27339/40
 E - Mail :- zarnasso@yahoo.com

APPROVED BY: VRP
CHECKED BY: RISHVA
DRAWN BY: KIRAN
CORRECTED BY: ---
DATE: 18-12-2023
PROJECT NO. : 401/17

DRAWING TITLE:
SLAB AT +32.6 MT

DRG NO : 19
SCALE: N.T.S. **SHEET:** A3 **N**



Meehan



A
For ZARNA ASSOCIATES
 Structural Consultants
 Dr. V. R. PATEL
 Ph.D. (Str. Engg.) M.E. (Str.) B.E.(Civil)

LAST NO.:-B34

150mm THK.SLAB
SLAB AT +32.6 MT

Z:\COMMON\2019\MAMTA SHAH\SBI CORPORATE OFFICE\STR DRG