

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
Note :	Rate should be inclusive of material,labour,tools, machinery, scaffolding, final disposal of debris ,cleaning cutting wastage etc. all taxes, transportation etc. complete. (Excluding GST) GST will be paid as Applicable at the time of payment of Bills				
1	TABLE OF SINGLE WINDOW COUNTER	6.1	RMT		
	Supplying, fixing and keeping in position single window counter complete as per design, and drawing made out of 18mm thick commercial ply wood of approved make, complete with 19 mm. C.P. Teak wood lipping on all edges wherever required.				
	The cost shall be inclusive of S & F of a drawer and shelf unit with 18mm thick commercial plywood and with approved make multipurpose Auto Lock in drawer and shelf unit. The cost shall also be inclusive of the following.				
[a]	size :				
	Description: L B Ht.				
	Writing Top 5'-0" 2'-9" 2'-6"				
	Transaction Top 5'-0" 2'-6"				
	4 Drawers with				
	pegion hole 2'-0" 1'-3" 2'-0"				
	Computer key Board				
	Supplying and fixing metal key Board of approved make in counter as per design and instructions.				
[b]	Working table top and edges shall be finished with 6mm thick white corian of approved make, as per drawing and direction with all labour and materials all edges should be finished with corian				
[c]	Transaction Top : 2x6 mm thick flexy ply wood round shape with 6mm thick white corian shall be provided at front as per design, all edges should be finished with corian				
[d]	Front pannel (Front Apron) shall be finished with 6mm thick 18" high, glass blue lacquered glass of approved make and fixed on 18mm thick commercial ply wood with Natural Silicon gum as per manufacturers specification of approved make All complete as per drawing				
[e]	Ready made Foot rest CPU stand trally with castor				
[f]	All wood work shall be laquer polished to a smooth and uniform finish of choice colour and shade.				
[g]	All fittings like S.S. handle/ approved make Auto Lock to each drawer and cabinet doors, piano hinges, ball catcher stopper, metal cable manager etc. approved make heavy duty full extension channel in drawers.				
[h]	Heavy duty telescope full extension sliding channel of approved make shall be used in all drawers.				
[i]	All the surface without lamination shall be Synthetic enamel paint/polishing of approved shade etc comple				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
[j]	Counter shall be made independent in Length of 5'-0" and properly placed between two partition. Counter measured between two partition and paid.				
	FINISHING DETAILS IN NUTSHELL:				
	1) Table Top : 6mm thick white corian				
	2) Front Apron : Round corian and 6 mm thick lacquered blue glass fixed with Natural Silicon				
	3) Facing of Drawers : 1.00 mm thick laminate finish				
2	TABLE OF BRANCH MANAGER	1	NOS		
	Supplying and providing Table as per the following description (size: 6'-0" X 2'-9" X 2'-6" HT.). Table top shall be made from 18mm thick commercial ply wood with 1.00 mm thick Laminate with necessary intermediates support. Table top shall be supported by 18mm thick commercial ply wood with wooden framing. Storage cabinet of 1'-3" x 2'-0" x 2'-6" shall be provided using 18mm thick commercial ply wood having 4 Nos drawers as directed with heavy duty telescope sliding channel of approved make, grouplock / S.S. Handle. Computer Key board of metal of approved make shall be provided. Exposed surfaces of the cabinet shall have Laminated. Foot rest of 1 1/2" x 3" T.W members shall be provided. All the surface without laminate shall be polished / painting.				
	Apron (Modesty Panel) made from 18mm thick ply wood with 1mm laminate finish & groove pattern as per drawing				
	Table side made from 18mm thick ply wood with 1mm thick laminate finish shall be provided in a pattern as per drawing directed. laminate to be provided only on visible surface				
	Ready made Foot rest, CPU stand trolley with castor and metallic cable Manager shall be provided in table top. All exposed edges of plywood shall have laminate with smooth edges & corners.				
	Exposed edges of Table Top, Leg panel & Side Shelf shall be made 36 mm thick by providing additional 18mm thick ply wood patta of required width.				
	All the surface without laminate shall be synthetic enamel paint /polished of approved shade				
	As per drawing and instruction of Architect/Bank Complete.				
	FINISHING DETAILS IN NUTSHELL:				
	1) Table Top : Dark Laminate & Burma Teak beading on Edges with polished				
	2) Front Apron & Sides : Dark Laminate				
	3) Facing of Drawers : Dark Laminate				
3	TABLE OF SALES AND SERVICE MANAGER	8	NOS		
	Same as above Item No 5 but size 5'-0" x 2'-6" with storage unit 4 Nos Drawer in table Finishing as follows				
	Table Top finished with 1mm thick laminate.				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
	Apron (Modesty Panel) made from 18mm thick ply wood with 1 mm thick frosty white laminate of approved make shall be provided in a pattern as per drawing /directed. Ready made Foot rest CPU stand trally with castor and and metallic cable Manager shall be provided in table top.				
	Table side made from 18mm thick ply wood with 1mm thick frosty white laminate shall be provided in a pattern as per drawing/ directed.				
	All the surface without lamination shall have polished/ synthetic enamel paint of approved shade. As per drawing and instruction of Architect/Bank Complete				
	FINISHING DETAILS IN NUTSHELL:				
	1) Table Top : Dark Laminate & Burma Teak beading on Edges with pilished				
	2) Front Apron & Sides: Frostiy White Laminate				
	3) Facing of Drawers: Frosty White Laminate				
4	TABLE OF GRAHAK MITRA	1	NOS		
	Same as above item no 5 but Approx Size 5'-6"x 2'-3" wide with storage unit in Table with 4mm thick MDF board + Blue and white PU Coating finishing on all exposed visible surface As per drawing and instruction of Architect/Bank Complete For Grahak Mitra/Tech Mitra (Help Desk Table)				
	Table top made from 18mm thick ply wood + 4mm thick MDF board with PU coating finish				
	Apron (Front side) made from 18mm thick ply wood + 4mm MDF board with PU Coating finish				
	Both sides made from 18mm thick ply wood + 4mm MDF board with PU Coating finish				
	3" thick Partition above working table top made from 18mm thick+6mm thick ply wood with necessary framing with 4mm thick MDF board + PU Coating finish.				
	Exposed edges of Table Top shall be made 36 mm thick by providing additional 18 mm thick ply wood patta of required width. Ready made Foot rest CPU stand trally with castor and metallic cable Manager shall be provided in table top.				
	Drawer Storage Unit- 1'-4" W x 2'-0" D, 2 Nos Drawer on top and rest 1 No shutter- As per drawing and instruction of Architect/Bank Complete				
	FINISHING DETAILS IN NUTSHELL:				
	1) Table Top : 18mm Thick Plywood with 4mm thick MDF with High gloss white PU Coating				
	2) Front Apron & Sides: 4mm thick MDF with High gloss white/blue PU Coating				
	3) Facing of Drawers: 1.0 mm thick Laminate finish				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
5	DINING TABLE	2	NOS		
	Supplying and Providing Dining Table of 6'-0" x 2'-9" x 2'-6" height 1" x 1.5 ht." T.W beading shall be fixed on border .Top shall be made of 18mm thick commercial plywood with additional 18mm thick Ply wood patta of required width on edges with 1.0mm thick laminate on top of approved shade brand and. supports of the Table shall be made of 2" x 2" T.W. members in a Design as directed. All surfaces not laminated shall be lacquer polished.				
	Exposed edges of Table Top shall be made 36mm thick by providing additional 18 mm thick ply wood patta of required width.				
6	SIDE CREDENZA OF S.W.C	2.8	SQMT		
	Supplying and providing side cabinet for keeping computer and printer size 1'-4" width 2'-6" height and 3'-0" length. Table top and edges shall be finished with 6 mmThick White Corian on Top and Edges. All other visible surface shall be finished with 1.00mm thick laminate. Openable shutters as directed. Cabinet shall be made from 18mm thick commercial ply wood &. Back shall be made from 6mm th commercial plywood. Openable shutters shall be made from 18 mm thick commercial ply wood with 1.0mm thick laminate and approved group lock, handle, hinges, magnet catch. Edges to be finished with teak wood lipping etc. including all internal surface to be polished/ Synthetic enamel paint etc. As per drawing and instruction of Architect/Bank Complete.				
7	SIDE CREDENZA	6.4	SQMT		
	Supplying and providing side cabinet for keeping computer and printer size 1'-4" width 2'-6" height and 3'-6"/3'-0" length. Openable shutter with 1.0mm thick laminate finish on Top, front side shutter and 35 mm x 6mm thick Burma Teak beading on Top Edges with melamine polish. Laminate to be provided only on visible surface etc complete as follows. Having openable shutters as directed. Cabinet shall be made from 18mm thick commercial ply wood with 1.0mm thick laminate Finish. back shall be made from 6mm th commercial plywood. Openable shutters shall be made from 18mm thick commercial ply wood with laminate finished and approved make group lock, handle, hinges, magnet catch. , Rate includes all necessary provisions for installing computers.All the surface without laminate shall be polished / synthetic enamel paint				
	Exposed edges of Sides, Table Top shall be made 36 mm thick by providing additional 18 mm thick ply wood patta of required width. As per drawing and instruction of Architect/Bank Complete				
	FINISHING DETAILS IN NUTSHELL:				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
	1) Table Top : Dark Laminate & Burma Teak beading on Edges with polished				
	2) Front Apron & Sides: Dark Laminate				
8	BACK SIDE STORAGE CABINATE				
	Supplying and providing storage cabinete with 1.0mm laminate on Top, Front Shutter & 35mm x 6mm thick Burma Teak beading on Edges with polish. Laminate to be provided only on visible surfaces.	17.9	SQMT		
	Size : Depth 1'-4", 3'-0" ht. having openable shutter as directed. storage Cabinet shall be made from 18mm thick commercial ply wood for Top with 1mm laminate finish and 18mm thick ply wood for verticle, shelves, shutters and 6mm commercial plywood for backing with 1mm laminate on all exposed surface. with verticle (at 3'-0" c/c) shelves at 1'-3" c/c Openable shutters in 18mm thick commercial ply wood with all S.S hinges, towers bolts, powder coated handle, ball catches, S.S approved make (group lock) multi purpose lock complte. Edges to be finished with teak wood lipping etc. including all internal surface to be polished/painted etc. complte. Laminate to be provided only on over visible surface. Front surface area shall be measured for payment purpose.				
	FINISHING DETAILS IN NUTSHELL:				
	1) Table Top : Dark Laminate & Burma Teak beading on Edges with pilished				
	2) Front Apron & Sides: Dark Laminate				
9	ELECTRIC CUB BOARD	4.2	SQMT		
	Providing and fixing Electric cupboard using 18mm thick bision panel for verticale and shelves and aluminium framing of 50 x 25 x 1.20mm thick with 6mm thick bision panel on both side for shutter with 1.0 mm thick laminate on all exposed surface and polishing/ synthetic enamel paint on all internal surface. shutter with approved make lock handle, hinges,ball catches P&fixing S.S Perforated jali shall be provided in shutter etc.complete as directed, depth of cup board 1'-3". Shutter height up to 7'-0" and above fixed Type up to false ceiling bottom.				
10	SHUTTER FOR UNDER PANTRY PLATFORM	2.3	SQMT		
	Providing and fixing cupboard shutters below pantry platform using 1 1/2" x 2 1/2" T.W members for frame, 18mm Tk plywood with 1.0mm lamiante for shutters. Providing 1/2" th T.W beading all around shutter. Providing S.S hinges, Handles, stoppers and magnetic catch as directed. All the surface shall be polished/ synthetic enamel paint as directed complete.Providing and fixing 0.60mm thick balancing laminate on internal shutter surface				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
11	LOW HEIGHT PARTITION FOR S.W.C	12.1	SQMT		
	Providing and fixing low height partition using 50mm x 25mm x 1.50mm thick Aluminium members maximum in grid of 2'-0" x 2'-0" fixing 12mm thick MDF Board exterior grade of approved brand on both side of aluminium skeleton and fixing 1.0mm thick laminate of approved shed on both sides. Fixing 1.0mm thick laminate in a shape as directed shall be fixed on all exposed edges. Fixing 12 mm transparent toughened glass as directed. Applying polish on exposed steam beach members with lacquer polished edges as directed complete. Laminate to be provided only on visible surface, For Low height Single window and Cash cabin partition, Average height of partition shall be measured and paid. As per drawing and instruction of Architect/Bank Complete.				
12	12MM THICK TOUGHEN GLASS PARTITION FIXED SWC TOP	4.7	SQMT		
	Providing and fixing 12 mm thick Toughened float glass with machine cut polished edges shall be fixed with necessary S.S Brush finish brackets support on wooden partition as directed. Making necessary cut out in glass all edges of glass shall be Diamond cut polished edges as directed complete. All complete as per drawing				
13	12MM THICK TOUGHEN FLOAT GLASS FIXED ON FRONT OF SWC PARTITION	1.1	SQMT		
	12 mm thick toughened clear float glass with polished edges shall be fixed with silicon and T.W beading support on wooden partition as directed. All edges of glass shall be Diamond cut polished edges as directed complete. (Glass for Measurement outer longer width and height shall be measured and paid)				
14	LOW HEIGHT PARTITION NEAR SALES TABLE	18.3	SQMT		
	Providing and fixing low height partition using 50mm x25mm x 1.50mm thick Aluminium members maximum in grid of 2'-0" x 2'-0" fixing 12mm thick MDF Board exterior grade of approved brand on both side of aluminium skeleton and fixing 1.0mm thick laminate of approved shed on both sides. Fixing 1.0mm laminate in a shape as directed shall be fixed on all exposed edges. Fixing 12mm th free clear float glass as directed. Applying polish on exposed steam beach members with lacquer polished edges as directed complete. Laminate to be provided only on visible surface.				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
15	SOLID/ PARTLY GLAZED FULL HEIGHT PARTITION	28.8	SQMT		
	Providing and fixing both sides laminate full height partly glazed partition using 50mm x 25mm x 1.5mm thick Aluminium members in a maximum grid of 2'-0" x 2'-0" fixing 12 mm thick MDF Board exterior grade on both sides, 1.0mm laminate of approved make shall be fixed on plywood, Providing 5/8 mm thick float glass as directed in the partition. Providing door shutter using 30mm thick flush shutter with both side laminate and fixing 6mm thick glass shall be provided in door shutter providing 5" Long 3 Nos stainless steel hinges/doorstop shall be provided as directed. Godrej Mortice lock shall be provided in door shutter Steam beach Beading shall be provided for fixing glass. All visible members if not laminated shall have lacquer polished as directed. As per drawing and instruction of Architect/Bank Complete.				
16	12MM THICK TOUGHENED GLASS DIAPHARM FOR SEPARATING TWO M/C FOR E-LOOBY	5.6	SQMT		
	Providing and fixing 12mm thick Toughened glass Diapharm for Separating of between two M/C with etching and frosting Films complete as directed. Glass edges shall be round moulded and polish as per direction complete. Glass shall be fixed in wall and floor with necessary suitable patch fittings as directed. (Area based on outer diameters shall be measured and paid).				
17	ISOLATED FLUSH DOOR SHUTTER (Partly Glazed and Partly Laminate) WITH FRAME	4	SQMT		
	Providing and fixing 4"x2" steam beach member for frame and Flush door shutter made out of 31mm thick flush door with 6mm thick clear float glass vision panel secured with 12mm thick steam beach beading, 31x 12 mm thick steam beach periphery patti around shutter edges, 1mm thick laminate on both sides, 35x12mm thick steam beach stopper patti on frame including 3 Nos 5" long SS hinges with countersunk SS screws, Approved make Ded Lock, S.S Handles, 150mm long Door stoppers, doorstop of approved make etc. all exposed surface /edges not laminated be provided with lacquer polish. As per drawing and instruction of Architect/Bank Complete				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
18	ISOLATED FLUSH DOOR SHUTTER (Partly Glazed and Partly Laminate) WITH FRAME FOR UPS ROOM	2	SQMT		
	Providing and fixing aluminium frame of 65mm x 38mm x 1.5 mm thick and door shutter made out of 50x25x1.5mm thick framing at maximum 1'-6" C/C both way with 8mm thick Hilux Board on both side with painting. Providing 6mm thick clear float glass vision panel secured with 12mm thick steam beach beading, 31x 12 mm thick steam beach periphery patti around shutter edges, aluminium stoper patti on frame including 3 Nos 5" long SS hinges with countersunk SS screws, Approved make Ded Lock, S.S Handles, Door stoppers, doorstop of approved make etc. complete as per drawing & instructions				
19	WICKET GATE	1.2	SQMT		
	Same as item no 17 but P/F 30mm thick flush shutter with both side laminate including SS hinges with countersunk SS screws, Approved make Night latch Lock, S.S Handles, Door stoppers, doorstop etc complete as directed.				
20	PANELING WITH ALUMINIUM FRAMING (FINISH:	11.2	SQMT		
	Providing and laying panelling on walls & pillars having 12mm thick MDF Board exterior grade and 1.0mm th laminate fixed on wall & pillars with Aluminium framing of 25mm x 25mm x 1.20mm thick at maximum 2'-0" c/c bothways on wall and pillar etc complete as directed. panelling as per design and instruction of Architect. .				
21	WALL PANELING (FINISH: LAMINATE)	3.2	SQMT		
	Providing and laying panelling on walls & pillars having 12mm thick MDF Board exterior grade and 1.0mm th laminate fixed on wall & pillars on wall and pillar etc complete as directed. panelling as per design and instruction of Architect. .				
22	WALL PANELING WITHOUT LAMINATE	8.4	SQMT		
	Providing and laying panelling on walls & pillars having 12mm thick MDF Board exterior grade etc complete as directed. panelling as per design and instruction of Architect. .				
23	CNC JALI WORK PANELING FINISH WITH PU COATING	18.9	SQMT		

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
	Providing and fixing 8mm thick MDF Board exterior grade with jali work with high gloss PU coating paint over central column having 8mm thick MDF Board Exterior grade fixed on pillar with aluminium framing of 25mm x25mm x1.20mm thick at maximum 2'-0" c/c bothway as per drawing and direction with all labour and material etc complete (Rate shall be including CNC cutting jali work and 1mm thick blue gloss laminate behind design jali work as directed).				
24	PANELING FOR DISPLAY WALL WITH 3M VINYL FILM	3	SQMT		
	Providing and laying panelling on wall having 8mm thick MDF Board exterior grade with 3M vinyl films with printed design and lamination fixed on wall with Aluminium. framing of 25mm x 25mm x 1.20mm thick at maximum 2'-0" c/c bothways etc. complete as directed. panelling as per design and instruction of Architect. Only Finished visible surface area shall be measured for payment (MDF board with 0.60 mm thick laminate) Front surface area shall be measured for payment purpose.				
	Exposed edges of Display wall four side shall be made 36 mm thick by providing additional required thickness MDF patta of required width.				
25	PANELING FOR DIGITAL Wall WITH BLUE/WHITE HIGH GLOSS PU COATING	5	SQMT		
	Providing and laying pannelling on wall having 8mm thick MDF Board exterior grade with PU coating fixed on wall with Aluminium framing of 25mm x 25mm x 1.20mm thick at maximum 2'-0" c/c bothways etc. complete as directed. pannelling as per design and instruction of Architect. Only Finished visible surface area shall be measured for payment.				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
26	ACP SHEET PANELING	35.7	SQMT		
	Providing and fixing 3 mm thick aluminium composite panel of Flexi Bond / Euro Bond with 0.25 mm foil with 2" x 1" x 1.20 mm thick aluminium hollow section tray system with minimum 20 mm bending with silicon Dow Coming of GE seal proof - ACP of approved indian make complete as per selection and direction of Architect for front facade for the building This item will be carried out as per manufacturer specifications. Rate also including trap door shutter including hinges stopers etc complete as directed. Design as per Bank standered Drawing and Architects instruction etc complete.				
27	WALL PAPER	11.3	SQMT		
	Providing and applying Wall paper approved by Architect / Bank's Engineer, wall paper basic price of Rs 100=00 Per Sq.Ft				
28	SOFT BOARD	2.3	SQMT		
	Providing soft board for pin up using moulded Steam beach frame of 1" x 1/2" with 6mm thick commercial plywood on back side and 12mm th soft board on front. Fixing cloth of selected design of Basic rate of Rs. 150 per mt.steam beach member shall have lacquer polish as directed complete.				
29	CUSTOMER WRITING DESK	1	NOS		
	Providing and fixing writing desk size: 3'-0" x 1'-3" x 3'-6" ht. Verticle Sides and bottom shall be made out of 36 mm (2X18) thick Commercial plywood and back side 12mm thick ply wood with Laminate on Top and Edges on all sides including inside divisions. Top shall be made from 12mm th Thoughend glass with polished edges making diff divisions by 18mm thick plywwod with laminate on both side for slips or forms as per detail drawing and inststruction complete. (Drawing as enclosed herewith) Laminate to be provided on all visible surface.				
30	ROLLER BLINDS	3.8	SQMT		
	Supplying and fixing Roller Blind Blackout of approved make with selected fabric of approved design and shed. (Basic Price of Rs 135=00 Per Sq.Ft)				
31	FROSTED GLASS FILM	26.6	SQMT		
	Providing and Fixing Frosted polyster film of 3M (Scotchcal 7725 - 324) or equivalent make over glass surfaces as per drawing & direction with all labour & materials to the satisfaction of the Architect/Bank as per manufacturer's specification.				

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
32	GRID FALSE CEILING	98.2	SQMT		
	Providing and Fixing of Armstrong Mineral Fibre Acoustical Suspended ceiling system with FINE FISSURED (MICRO LOCK) EDGE TILES With Armstrong Silhouette Exposed Grid.				
	Using Silhouette Grid with Fine Fissured microlook Edge Tiles. With necessary Angles at junctions as per company specifications as directed complete. Rate includes necessary cut outs for A/C Grills, diffusers light fixtures complete as directed. Cutout for light and Diffusers will be deducted from area. Only Tiles cost will be deducted for payment purpose.				
	After completion of work, certificate from Company to be obtained and submitted with bill that work is carried out as per their specifications.				
33	GYPSUM BOARD FALSE CEILING	134.8	SQMT		
	Providing and fixing Gypsum board 12.50 mm thick false ceiling in steps and design using Original Indian Gypsum board with original GI sheet section of Gypsteel ULTRA (Gypsteel Ultra shall be used) supporting system in line and level. Finishing the surface and applying 3 coats of Plastic emulsion paint as directed complete. Entire work to be done as per standard specifications of Saint Gobin Gyproc India.				
	After completion of work to certificate from Saint Gobin Gyproc Company shall be submitted along with bill stating that work is satisfactorily completed as per their specification				
	Note : (1) Rate includes making necessary cutouts for lighting fixtures (2) Pattas of Less than 1'-0" shall be measured in Sqft and not in Rft and paid in Sqft. (3) Only finished visible surface area shall be measured for payment.				
34	FIRE RESISTANT FALSE CEILING	8	SQMT		
	Same as above but Providing and Fixing of 6mm thick Hilux board false ceiling instead of Gypsum Board for Item No-1 etc complete as per design and instruction Only finished surface area shall be measured for payment.				
35	WOODEN FALSE CEILING	2.3	SQMT		
	Providing and Fixing of 8 mm thick MDF board strip with Blue shade high gloss PU Coatings instead of Gypsum Board for Item No-1 over Transaction Area etc complete as per design and instruction Only finished surface area shall be measured for payment.				
36	CENTER TRPOY	1	NOS		

PRICE BID OF FURNISHING WORK (LOOSE & FIXED FURNITURE) FOR					
STATE BANK OF INDIA - HARIJ BRANCH					
Sr. No.	Description	Quantity	Unit	Rate	Amount
	Providing and making open box structure type Teapoy made out of 36 mm (2X18) thick plywood with all over 1.0 mm thick laminate finish provided with bevelled & diamond polished edges 12mm thick glass top supported on SS studs with complete as directed. (TEPOY SIZE: 3'-0" x 1'-9" x 1'-3")				
37	DRESSING UNIT WITH PUFFY	1	NOS		
	Dressing Table shall have 1'-6" x 4'-0" 5mm thick mirror with 1 1/2" x 3" T.W frame and 6mm thick BWR plywood 2'-0" x 6" size having polished edges supported by brass bracket 2 Nos. as directed.				
	Puffy shall be made of using TW member size 2"x2" and 18mm th.plywood for seat support. Seat shall be padded with 4" foam covered with hession cloth and upholstered with Approved shade and quantity fabric. Basic price of fabric shall be Rs.400 per Rmt. Visible wooden support shall be polished,Size of Puffy shall be 1'6"x1'6".				
TOTAL COST "A"			RS.		