STATE BANK OF INDIA

TENDER ID : MUM202405005

TENDER FOR: PROPOSED INTERIOR RENOVATION WORKS OF 32 NOS. EMERALD BRANCHES IN MUMBAI ON RATE CONTRACT BASIS

	PRICE BID								
Name of the Contractor / Company Name									
S	N Description	Estimated Cost (₹)	Percentage above or below the estimated cost	% in Figures	Total Cost				
	TENDER FOR: PROPOSED INTERIOR RENOVATION WORKS OF 32 NOS. EMERALD BRANCHES IN MUMBAI ON RATE CONTRACT BASIS	4,25,590.00	Below/ Above/ At Par	0.00	4,25,590.00				
	Grand Total				#REF!				

			MUM202405005			
State Bank of India						

TENDER FOR: PROPOSED INTERIOR RENOVATION WORKS OF 32 NOS. EMERALD BRANCHES IN MUMBAI ON RATE CONTRACT BASIS

Note: Contractors are advised to visit the respective site before quoting against the tender items on percentage rate. Unit quantities are considered below which will be increased/ decreased as per respective site conditions by the Bank. Quoted & Agreed Rates will be considered for finalising the work order amount of respective branches.

Nos	BILL OF QUANTITIES Description	Units	Otv	Rate- ₹	Amount -₹
1	DESCRIPTION DEMOLITION OF EXISTING FINISHES AND FIXTURES	Units	Qty	nale- 1	Amount -
	Demolition of existing wall tiles/finishes, Flase Ceiling finishes and floor				
	tiles/finishes all round up to the base slab/brick surface, removing and moving				
	and disposing the entire debris out of the Bank's premises all complete as				
	directed by the Bank's engineer at site.	L.S.	1	₹ 10,000.00	₹ 10,000.00
2	A.G.M CABIN TABLE (RE SKINNING THE ORIGINAL TABLE)- Size 1800mm x	Ĩ		[]	
	750mm x 750mm				
	Re-skinning of Table as per the following description and as designed by the Architect:				
	Table Top: Providing and fixing an additional 6mm thick IS 303 BWR grade				
	plywood on table with 4mm thick veneer with melamine finish. The top of the				
	table shall be provided with equal sized 12mm thick toughened glass with				
	polished edges. Apron (Modesty Panel) will be fixed with additional 6mm thick IS				
	303 BWR grade plywood finished with 1mm laminate.				
	Table sides: back & intermediate panels will be fixed with an additional 6mm				
	thick IS 303 BWR grade plywood on the existing plywood finished with 1mm				
	laminate for exposed surfaces (4 faces) and 0.8 mm thick laminate for inner				
	surfaces shall be provided as per drawing.				
	Existing Drawer / Storage cabinet: Each Drawer Fascia made will be fixed with an				
	additional 6mm ply fixed on existing plywood and the external face of the drawer				
	will be finished with 1mm laminate. All external surfaces and edges have to be				
	fixed with an additional 6mm ply on exiting surfaces and finished with 1mm thk				
	laminate all exposed sides and all the internal surfaces shall be finished with 0.80				
	mm thick balancing laminate				
	All edges to be provided & fixed with teak wood lipping patti finished with				
	melamine polish. All the surface without teak veneer / laminate / balancing				
	laminate shall be lacquered polished of approved shade or exposed sides will be				
	finished with PVC banding. As per drawing and instruction of Architect/Bank,				
	work to be completed.				
	Plywood Make: Greenply, Century, Duro or equivalent	Nos	1	₹ 12,000.00	₹ 12,000.00
	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale				
	Touch Lmainates				
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI				
	or the architect Veneer Makes; Greenply veneers, Natural Veneers, Century Veneers				
	Veneer Squivalent or close to Rs 80/- per Sq.ft the colour to be approved by SBI				
	or the architect				
2A	OFFICER'S TABLE (RE-SKINNING THE ORIGINAL ONE)- Size 1500mm x 750mm x				
27	750mm				
	Re-Skinning of Table as per the following description and as designed by the Architect:				

Table Top: Providing and fixing an additional 6mm thick IS 303 BWR grade plywood on the existing table with 4mm thick veneer with melamine finish. The top of the table shall be provided with equal sized 12mm thick toughened glass with polished edges. Apron (Modesty Panel) will be fixed with additional 6mm thick IS 303 BWR grade plywood finished with 1mm laminate.				
Table sides, back & intermediate panels: will be fixed with an additional 6mm thick IS 303 BWR grade plywood on the existing plywood finished with 1mm laminate for exposed surfaces (4 faces) and 0.8 mm thick laminate for inner surfaces shall be provided as per drawing.				
Existing Drawer / Storage cabinet: Each Drawer Fascia made will be fixed with an additional 6mm ply fixed on existing plywood and the external face of the drawer will be finished with 1mm laminate. All external surfaces and edges have to be fixed with an additional 6mm ply on exiting surfaces and finished with 1mm thk laminate all exposed sides and all the internal surfaces shall be finished with 0.80 mm thick balancing laminate.				
All edges to be provided & fixed with teak wood lipping patti finished with melamine polish or approved PVC Banding. All the surface without teak veneer / laminate / balancing laminate shall be lacquered polished of approved shade.As				
per drawing and instruction of Architect/Bank, work to be completed.			7 10 000 00	7.1.10.000.0
Plywood Make: Greenply, Century, Duro or equivalent Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale	Nos	1	₹ 10,000.00	₹1,10,000.0
Touch Laminates				
Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI				
or the architect Veneer Makes; Greenply veneers, Natural Veneers, Century Veneers				
Veneer Equivalent or close to Rs 80/- per Sq.ft the colour to be approved by SBI				
or the architect				
OFFICER'S TABLE- Size 1500mm x 750mm x 750mm				
Supplying and installation of Table as per the following description and as				
designed by the Architect:				
Table Top: Providing and fixing 19 mm thick IS 303 BWR grade plywood with				
4mm thick Teak veneer with melamine finish with necessary intermediate				
support. Table top shall be supported by 18 mm thick BWR grade ply wood with plywood framing. The top of the table shall be provided with equal sized 12mm				
thick toughened glass with polished edges. The top level of the glass shall be				
750mm. Apron (Modesty Panel) made from 18mm thick BWR grade plywood finished with 1mm laminate.				
Table sides, back & intermediate panels (at 500mm from each side) made from				
18 mm thick MR ply wood finished with 1mm laminate for exposed surfaces (4				
faces) and 0.8 mm thick laminate for inner surfaces shall be provided as per				
drawing. Drawer / Storage cabinet: Box of 400 X 700 X 720 mm shall be provided using 18				
mm thick BWR grade plywood. Each Drawer Fascia made out of 18 mm thick				
plywood and all sides of drawers be made of 12 mm thick plywood & bottom of				
drawers shall be of 8 mm thick BWR grade plywood. The drawer unit box and				
individual drawers to be fixed with 1mm laminate on all exposed sides and all the internal surfaces shall be finished with 0.80 mm thick balancing laminate. The				
drawers to be fitted with Telescopic sliding channelwith SS Group locks of approved make and 100 mm long brush finish Stainless Steel handles C-type for each drawer. The front ply of the drawers to be overlapping the frame.				
Computer Keyboard (550 x 375 mm) of metal / PVC of approved make shall be provided. Footrest of 38 x 76 MM T.W members shall be provided. All internal surface will have min. 0.80 mm thick balancing laminate. Table shall have stand of				
18 mm ply finish with 1 mm thk. Laminate of size 400 x 375 mm for keeping CPU and PVC cable Manager shall be provided in the cutouts on the tabletop.				

	All edges to be provided & fixed with teak wood lipping patti finished with			T	
	melamine polish. All the surface without teak wood hpping path misned with				
	laminate shall be lacquered polished of approved shade. As per drawing and				
	instruction of Architect/Bank, work to be completed.				
	Plywood Make: Greenply, Century, Duro or equivalent	Nos	1	₹ 32,000.00	₹ 32,000.00
	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale				
	Touch Lmainates				
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI				
	or the architect Veneer Makes; Greenply veneers, Natural Veneers, Century Veneers				
	Veneer Equivalent or close to Rs 80/- per Sq.ft the colour to be approved by SBI				
	or the architect				
3	CLERICAL STAFF TABLES				
	Supplying and installation of Table as per the following description: Tabletop shall				
	be made from 19 mm thick IS 303 BWR grade plywoodwith 4mm thick Teak				
	veneer with melamine polish with necessary intermediate support. Tabletop shall				
	be supported by 19 mm thick BWR grade plywood with wooden framing. The top				
	of the table shall be provided with equal sized 12mm thick toughened glass				
	fixed.Apron (Modesty Panel) made from 19 mm thick BWR grade plywood finished with 1mm laminate & groove pattern as per drawing. Table sides &				
	intermediate panels (at 50cm from each side) made from 19 mm thick BWR grade				
	plywood finished with 1mm thick laminate for all surfaces shall be provided as				
	per drawing.				
	(Removed drawer cabinet in this version as there will be no space left for a				
	person to sit)				
	Computer Keyboard (550 x 375 mm) of metal / PVC of approved make shall be				
	provided. Footrest of 38 x 76 MM T.W members shall be provided. All internal				
	surface will have min. 0.80 mm thick balancing laminate. Table shall have stand of				
	18 mm ply finish with 1 mm thk. Laminate of size 400 x 375 mm for keeping CPU and PVC cable Manager shall be provided in table top.				
	and FVC cable Manager shall be provided in table top.				
	All edges to be provided & fixed with teak wood lipping patti finished with				
	melamine polish.As per drawing and instruction of Architect/Bank, work to be				
	Completed.				
	Plywood Make: Greenply, Century, Duro or equivalent approved by the Bank				
		Nos	1	₹ 20,000.00	₹ 20,000.00
	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale				
	Touch Lmainates				
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI or the architect				
	Veneer Makes; Greenply veneers, Natural Veneers, Century Veneers				
	Veneer Equivalent or close to Rs 80/- per Sq.ft the colour to be approved by SBI				
	or the architect				
4	SEMI CIRCULAR TABLE				
	Table Top: Providing and fixing an additional 6mm thick IS 303 BWR grade				
	plywood on the existing table with 4mm thick veneer with melamine finish. The				
	top of the table shall be provided with equal sized 12mm thick toughened glass				
	with polished edges. Apron (Modesty Panel) will be fixed with additional 6mm				
	thick IS 303 BWR grade plywood finished with 1mm laminate.				
	Table sides, back & intermediate panels: will be fixed with an additional 6mm				
	thick IS 303 BWR grade plywood on the existing plywood finished with 1mm				
	laminate for exposed surfaces (4 faces) and 0.8 mm thick laminate for inner				
	surfaces shall be provided as per drawing.				
	All edges to be provided & fixed with teak wood lipping patti finished with				
	melamine polish or approved PVC Banding. All the surface without teak veneer /				
	laminate / balancing laminate shall be lacquered polished of approved shade.As	_			
	per drawing and instruction of Architect/Bank, work to be completed.	R.mt	1	₹ 3,500.00	₹ 3,500.00
	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale				
	Touch Lmainates				

	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI or the architect				
	Veneer Makes; Greenply veneers, Natural Veneers, Century Veneers Veneer Equivalent or close to Rs 80/- per Sq.ft the colour to be approved by SBI or the architect				
5	MEETING ROOM TABLE/ CONFERENCE TABLE Providing and placing in position Meeting Room tables of approx. size 900mm in				
	diameter. Providing & Fixing Conference Table of shape as per design made from 19mm thick BWR ply for top, table stand and base with necessary 50mm X 40mm vertical supports. All exposed surfaces shall be finish with approved color 1 mm thk. laminate. All internal surfaces to be finished with 0.8mm thick laminate. All edges to be provide with TW lipping patti finished with melamine polish. Rate shall be inclusive of Brush Finish Stainless Steel Tray with POP UP Flap for electrical switches including necessary openings for wire manager, mikes carting away unserviceable materials out of the compound,cleaning the site etc. complete as per the detail drawing and instruction of Engineer.				
	Plywood Make: Greenply, Century, Duro or equivalent approved by the Bank.	Nos	1	₹ 11,000.00	₹ 11,000.0
	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale Touch Lmainates Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI or the architect				
6A a.	SIDE/ REAR CREDENZA (Existing Cupboards) Low Height Cupboard with Laminate Finish: Providing & fixing existing Low Height Storage Cupboard with 4-6mm thk additional ply finished with 1mm thk laminate. Outer exposed structure to be also fixed with additional 6mm ply and finished with 1mm thk laminate. All existing shutters to be replaced with 25mm thk BWR Grade ply, with concealed handles fixed with readymade wooden groove patti fixed as per architect's drawings. The shutters would be finished with 1mm thk laminate externally and 0.8mm laminate internally as per drawing. The shutters will be overlapping the exisitng frames and fixed with soft closing hinges complete.				
b.	The top portion of the side and rear credenza to be fixed with additional 6mm ply and finished with approved veneer and finished with melamine polish. All the other internal and external surfaces to be fixed with additional 6mm BWR Plywood and finished with 1mm laminate of approved shade and All edges to be provide with TW lipping patti finished with melamine polish. The shutters would be finished with 1mm thk laminate externally and 0.8mm laminate internally as per drawing. The shutters will be overlapping the exisitng frames and fixed with soft closing hinges complete. as per drawing, magnetic catchers, self-closing SS hinges, locks (Godrej/ Hettich/Haffele), SS towerbolts etc. All shutters to be made overlapping the frame.				
с.	Only front elevation will be considered for area calculation. As per drawing and instruction of Architect/Bank, work to be Completed				
	Plywood Make: Greenply, Century, Duro or equivalent approved by the Bank.	Sqm	1	₹ 6,000.00	₹6,000.00
	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale Touch Lmainates		-		
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI or the architect				
	Veneer Makes; Greenply veneers, Natural Veneers, Century Veneers Veneer Equivalent or close to Rs 80/- per Sq.ft the colour to be approved by SBI				

			······		
a.	Low Height Cupboard with Laminate Finish: Providing & fixing Low Height Storage				
	Cupboard of 750 height and 450mm deep. Outer exposed structure with to be	1			
	made with 19mm BWR ply as per IS 303 and back side using 8mm BWR grade				
	ply.All shutters to be made from 25 mm thk BWR Ply and shelves to be made with 19 mm thk.BWR ply.				
b.	The top portion of the side and rear credenza to be finished with approved				
	veneer and finished with melamine polish. All the other internal and external				
	surfaces to be finished with 1mm laminate of approved shade and All edges to be				
	provide with TW lipping patti finished with melamine polish.Shutters will have				
	concealed handle with wooden groove finished with approved shade of French				
	polish as per drawing, magnetic catchers, self-closing SS hinges, locks (Godrej/				
	Hettich/Haffele), SS towerbolts etc. All shutters to be made overlapping the frame.				
c.	Only front elevation will be considered for area calculation. As per drawing and				
	instruction of Architect/Bank, work to be Completed				
d.					
	Plywood Make: Greenply, Century, Duro or equivalent approved by the Bank.	Sqm	1	₹ 11,000.00	₹ 11,000.00
	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale				
	Touch Lmainates		ļ		
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI				
	or the architect		<u> </u>		
	Veneer Makes; Greenply veneers, Natural Veneers, Century Veneers				
	Veneer Equivalent or close to Rs 80/- per Sq.ft the colour to be approved by SBI				
	or the architect		<u> </u>		
7	HALF HT PARTITION (Re-skinning)				
	Providing and fixing 4mm BWR ply on exisiting Partition. The outer surfaces will				
	be finished with 1mm thk laminate with grooves as mentioned in the architects				
	drawing. The Exposed edges of the grooves will be finished with paint. The				
	wooden lipping patti will be polished with melamine polish.				
	the Existing 12mm toughened glass would be replaced if damaged and wiped		1.00	T 3 5 3 3 4	T 0 500 00
	clean. Adding a polyester film on top of the 12mm toughned glass.	Sq.m	1.00	₹ 2,500.00	₹ 2,500.00
	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale				
	Touch Lmainates		+		
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI				
	or the architect		+		
8	WOODEN FLOORING + SKIRTING - Basic rate 200.00/ Sft				
0	WOODEN FLOORING + SKIRTING - Basic Tale 200.00/ Sit		+		
	Providing and placing in position wooden laminate flooring with planks of size not				
	less than 1200 mm X 190 mm (with unlink panels / tongue-groove locking				
	arrangement) having a 0.2 mm thick top abrasive layer followed by decorative				
	layer upon HDF (high density fiberboard) substrate core over raisin saturated				
	backing layer installed using tongue-groove system over 2 mm thick underlayer				
	of polyurethane foam on 250-micron polythene sheet over a smooth, flat, hard				
	and free from moisture floor surface complete in all respect with required				
	accessories like end profile, transition profile, reducer 'T' profile etc. and				
	preparation of base including all other incidental works as per direction &	:			
	satisfaction of Architect in charge.				
			1		
	Cost of Laminate Floor Accessories, Skirting, End edge, T- molding, Reducer shall				
	have to be added in the cost including approved adhesive wherever required.	Sqm	1	₹ 3,750.00	₹ 3,750.00
	Laminated Flooring: Pergo, Xylos				
			ļ		
_	RESKINNING EXISTING WALL/ COLUMN PANELLING WITH LAMINATE FINISH				
9A		1			
9A	Existing Wall paneling, to be coveed with BWR grade ply of 4-6mm shall be fixed				
9A	Existing Wall paneling, to be coveed with BWR grade ply of 4-6mm shall be fixed create grooves as per the design in the drawing or as directed by Architect, with				
9A					
9A	create grooves as per the design in the drawing or as directed by Architect, with				

		,	,		,
	(i) Re-skinning Existing Wall Panelling:- Providing & fixing 4-6 mm thk BWR PLY on				
	existing panelling and finished with 1mm thk laminate and all the edges should be	1			
	finsihed with pvc banding of approved make. And the grooves should be finished				
	with paint.				
	(ii) Providing approved quality, seasoned, full length, Teak Wood molding 15 mm	1			
	thick with adequate width as required at site, to all openings, cutouts etc duly	1			
	polished with melamine polish complete as directed by the Engineer-in-charge at				
	site.				
	(iii) The rate should include cost of necessary hardware, making cutouts /	:			
	openings for electrical conduits / cables, Switch boards, AC ducts etc., including	:			
	providing necessary wooden/aluminum section members support at cutouts,				
	doors/windows openings etc. complete as per drawings and as directed by the				
	Engineer-in-charge at site.				
	(iv) Applying 2 or more coats of french polish to exposed edges of paneling,	1			
	moulded beadings etc. including preparation of surface, sealer coats etc.	1			
	complete including wastage of material, if any, scaffolding for execution of work	1			
	at all heights and locations etc. Exposed edges could also be finished with				
	approved PVC Banding complete.				
	Approved make:-				
	(a) Plywood:- Greenply, Century, Duro or equivalent approved by the Bank.				
	(b) Laminate:- Dorby Mica/ Greenlam/Century/Archid Close to or equivalent to				
	Rs 45.00/- per sq.ft colour as approved by the bank engineer or architect.				
	(c) Adhesive: Fevicol SH/Vamicol or equivalent approved by the Bank.				
	Mode of measurement:- Though, the aluminium frame may extend above false				
	ceiling level, clear paneling area available below false ceiling shall only be				
	measured after deduction for all openings above 0.50 Sqm				
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by	c	1 00		= 0 100 00
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI or the architect	Sqm	1.00	₹2,100.00	₹2,100.00
QB	SBI or the architect	Sqm	1.00	₹ 2,100.00	₹ 2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect,		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges.		1.00	₹2,100.00	₹2,100.00
98	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:-		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways		1.00	₹2,100.00	₹2,100.00
9B	SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. 		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood 		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to 		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade 		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including 		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade 		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as 		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as 		1.00	₹ 2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge. 		1.00	₹2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge. (iii) Providing approved quality, seasoned, full length, Teak Wood molding 15 mm thick with adequate width as required at site, to all openings, cutouts etc duly 		1.00	₹ 2,100.00	₹2,100.00
98	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge. 		1.00	₹ 2,100.00	₹2,100.00
98	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge. (iii) Providing approved quality, seasoned, full length, Teak Wood molding 15 mm thick with adequate width as required at site, to all openings, cutouts etc duly polished with melamine polish complete as directed by the Engineer-in-charge at site. 		1.00	₹ 2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge. (iii) Providing approved quality, seasoned, full length, Teak Wood molding 15 mm thick with adequate width as required at site, to all openings, cutouts etc duly polished with melamine polish complete as directed by the Engineer-in-charge at site. (iv) The rate should include cost of necessary hardware, making cutouts / 		1.00	₹ 2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge. (iii) Providing approved quality, seasoned, full length, Teak Wood molding 15 mm thick with adequate width as required at site, to all openings, cutouts etc duly polished with melamine polish complete as directed by the Engineer-in-charge at site. (iv) The rate should include cost of necessary hardware, making cutouts / openings for electrical conduits / cables, Switch boards, AC ducts etc., including 		1.00	₹ 2,100.00	₹2,100.00
9B	 SBI or the architect WALL/ COLUMN PANELLING WITH LAMINATE FINISH Wall paneling made from 25 x 25 x 1.20 mm thick hollow aluminum sections, over which BWR grade ply of 10 mm shall be fixed and additional 6-8mm ply in layers to create grooves as per the design in the drawing or as directed by Architect, with decorative molding patty on the edges. Providing and fixing in position wooden paneling to column / walls finished with laminate comprising as under:- (i) Framework:- Made out of 25 mm x 25 mm x 1.2mm thick extruded Aluminium hollow sections, placed not exceeding 600 mm centre to centre, bothways (horizontal and vertical), fixed rigidly on wall / columnns in perfect line, level and plumb. (ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood and additional 6-8mm ply in layers to create grooves as per the design to Aluminum framework finished with 1.00 mm thick approved quality and shade laminate, using approved adhesive, in approved pattern & design, including providing grooves, decorative moldings etc. as per Architectural drawings and as directed at site by the Engineer-in-charge. (iii) Providing approved quality, seasoned, full length, Teak Wood molding 15 mm thick with adequate width as required at site, to all openings, cutouts etc duly polished with melamine polish complete as directed by the Engineer-in-charge at site. (iv) The rate should include cost of necessary hardware, making cutouts / 		1.00	₹2,100.00	₹2,100.00

	on both sides of framework are covered with 6mm BWR ply finished with 1.0mm thick laminate as per direction.	Sqm	1.00	₹ 4,000.00	₹4,000.0
b.	The solid partition above7'-0" level shall be made with aluminium framework of size 50 mm X 50mm X1.47 mm (0.780Kg /mtr) box section. The spacing of the Horizontal and Vertical members are approximately 600mm c/c (maximum) and the top of the frame shall be fixed to the RCC slab bottom. The exposed surfaces				
	design & pattern, which once installed on glass, give additional strength to glass, reduce glare & prevent glass from splintering on impact. thickness not less than 4 Mil (100 mic.) or 7 Mil (175 mic.) as per design and direction of the Bank Engineer or Architect.				
	shall be sealed with suitable transparent sealant. Providing and fixing in position high impact resistant Polyester Films of approved				
	necessary SS brackets (D, C or U type) Vertical joints between the glass panels	1 1			
	false ceiling bottom. The glazed panels shall be fixed to the existing floor and false ceiling with all	Sqm	1	₹ 11,000.00	₹ 11,000.0
a.	Providing & fixing full height glazed partition with 12mm Toughened glass of approved make up to 7' level height with solid partition above 7'-0" level up to			E 11 000 00	= 44 000 4
11	FULL HEIGHT FULLY GLAZED PARTITION WITH 12MM TOUGHENED GLASS UPTO 7' LEVEL WITH SOLID PARTITION ABOVE 7' LEVEL				
	Square / D bracket S S finish of required size - Fixtures-Dorma, Ebco, Haffele	1			
	Mode of Measurement: Door opening size shall be measured. Glass- Saint gobain/ Asaahi/ Tata / Modi guard	Sqm	1.00	₹ 6,500.00	₹ 6,500.0
	film as per design/ instructions of Bank.		1.00	₹6 500 00	Ŧ 6 500 f
	Approved make: DORMA Top Pivot - PT 24, Top Patch Fittings - PT 20, Bottom Patch fittings - PT 10, Floor Spring - BTS 75 V, Corner lock with strike plate and Handle - TG DIH600 - 600mm length) or equivalent brand fittings from Hettich / Hafele / as per sample approved by the Bank. Rate should also include providing				
	design & pattern, which once installed on glass, give additional strength to glass, reduce glare & prevent glass from splintering on impact. thickness not less than 4 Mil (100 mic.) or 7 Mil (175 mic.) as per design and direction of the Bank Engineer or Architect.				
	necessary Patch fittings of approved make and fixtures & hardwares. Providing and fixing in position high impact resistant Polyester Films of approved				
	Providing and fixing in position frameless glass door shutter made using 12mm thick toughened glass fixed to the partition (glazed / solid / gypsum partitions) using heavy duty floor spring with pivot of approved make including necessary cutting of floor and making the surface good to its original position including all				
	Removing existing door and providing and fixing position 12 mm fully glazed toughened glass door, single/ double shutter, of approx. size 900/ 1500 x 2100/2400 mm	: :			
10	FULLY GLAZED DOOR				
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI or the architect	Sqm	1	₹ 3,500.00	₹ 3,500.0
	Mode of measurement:- Though, the aluminium frame may extend above false ceiling level, clear paneling area available below false ceiling shall only be measured after deduction for all openings above 0.50 Sqm	: :			
	approved by Bank Engineer or Architect (c) Adhesive: Fevicol SH/Vamicol or equivalent approved by the Bank.				
	Approved make:- (a) Plywood:- Greenply, Century, Duro or equivalent approved by the Bank. (b) Laminate:- Dorby Mica, Greenlam/Century/Archid / Aerolam or equivalent approved by the Bank.Equivalent or close to Dorby Mica Radiance Elm SF1101	1 1			
	complete including wastage of material, if any, scaffolding for execution of work at all heights and locations etc. complete.				
	(v) Applying 2 or more coats of french polish to exposed edges of paneling, moulded beadings etc. including preparation of surface, sealer coats etc.	: :			

	Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale	 	
	Touch Lmainates		
	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by	 	
	SBI or the architect		
	Glass- Saint gobain/ Asaahi/ Tata / Modi guard		
	Square / D bracket S S finish of required size - Oswal / Riddhi / Swift or equivalent		
	approved make		
	SINGLE WINDOW COUNTER / CASH COUNTER		
12.a	Size- 1600 mm X 900 x 750 mm with White acrylic solid surface & approved		
	coloured lacquered glass finishing	 	
	Supplying & fixing single window counter as per design and drawing made out of		
	18 mm thick IS 303 BWR grade ply wood boxing of approved make, complete		
	with 18 X 6 mm Teak wood beading on all edges wherever required. Tabletop		
	made from 12mm thick ISI 303 BWR-grade flexi ply. The countertop to be finished		
	with 6mm thk. sparkle white Corian sheet with 1.5" Thk. Bull Nose Moulding from		
	inside and Curved Machine polished edge from outside dropped down to form		
	light pelmet on front Apron as per detail drawing. The vertical surface below the		
	apron to be finished with approved coloured lacquered glass. Working table top		
	and edges shall be finished with 6 mm thick sparkle white acrylic solid surface		
	(corian of DUPONT/ Merino/ REHAU or equivalent approved make) as per		
	drawing and direction with all labour and material.		
	The cost shall be inclusive of S & F of a drawer unit or drawer & shelf unit (in		
	place of bottom 2 drawers) made of 18 mm thick MR grade plywood and with		
	approved make multipurpose Auto Lock in drawer and group lock in shelf unit.		
	Inner width of drawer box be 400mm, one side of box is leg panel, upper side of box is table top, back side modesty panel and Bottom of Box is of 18 mm thick		
	ply. 4 Nos drawers shall be 525 mm deep (inner dimension), First (Top) drawer		
	100mm height (facia) & rest 3 of equal size. Top two drawers shall be Cash		
	drawer having 6 equal compartments for currency notes.		
	Foot rest of 75 mm X 38 mm (3" x 1.5") in Teak wood and CPU stand of 18 mm		
	ply finished with 1 mm thick laminate of size 400 mm X 375 mm. Key board tray		
	of approved make of size 450 mm X 375 mm to be fixed.		
	All wood work shall be laguer polished to a smooth and uniform finish of choice		
	colour and shade.		
	All fittings like 75 mm long S.S. handle, Auto Lock to each drawer and cabinet	 	
	doors, piano / auto hinges, ball catcher, stopper, metal cable manager etc. should		
	be fixed of approved make.		
	Heavy duty telescopic full extension sliding channel of approved make shall be		
	used in all drawers.		
	All the internal surface (non-visible surface) shall be provided with 0.80 mm thick		
	balancing laminate of approved shade etc. complete.		
	Counter shall be made independent in Length of 1600 mm and properly placed		
	between two partitions. Counter will be measured in RMtr between two partition		
	and paid.		

FINISHING DETAILS				
0				
	R.mt	1.00	₹ 18,000.00	₹ 18,000.00
REPLACING TABLE TOPS FOR SINGLE WINDOW CLEARANCE COUNTERS				
Removing the current table top carefully not disturbing the original table and		¢		
Thk. Bull Nose Moulding from inside and Curved Machine polished edge from				
outside dropped down to form light pelmet on front Apron as per detail drawing.				
	Sq.m	1.00	₹ 5,500.00	₹ 5,500.00
RESKINNING SINGLE WINDOW COUNTER / CASH COUNTER				
÷				
additional 4-6mm thk ply finished with approved coloured lacquered glass.				
Supplying and fixing 25mm ply for exisitng drawer surfaces finished with 1mm thk				
ply. Auto Lock in drawer and group lock in shelf. The drawer to be fixed with new				
telescopic hinges and drawers to be fixed on top frame. The shutters of the				
cabinet to be fixed with 25mm ply and finished with 1.00mm thk laminate fixed				
with soft closing hinges fixed on existing surface overlayed on top of the				
frame.Shutters and drawers will have concealed handle with readymade wooden				
groove patti finished with approved shade of French polish.				
	Removing the current table top carefully not disturbing the original table and replacing and providing a 12mm thick ISI 303 BWR-grade flexi ply. The countertop to be finished with 6mm thk. sparkle white Corian sheet with 1.5" Thk. Bull Nose Moulding from inside and Curved Machine polished edge from outside dropped down to form light pelmet on front Apron as per detail drawing. RESKINNING SINGLE WINDOW COUNTER / CASH COUNTER Size- 1600 mm X 900 x 750 mm with White acrylic solid surface & approved coloured lacquered glass finishing Supplying & fixing 4-6mm ply on existing surface as per design and fix laminates of approved make The vertical surface below the apron to be fixed with additional 4-6mm thk ply finished with approved coloured lacquered glass. Supplying and fixing 25mm ply for exisitng drawer surfaces finished with 1mm thk ply. Auto Lock in drawer and group lock in shelf. The drawer to be fixed with new telescopic hinges and drawers to be fixed on top frame. The shutters of the cabinet to be fixed with 25mm ply and finished with 1.00mm thk laminate fixed	1) Table Top: 6 mm thick white acrylic solid surface 2) Front Appron: Round 6 mm thick white acrylic solid surface and 6 mm thick blue lacquered glass fixed with Natural Silicon 3) Facing of Drawers: 1.00 mm thick laminate finish 4) All the internal surface (non-visible surface) shall be provided with 0.80 mm thick balancing laminate Brief list of make are as under or any equivalent make will be permitted by the Engineer: MR grade Ply wood (IS :303) - Green / Century / Anchor / Archid / Mayur / Kit / Samrat / Croma Acrylic solid surface (Corain) - Dupont/ Merino/ REHAU or equivalent approved Laminate- Dorby Mica/ Greenlam/Century/Archid Close to or equivalent to Rs 45.00/- per sq.ft colour as approved by the bank engineer or architect. Multipurpose group Lock - Ebco / EG / Godrej Telescopic channels - Ebco / Eervite Keyboard tray - Ebco / Hettich / Innofit / Featherlite Auto lock - Ebco / Dorma / Ozone Cable Manager (60mm) - Metal - Ebco or equivalent Adhesive- Fevicol / Pedilite / Araldite / Royal Bond R.mt REPLACING TABLE TOPS FOR SINGLE WINDOW CLEARANCE COUNTERS Removing the current table top carefully not disturbing the original table and replacing and providing a 12mm thick ISI 303 BWR-grade flexi ply. The countertop to be finished with 6mm thk. sparkle white Corian sheet with 1.5" Thk. Bull Nose Moulding from inside and Curved Machine polished edge from outside dropped down to form light pelmet on front Apron as per detail drawing. Sq.m RESKINNING SINGLE WINDOW COUNTER / CASH COUNTER Size- 1600 mm X 900 x 750 mm with White acrylic solid surface & approved coloured lacquered glass finishing Supplying & fixing 4-6mm ply on existing surface as per design and fix laminates of approved make The vertical surface below the apron to be fixed with additional 4-6mm thk ply finished with Approved coloured lacquered glass. Supplying and fixing 25mm ply for existing drawer surfaces finished with 1mm thk ply. Auto Lock in drawer and group lock in shelf. The drawer to be fixed wit	1) Table Top: 6 mm thick white acrylic solid surface 2) Front Appron: Round 6 mm thick white acrylic solid surface and 6 mm thick blue lacquered glass fixed with Natural Silicon 3) Facing of Drawers: 1.00 mm thick laminate finish 4) All the internal surface (non-visible surface) shall be provided with 0.80 mm thick balancing laminate Brief list of make are as under or any equivalent make will be permitted by the Engineer: MR grade Ply wood (15:303) - Green / Century / Anchor / Archid / Mayur / Kit / Samrat / Croma Acrylic solid surface (Corain) - Dupont/ Merino/ REHAU or equivalent approved Laminate- Dorby Mica/ Greenlam/Century/Archid Close to or equivalent to Rs 45:00/- per sq. ft colour as approved by the bank engineer or architect. Multipurpose group Lock - Ebco / EG / Godrej Telescopic channels - Ebco / Eor / Featherlite Auto lock - Ebco / Dorma / Ozone Cable Manager (60mm) - Metal - Ebco or equivalent Adhesive- Fevicol / Pedilite / Araldite / Royal Bond R .mt 1.00 REPLACING TABLE TOPS FOR SINGLE WINDOW CLEARANCE COUNTERS Removing the current table top carefully not disturbing the original table and replacing and providing a 12mm thick ISI 303 BWR-grade flexi ply. The countertop to be finished with form inkk. sparkle white Corian sheet with 1.5" Thk. Bull Nose Moulding from inside and Curved Machine polished edge from outside dropped down to form light pelmet on front Apron as per detail drawing. Sq.m 1.00 RESKINNING SINGLE WINDOW COUNTER / CASH COUNTER Size- 1600 mm X 900 x 750 mm with White acrylic solid surface & approved coloured lacquered glass finishing Supplying and fixing 4-6mm ply on existing surface as per design and fix laminates of approved make. The vertical surface below the apron to be fixed with additional 4-6mm thk ply finished with approved coloured lacquered glass. Supplying and fixing 25mm ply for existing drawer surfaces finished with 1mm thk ply. Auto Lock in drawers to be fixed on top frame. The shutters of the cabinet to be fixed with 25m	1) Table Top: 6 mm thick white acrylic solid surface 2) Front Appron: Round 6 mm thick white acrylic solid surface and 6 mm thick blue lacquered glass fixed with Natural Silicon 3) Facing of Drawers: 1.00 mm thick laminate finish 4) All the internal surface (non-visible surface) shall be provided with 0.80 mm thick blancing laminate Brief list of make are as under or any equivalent make will be permitted by the Engineer: MR grade Ply wood (15:303) - Green / Century / Anchor / Archid / Mayur / Kit / Samrat / Croma Acrylic solid surface (Corain) - Dupont/ Merino/ REHAU or equivalent approved Laminate - Dorby Mica/ Greenlam/Century/Archid Close to or equivalent to Rs 45.00/- per sq.ft colour as approved by the bank engineer or architect. Multipurpose group Lock - Ebco / EG / Godrej Telescopic channels - Ebco / Verite Keyboard tray - Ebco / Hettich / Innofit / Featherlite Auto lock - Ebco / Sorne Cable Manager (60mm) - Metal - Ebco or equivalent Adhesive- Fevicol / Pedilite / Araldite / Royal Bond Removing the current table top carefully not disturbing the original table and replacing and providing at 12mm thick ISI 303 BWR-grade fiel ply. The counterty to be finished with 5m thick, sparkle white Corian sheet with 1.5" Thk. Bull Nose Moulding from inside and Curved Machine polished edge from outside dropped down to form light pelmet on front Apron as per detail drawing. Size 1600 mm X 900 x 750 mm with White acrylic solid surface & approved coloured lacquered glass.

	FINISHING DETAILS:				
	1) Front Appron: Round 6 mm thick white acrylic solid surface and 6 mm thick				
	approved coloured lacquered glass fixed with Natural Silicon				
	2) Facing of Drawers: 1.00 mm thick laminate finish				
	MR grade Ply wood (IS :303) - Green / Century / Anchor / Archid / Mayur / Kit / Samrat / Croma				
	Acrylic solid surface (Corain) - Dupont/ Merino/ REHAU or equivalent approved				
	Laminate- Dorby Mica/ Greenlam/Century/Archid Close to or equivalent to Rs				
	45.00/- per sq.ft colour as approved by the bank engineer or architect.				
	Multipurpose group Lock - Ebco / EG / Godrej				
	Telescopic channels - Ebco / Everite				
	Keyboard tray - Ebco / Hettich / Innofit / Featherlite				
	Auto lock- Ebco / Dorma / Ozone				
	Cable Manager (60mm) - Metal - Ebco or equivalent				
	Adhesive- Fevicol / Pedilite / Araldite / Royal Bond				
		Sq.m	1.00	₹ 3,500.00	₹ 3,500.00
13	PROVIDING AND FIXING 12 MM THICK TOUGHENED FLOAT GLASS PARTITION				
	TOWARDS FRONT SIDE OF SINGLE WINDOW COUNTERS TOWARDS PUBLIC SPACE AS FOLLOWS.				
	12 mm thick Toughened clear float glass of required shape with bevelled edges				
	on top portion shall be fixed with SS brackets with flat back on wooden partition				
	and counter top as directed. All edges of glass shall be Diamond cut polished				
	edges as directed complete. Maximum length and height will be measured for				
	payment purpose.				
	Brief list of makes are as under or any equivalent make will be permitted by the				
	Engineer				
	Glass- Asaahi/ Tata / Modi guard / Saint gobain Square / D bracket S S finish of required size - Oswal / Riddhi / Swift or equivalent				
	approved make	Sqm	1.00	₹ 5,000.00	₹ 5,000.00
14	RE-SKINNING FULL HEIGHT SOLID WOODEN PARTITION WITH BOTH SIDES				
	LAMINATE				
	Providing & fixing in position an additional 4-6mm ply on exisitng partition with 12mm grooves left in between as per the architect's drawings				
	(i) Plywood/ MDF skin:- Providing & fixing 4mm ply on both sides of exisitng				
	partition with 12mm grooves placed in between the placed partitions as per the				
	drawings of the architect.				
	(ii) Finishing:- Providing 1.00 mm thick, approved quality and shade laminate, on		•		
	both sides of partitions in approved design & pattern including making grooves as				
	per Architectural drawing or as directed by the Engineer-in-charge using approve				
	quality adhesive complete				
	(iii) Making suitable cutouts/ openings/ channels for Doors, electrical conduits,				
	cables & switch boards, AC ducts etc including providing necessary wooden				
	supports wherever required and directed at site.				
	(iv) Providing and making suitable door frame with rebate for door shutters using				
	approved quality seasoned full-length Teak Wood having finished sectional size				
	75mm x 20mm to the door perimeter complete as per detailed Architectural				
	drawing and as directed at site				
	(v) Applying 2 or more coats of approved matching shade and finish, french polish				
	(v) Applying 2 or more coats of approved matching shade and finish, french polish to all exposed edges of partitions including those in door openings, cutouts etc.				
	(v) Applying 2 or more coats of approved matching shade and finish, french polish to all exposed edges of partitions including those in door openings, cutouts etc. complete.				
	(v) Applying 2 or more coats of approved matching shade and finish, french polish to all exposed edges of partitions including those in door openings, cutouts etc.				

	Approved make:-				
	(a) Aluminum extruded sections: Jindal, Hindalco or equivalent approved by the				
	Bank.				
	(b) MDF Board:- Greenply, Century, Samrat or equivalent approved by the Bank.				
	(c) Laminate:- Dorby Mica/ Greenlam/Century/Archid Close to or equivalent to Rs 45.00/- per sg.ft colour as approved by the bank engineer or architect.				
	(d) Adhesive: Fevicol SH/Vamicol or equivalent approved by the Bank.				
	(a) Adhesive. Pevicol SH/ variicol of equivalent approved by the Bank.				
		Sqm	1.00	₹ 2,000.00	₹ 2,000.00
15	SOFA 1- SEATER, 2- SEATER, 3- SEATER.				
	Providing & Supplying Sofas, Sofa chairs of various types & categories (Single				
	seater, Two seater & Three seater) etc complete as per the manufacturers				
	specifications as mentioned below. The rights to select & approve the sofas &				
	seating shall vest with the clients. The contractor shall submit brochures of				
	manufacturer at the time of quoting for this item etc complete as per layout. The				
	consultants reserve the right to select the sofas in line with the technical				
	specifications envisaged & meeting the specifications standards expected.				
	(Approved makes: Godrej / Durian / Featherlite)				
Α.	Single seater sofa	Nos	1	₹ 22,000.00	₹ 22,000.00
В.	Two seater sofa	Nos	1	₹26,000.00	₹ 26,000.00
C.	Three seater sofa	Nos	1	₹ 33,000.00	₹ 33,000.00
16	CENTRE TABLE				
	Providing and supplying in position oval or rectangular centre table to be made				
	out of 2" X 2" teakwood frame including 12mm thk clear glass top with bevelled	: :			
	edges including bottom glass shelf with etching etc complete. The rate shall also				
	include SS lining design to the teakwood frames including all the necessary				
	hardware, fittings, fixtures as per manufactursrs specifications complete.	Nos.	1	₹ 12,000.00	₹ 12,000.00
17	CHAIRS FOR OFFICERS/VISITORS AND MEETING ROOM Supplying & Installation of Office Chairs				
	a) The seat & back are made of 1.20 cm thick hot-pressed plywood upholstered				
	with fabric and polyurethane foam together with moulded ABS seat & back				
	covers. The back foam should be designed with contoured lumber support for	:			
	extra comfort having seat size 51x47 cm and back size 48x68cm approx.				
	Overall size of the chair Depth 70 cm x width 70 cm x height 106 - 123.5cm seat				
	ht44 - 45 cm. The polyurethane foam should be moulded with density =45 \pm 2				
	kg/m3 and hardness + 20 ± 2 kg on Hampden machine at 25% compression				
	b) Chair should be provided with a synchro tilt mechanism which should offer				
	features like forward tilt, self-regulating tilt tension + Manual override, 4 position	: :			
	tilt locking and anti-shock back mechanism which prevents the back rest from				
	hitting the user when the lock should be released. The backrest consists of a drop				
	lift mechanism, which can be adjusted in the range of 6.5 cm and can be locked in				
	5 steps for the better lumbar support.				
	c) Chair should be provided with a gas lift mechanism for height adjustments. The				
	pedestal should be injection moulded in black 30% glass filled nylon. The pedestal				
	should be 60 cm pitch centre dia (70 cm with castors). The twin wheel castors are injection moulded in black nylon. All metal components are epoxy polyester				
	powder coated with dry film thickness of more than 45 microns, salt spray test to withstand more than 1000 hrs, pencil scratch hardness more than 2H, other tests				
	contorming to Clace D IS 6005,1070 Boly wothand arm ract V E twin wheel extre				
	conforming to Class D, IS:6005:1970. Polyurethane arm rest & 5 twin wheel extra smooth castors.				
a)	conforming to Class D, IS:6005:1970. Polyurethane arm rest & 5 twin wheel extra smooth castors. Chair for Officers (Godrej model- DIVA Revolving High Back with Fixed Loop Arms)				

	Laminate Equivalent or close to Rs 45.00/- per Sq.ft the colour as approved by SBI or the architect				
	Touch Lmainates				
	or bank engineer Laminate Makes: Dorby Mica, Century Laminates, Merino Laminates, Royale	Sq.m	1.00	₹ 2,500.00	₹ 2,500.0
	for roller blinds on windows or for projector screen, etc as instructed by architect				
	providing, making, and fixing ply cove laminated on both sides (inside height 150 200 mm and border 75 mm) to hide strip/cove light in ceiling or to act as pelmet				
	approved by architect or bank Engineer				
	colour(wooden finish) and quality. Grooves to be finished with french polish				
	The plywood should be finished with 1 mm thick. Laminate of approved				
	Architect, with decorative molding patty. The entire framework will be attached to the slab using anchor fasteners.				
	molding of approved design shall be fixed as per drawing or as directed by				
	fixing 12 mm thick. BWR Grade ply, and additional 6-8mm ply in layers with				
19	FALSE CEILING FINISHED WITH LAMINATE Same as Gypsum false ceiling but instead gypsum boards providing, making, and		L		
10					
	:2011 (Board with BIS certification marks) to be used.	Sqm	1.00	₹ 1,200.00	₹ 1,200.
	12.5 mm thick tapered edge gypsum plain board conforming to IS: 2095- (Part I)				
	or engineer in charge.				
	border 75 mm) to hide strip/cove light in ceiling or to act as pelmet for roller blinds on windows or for projector screen, etc as per the isntruction of architect				
	Providing, making, and fixing Gypsum cove (inside height 150 - 200 mm and				
	coats of acrylic emulsion paint over a cost of putty.				
	direction of Engineer in charge including cost of painting the false ceiling with two				
	perimeter channels suitably fixed, all complete as per drawings, specification and				
	making openings for light fittings, grills, diffusers, cutouts made with frame of				
	board, all as per manufacturer's specification and also including the cost of				
	jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for				
	to a flush finish of tapered and square edges of the board with recommended				
	dry wall screws of size 3.5 x 25mm at 230 mm c/c, including jointing and finishing				
	Fixing of gypsum board to ceiling section and perimeter channel with the help of				
	plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval.				
	mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl				
	perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30				
	out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing				
	each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made				
	section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm				
	mm running at the spacing of 1200 mm centre to centre, to which the ceiling				
	and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9				
	hangers of 25x10x0.50 mm of required length with nuts & bolts of required size				
	1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle				
	cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dach factorer 12.5				
	frame work made galvanized M.S. sections as per IS : 277 and consisting of angle				
	Providing and fixing false ceiling at all height including providing and fixing of				
18	GYPBOARD FALSE CEILING				
	Colour of the apholestry to be determined by Bank Engineer or Architect.				
c)	Loop Arms) / equivalent approved make of Featherlite / Wipro	Nos	1	₹ 9,000.00	₹ 9,000.
-1	Chairs for Meeting Room (Godrej model- DIVA Revolving Mid Back with Fixed	1103	1	(3,000.00	(3,000.
	approved make of Featherlite / Wipro	Nos	1	₹ 5,000.00	₹5,000.0
b)	(Godrej model- DIVA Revolving Mid Back with Fixed Loop Arms) / equivalent				
	S-frame type, as per quality and design approved, of makes viz. Godrej Bravo/Featherite/ Wipro/Methodex make or equivalent as approved for visitors				

. -					
20	BACK PAINTED GLASS + LOGO				
	Back painted glass (Lacquer Glass) paneling:				
	Providing and fixing in position wooden paneling to column / walls finished with				
	Back painted (Lacquer Glass) comprising as under:-				
	(i) Framework:- Made out of 50 mm x 25 mm x 1.2mm thick extruded Aluminium				
	hollow sections, placed upto 600 mm centre to centre, bothways (horizontal and				
	vertical), fixed rigidly on wall / columnns in perfect line, level and plumb.				
	······,// ·····························				
	(ii) Panel Finishing:- Providing & fixing 9 mm thick approved make BWR plywood				
	to Aluminum framework finished with 8 mm thick approved quality and make				
2	back painted Lacquer Glass panels of required size, rigidly fixed using 3M				
a.					
	adhesive / double side self-adhesive tape complete as directed by the Engineer-in-	-			
	charge.				
	(iii) The rate should include cost of necessary hardware, making cutouts /				
	openings for electrical conduits / cables, Switch boards etc., including providing				
	necessary wooden/aluminum section members support at cutouts, providing				
	scaffolding for execution of work at all heights, complete as per drawings and as				
	directed by the Engineer-in-charge at site.				
		Sqm	1	₹ 4,000.00	₹4,000.0
	Logo:- Providing and fixing in position with SS studs or as directed laser cut Logo				
b.	as per design made from 18 mm MDF board (exterior grade) and finished with				
	enamel paint as directed complete.	Lumpsum	1	₹ 4,000.00	₹ 4,000.0
22	POLYESTER FILM				
	Cleaning the current glass façade by removing any stickers, dirt, film on it.				
	Cleaning the glue off it with suitable chemicals and Providing and fixing in				
	position high impact resistant Polyester Films of approved design & pattern,				
	which once installed on glass, give additional strength to glass, reduce glare &	1			
	prevent glass from splintering on impact. thickness not less than 4 Mil (100 mic.)	1			
	or 7 Mil (175 mic.)	Sqm	1	₹ 800.00	₹800.0
23	ROLLER BLINDS				
	Providing, fabricating and fixing vertical roller blinds of approved make preferably				
	of "Vista Levelor" with a woven made acrylic coated fabric of 100% polyester of				
	thickness 0.50 - 0.60 mm (+/- 5% tolerance) with the main properties like				
	resistance to Cracking & Fraying, dust repellence, UV proof and virtually	'			
	maintenance free along with the Vista accessories of like Head rail , Roller tube				
	Idler, Bottom rail, chain, matching colour installation brackets etc. including all				
	fixtures and fittings of Vista like Rainbow curtain rods with electric resistance				
	welded MS pipe having a corrugated virgin PVC extrusions reinforced to minimize				
	friction, finials and along with standard anchoring arrangements etc. all complete				
	done in workmanlike manner as per the approved design, colour and including	1			
	necessary scaffolding as directed.				
		Sqm	1	₹ 3,500.00	₹ 3,500.0
24	Painting Works				
а.	Acrylic Emulsion Paint on old surface				
	Preparing earlier treated surface by scraping, rubbing with sand paper, applying				
	two coats of Birla white putty wherever required, to level the surface, and its	1			
	rubbing with sand paper, to ensure smooth surface, suitable to receive paint and				
	rubbing with sand paper, to ensure smooth surface, suitable to receive paint and	I			
	rubbing with sand paper, to ensure smooth surface, suitable to receive paint and then applying 2 or more coats of approved colour and shade of Acrylic Emulsion				
	rubbing with sand paper, to ensure smooth surface, suitable to receive paint and then applying 2 or more coats of approved colour and shade of Acrylic Emulsion Paint with low VOC content over a coat of approved primer complete as per				
	rubbing with sand paper, to ensure smooth surface, suitable to receive paint and then applying 2 or more coats of approved colour and shade of Acrylic Emulsion Paint with low VOC content over a coat of approved primer complete as per manufacturers' specifications to internal walls/ceiling including necessary		1	₹ 180.00	₹ 180.0
	rubbing with sand paper, to ensure smooth surface, suitable to receive paint and then applying 2 or more coats of approved colour and shade of Acrylic Emulsion Paint with low VOC content over a coat of approved primer complete as per manufacturers' specifications to internal walls/ceiling including necessary scaffolding etc. complete.		1	₹ 180.00	₹180.0

nos and SS 100 mm long handles complete.	Sqm	1.00	₹ 5,000.00	₹ 5,000.00
Providing and fixing in position Flush Door of approved quality and design finished with 1 mm thk. Laminate of approved color and quality of approx size 750 x 2100 mm x not less than 35mm thk, including providing S.S. baby latch two				
FLUSH DOOR				
suspension system Grid frame with butterfly clips, for laying of Acoustical Ceiling Tiles as per manufacturer's specifications.	Sq.m	1	₹1,400.00	₹ 1,400.00
600mm x 15mm. with providing and fixing Hot dipped galvanised Steel				
Manufacturer's specification with pin-hole tiles, tegular edge with 24 mm				
equivalent make mineral fibre acoustical suspended ceiling system as per				
level, Acoustical Ceiling System @ Office areas with Armstrong, Gyproc or				
Mineral Fibre Ceiling	•			
Make:- Asian / Nerolac / Berger / Dulex	Sq.m	1	₹ 160.00	₹160.00
etc. complete as per manufacturers' specifications.				
roller finish over a coat of primer on internal walls including necessary scaffolding				
Providing and applying 2 or more coats of approved Acrylic Emulsion paint with				
	roller finish over a coat of primer on internal walls including necessary scaffolding etc. complete as per manufacturers' specifications. Make:- Asian / Nerolac / Berger / Dulex Mineral Fibre Ceiling Mineral Fibre Ceiling Tiles : Providing, making & Fixing at all heights & in spirit level, Acoustical Ceiling System @ Office areas with Armstrong, Gyproc or equivalent make mineral fibre acoustical suspended ceiling system as per Manufacturer's specification with pin-hole tiles, tegular edge with 24 mm exposed grid. The tiles should have Colour White, in module size of 600mm x 600mm x 15mm. with providing and fixing Hot dipped galvanised Steel suspension system Grid frame with butterfly clips, for laying of Acoustical Ceiling Tiles as per manufacturer's specifications. FLUSH DOOR Providing and fixing in position Flush Door of approved quality and design finished with 1 mm thk. Laminate of approved color and quality of approx size	Make:- Asian / Nerolac / Berger / Dulex Sq.m Mineral Fibre Ceiling Mineral Fibre Ceiling Tiles : Providing, making & Fixing at all heights & in spirit level, Acoustical Ceiling System @ Office areas with Armstrong, Gyproc or equivalent make mineral fibre acoustical suspended ceiling system as per Manufacturer's specification with pin-hole tiles, tegular edge with 24 mm exposed grid. The tiles should have Colour White, in module size of 600mm x 600mm x 15mm. with providing and fixing Hot dipped galvanised Steel suspension system Grid frame with butterfly clips, for laying of Acoustical Ceiling Tiles as per manufacturer's specifications. Sq.m FLUSH DOOR Providing and fixing in position Flush Door of approved quality and design finished with 1 mm thk. Laminate of approved color and quality of approx size Sq.m	roller finish over a coat of primer on internal walls including necessary scaffolding etc. complete as per manufacturers' specifications. Make:- Asian / Nerolac / Berger / Dulex Sq.m 1 Mineral Fibre Ceiling Mineral Fibre Ceiling Tiles : Providing, making & Fixing at all heights & in spirit level, Acoustical Ceiling System @ Office areas with Armstrong, Gyproc or equivalent make mineral fibre acoustical suspended ceiling system as per Manufacturer's specification with pin-hole tiles, tegular edge with 24 mm exposed grid. The tiles should have Colour White, in module size of 600mm x 600mm x 15mm. with providing and fixing Hot dipped galvanised Steel suspension system Grid frame with butterfly clips, for laying of Acoustical Ceiling Tiles as per manufacturer's specifications. FLUSH DOOR Providing and fixing in position Flush Door of approved quality and design finished with 1 mm thk. Laminate of approved color and quality of approx size	roller finish over a coat of primer on internal walls including necessary scaffolding etc. complete as per manufacturers' specifications. Make:- Asian / Nerolac / Berger / Dulex Sq.m 1 ₹160.00 Mineral Fibre Ceiling Mineral Fibre Ceiling Tiles : Providing, making & Fixing at all heights & in spirit level, Acoustical Ceiling System @ Office areas with Armstrong, Gyproc or equivalent make mineral fibre acoustical suspended ceiling system as per Manufacturer's specification with pin-hole tiles, tegular edge with 24 mm exposed grid. The tiles should have Colour White, in module size of 600mm x 600mm x 15mm. with providing and fixing Hot dipped galvanised Steel suspension system Grid frame with butterfly clips, for laying of Acoustical Ceiling Tiles as per manufacturer's specifications. FLUSH DOOR Providing and fixing in position Flush Door of approved quality and design finished with 1 mm thk. Laminate of approved color and quality of approx size