CORRIGENDUM NOTICE FOR SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF ELEVATOR FOR SBI KALYANI BRANCH BUILDING (G+2 FLOORS) LOCATED AT KALYANI, NADIA

Refer our Tender No TENDER ID: KOL/PE/VC/2025/03/04 dated 13.03.2025 published on the Bank's website i.e www.sbi.co.in under "procurement" news section subject captioned and SBI e-Tender www.tenderwizard.in/SBIETENDER following changes in tender document has been made and should be read as below:

S. No.	Point No./Annexure No/Clause No.	Existing	New/Modified to be read as
1	Type or Design of Lift Car	Stainless Steel (1.5mm) - Hairline Finish & Rear Panel in Glass	Stainless Steel (1mm or 1.5mm) - Hairline Finish
2	Special features	Automatic Rescue Device with UPS Back-up	Automatic Rescue Device with UPS Back-up
3	Payment Terms	The following percentage of contract rates in the tender shall be payable at different stages of work (No advance is payable): a. 60% after delivery of material at site with all required documentation, test certificates as may be required and its verification/ inspection. Payment can be made on per lift basis but only after all material except erection accessories for the lift is delivered. b. Balance 40% will be paid after all statutory clearances are obtained and lift(s) are handed over after required testing & commissioning. c. Retention money as detailed in Clause 18.0	The following percentage of contract rates in the tender shall be payable at different stages of work (No advance is payable): a. 70% after delivery of material at site with all required documentation, test certificates as may be required and its verification/inspection. Payment can be made on per lift basis but only after all material except erection accessories for the lift is delivered. b. 20% will be paid after completion of Lift installation, testing & commissioning. c. Balance 10% will be paid after all statutory clearances are obtained and lift is handed over. d. Retention money as detailed in Clause 18.0 above

		above shall be deducted from each bill for payment.	shall be deducted from each bill for payment.
4	Clear opening of Gates / Doors(minimum)	800mm (W) X 2100mm (H) or as per site conditions.	800 mm (W) X 2000 mm (H) or as per manufacturer standards.
5	Type of Elevator	SITC OF 6 PASSENGER ELEVATOR (FOR G+2 BUILDING) WITH MACHINE ROOM	SITC OF 6 PASSENGER ELEVATOR (FOR G+2 BUILDING) WITH MACHINE ROOM or MRL (MACHINE ROOM LESS) TYPE
6	Last date and time of submission of tender	2:00 PM on or before 24.03.2025, (extended date of tender submission till 21.05.2025)	4:00 PM on or before 23.05.2025.
7	Date & Time of opening of Tender	3:00 PM on 24.03.2025, (extended date of tender submission till 21.05.2025)	4:10 PM on 23.05.2025. In case the tender opening date is declared as holiday / lock-down, the tender will be opened in the next working day at the same time.

All other quantity, terms and conditions etc. will remain unchanged.

Asst. General Manager (P&E)

